

Date	March 1, 2013
-------------	---------------

Louisiana Certified Sites Program Application

Site name	England Airpark Heavy Industrial Site W1	
Street Address or other physical location	1611 Arnold Drive	
City/town(nearest), State, and Zip code	Alexandria, LA 71303	
Parish	Rapides	
Contact person and title (owner, Director, etc.)	Jon Grafton, Executive Director David Broussard, Airpark Development Manager	
Organization	England Economic and Industrial Development District	
Address	1611 Arnold Drive	
City/State/Zip	Alexandria, LA 71303	
Telephone	Office 318-427-6407	Cell 318-623-7202
E-mail	dbroussard@englandairpark.org	

Statement of Affirmation

I have examined this application and all accompanying materials, and to the best of my knowledge, the information provided herein is correct and complete. I will notify Louisiana Economic Department in writing of any subsequently discovered errors in the information provided and will clarify, amend or supplement any information as requested by the department.

In submitting this application, I do freely participate in the Louisiana Certified Sites Program. Certification of the site by Louisiana Economic Development is made at its sole discretion and its decision is not appealable.

I therefore request certification pursuant to this application.


<p>Signature </p>	<p>Airpark Development Manager</p> <p>Title</p>	<p>March 1, 2013</p> <p>Date</p>
---	---	--

Table of Contents

General Information	1
Minimum Criteria Check List	6
I. Verification of Site Availability	7
A. Site Identification	7
A. Site Identification (continued) – Owner #1 information	7
B. Option to Purchase Site (<i>if applicable</i>)	10
C. Site Zoning, Tax Assessment, and Special Economic Development Districts ...	11
D. Existing Structures On-Site.....	13
E. Land Transferability and Encumbrances.....	14
F. Fire Protection Rating and Proximity to Emergency Medical Care.....	16
II. Utilities and infrastructure	17
A. Water Supply Infrastructure	17
B. Wastewater Infrastructure	19
C. Electricity Infrastructure.....	21
D. Natural Gas Infrastructure.....	22
E. Local Product Pipeline Crossings	24
F. Telecommunications Infrastructure.....	25
G. Roadway Transportation Infrastructure.....	26
H. Air Transportation Infrastructure	28
I. Rail Infrastructure.....	29
J. Water Transportation Infrastructure	30
K. Geography and Geological Assessment.....	31
L. Environmental Assessment.....	33
Exhibits	
Exhibit 1 - USGS Quad Map	
Exhibit 2 - Aerial Imagery	
Exhibit 3 - Boundary Survey	
Exhibit 4 - Engineer’s Letter on Land Use and Zoning	
Exhibit 5 - Topographical Map	
Exhibit 6 - Roster of owners	

Exhibit 7 - Site Maps

Exhibit 7a - General Location Map

Exhibit 7b - Site General Boundary Map

Exhibit 7c - Transportation Map (50-Mile Radius)

Exhibit 7d - Site Map with Existing Roadways and Proposed
Transportation Improvements

Exhibit 7d.1 - Access Road (Hwy 1 to Hwy 28) - Opinion of
Probable Cost

Exhibit 7d.2 - On Site Streets and Drainage Improvements -
Opinion of Probable Cost

Exhibit 7e - Proposed Lot Layout Plan

Exhibit 7f - Prototypical Grading and Drainage Plan for 1,000,000 S.F.
Building

Exhibit 7g - Prototypical Grading and Drainage Plan for 225,000 S.F.
Building

Exhibit 8 - Utilities Maps

Exhibit 8a - Water Service Map

Exhibit 8b - Wastewater Service Map

Exhibit 8c - Electrical Service Map

Exhibit 8d - Natural Gas Service Map

Exhibit 8e - Telecommunications Service Map

Exhibit 9 - USDA NRCS Soil Survey Map

Exhibit 10 - National Wetlands Inventory (NWI) Map

Exhibit 11 - Wetlands Delineation

Exhibit 12 - FEMA Flood Map

Exhibit 13 - Phase I Environmental Assessment

Exhibit 14 - *Reserved*

Exhibit 15 - Endangered Species Study

Exhibit 16 - *Reserved*

Exhibit 17 - Cultural Resource Survey

Exhibit 18 - Preliminary Geotechnical Engineering Services Report

Exhibit 19 - Property Deed

Exhibit 20 - Title Opinion with Abstract

Exhibit 21 - Tax Assessor Plat

Exhibit 22 - Proposed Water Service Improvements

Exhibit 22a - Proposed Water Service Improvements - Opinion of
Probable Cost

Exhibit 23 - Letter from City of Alexandria Utilities Department Regarding Excess
Water and Wastewater Capacity

Exhibit 24 - Proposed Wastewater Service Improvements

Exhibit 24a - Proposed Wastewater Service Improvements - Opinion of
Probable Cost

Exhibit 24b - Wastewater Pre-Treatment Requirements

Exhibit 25 - Proposed Electrical Service Improvements

Exhibit 25a - Proposed Electrical Service Improvements - Opinion of
Probable Cost

Exhibit 26 - Proposed Natural Gas Service Improvements

Exhibit 26a - Proposed Natural Gas Service Improvements - Opinion of
Probable Cost

Exhibit 27 - Proposed Telecommunications Service Improvements

Exhibit 27a - Proposed Telecommunications Service Improvements -
Opinion of Probable Cost

Exhibit 28 - Proposed Rail Service Improvements

Exhibit 28a - Proposed Rail Service Improvements - Opinion of Probable
Cost

Exhibit 29 – Schedule for Proposed Improvements

Exhibit 30 – Full Size Copies of Exhibits

Minimum Criteria Check List		
Criteria	Minimum Requirement	Yes/No
Acres above 100-yr flood plain using latest DFIRM maps	25 acres or greater	Yes
Price per acre	Price/Lease quoted in writing	4,500 lease per acre
Control of property	Ownership/Option/Other	Yes
Use classification (zoning)	If the site is in an area with zoning, the site must be zoned for industrial use (or capable of being rezoned to industrial use within a reasonable timetable) and, if zoned, a zoning map and zoning regulations attached.	Yes
Water supply	250,000 gpd or greater is available on site within a reasonable timetable. If the water source is not available to the property boundary, a construction plan and cost estimate is attached.	Yes
Wastewater	250,000 gpd or greater is available at the site within a reasonable time frame. If existing capacity is not available to the property boundary, a construction plan and cost estimate is attached.	Yes
Electricity	Reliable 3-phase on site or a construction plan and cost estimate is attached.	Yes
Natural Gas	Must be available to the property boundary or a construction estimate and plan for bringing to the site attached.	Yes
Environmental	Phase I (less than 5 years old). Phase 2 may be required if Phase 1 indicates issues exist on the property.	Yes
Cultural Resources	Phase I is required if the State Historical Preservation Office does not clear the site for development.	Yes
Endangered Species	A clearance letter from the Louisiana Department of Wildlife and Fisheries indicating that development on the site will not impact threatened/endangered species.	Yes
Highway access	Capable of supporting 83,400 pounds gross weight.	Yes
Maps and Attachments	Have all REQUIRED Maps and attachments, as a minimum, been included with this submittal? (See list of REQUIRED/DESIRED Exhibits near the end of the form.)	Yes

I. Verification of Site Availability

A. Site Identification			
1.	Site name	England Airpark Heavy Industrial W1	
2.	Address or physical location (include accurate latitude/longitude, if available)	92.55724 deg. N, 31.325047 deg. W	
3.	City/town (nearest), state/zip code	Alexandria, LA 71303	
4.	Parish	Rapides	
5.	Contact person and title	David Broussard, Airpark Development Manager	
6.	Address	1611 Arnold Drive	
7.	City/State/Zip	Alexandria, LA 71303	
8.	Telephone	Office 318-427-6407	Cell 318-623-7202
9.	E-mail Contact(s)	dbroussard@englandairpark.org	
10.	Total acres for lease/sale?	708.8 Acres	
	Total contiguous developable acreage above the 100-year flood plain	470 Acres	
11.	Number of parcels making up acreage	16 (Templated)	
12.	Number of owners of the separate parcels	1	
13.	Total selling price for all acres (\$) Note: Include a total price, not a unit price per acre or per sq. foot. You may include both total and unit costs but a total cost is required.	\$29,349,000.00	
14.	Total acreage annual lease (\$)	\$4,500 per acre/ \$2,934,000.00 total	
15.	Is there a lease-purchase option? (YES/NO)	No	
	If yes, description/comment on lease-purchase option:		
	N/A		
16.	Is there a right-of-first-refusal feature? (YES/NO)	N/A	

If yes, description/comment on right-of-first refusal option:				
N/A				
17.	Has a title abstract been submitted with this application? (YES/NO)			YES
	If YES, Exhibit # and name of document?	Exhibit 20 – Title Opinion with Abstract		
18.	Is the acreage sub-divisible? If yes, complete box 18a. (YES/NO)			YES
18a	Parcel description	Acres	Lease or selling price per acre (\$)	Total Lease or selling price (\$)
	Lot No. 1 (Templated)	35	4,500	157,500
	Lot No. 2 (Templated)	26	4,500	117,000
	Lot No. 3 (Templated)	110	4,500	495,000
	Lot No. 4 (Templated)	30	4,500	135,000
	Lot No. 5 (Templated)	90	4,500	405,000
	Lot No. 6 (Templated)	54	4,500	243,000
	Lot No. 7 (Templated)	100	4,500	450,000
	Lot No. 8 (Templated)	25	4,500	112,500
	Lot No. 9 (Templated)	24	4,500	108,000
	Lot No. 10 (Templated)	25	4,500	112,500
	Lot No. 11 (Templated)	24	4,500	108,000
	Lot No. 12 (Templated)	24	4,500	108,000
	Lot No. 13 (Templated)	23	4,500	103,500
	Lot No. 14 (Templated)	23	4,500	103,500
	Lot No. 15 (Templated)	39	4,500	175,000
Lot No. 16 (Templated)	24	4,500	108,000	

A. Site Identification (continued) – Owner#1 information (Sole Owner)			
1.	Site name	England Airpark Heavy Industrial Site W1	
2.	Owner name	England Economic and Industrial Development District	
3.	Contact person	David Broussard	
4.	Address	1611 Arnold Drive	
5.	City/State/Zip	Alexandria, LA 71303	
6.	Telephone	Office 318-427-6407	Cell 318-623-7202
7.	E-mail	dbroussard@englandairpark.org	
8.	Total acres within the site owned by this owner	708.8 Acres	
9.	Total selling price of this acreage (\$)	\$29,349,000.00	
10.	Total annual lease price of this acreage (\$)	\$4,500 per acre	
11.	Has an “intent to sell” letter from this owner regarding this acreage been included with this application? (YES/NO) If YES, please include Exhibit# and title of document.	No. Our 1 st option is to lease the property	
12.	Comments regarding the immediate availability of this parcel: The property is available immediately.		

B. Option to Purchase Site (if applicable)			
1.	Option holder	N/A	
2.	Contact person and organization (as appropriate)	N/A	
3.	Address	N/A	
4.	City	N/A	
5.	Telephone	Office N/A	Cell N/A
6.	E-mail	N/A	
7.	Total number of acres under option to purchase	N/A	
8.	Option expiration date	N/A	
9.	Is the option assignable? (YES/NO)	N/A	
10.	Is there a mechanism to renew the option upon expiration? (YES/NO)	N/A	
11.	Has a copy of the option to purchase been included with this application? (YES/NO) If YES, include Exhibit# and name of document.	N/A	
12.	Special comments, if any, relative to option to purchase:		
	N/A		

C. Site Zoning, Tax Assessment, and Special Economic Development Districts		
1.	Is site within incorporated municipal limits? (YES/NO)	No
	If so, what municipality?	N/A
	If the site is NOT within an incorporated municipality, how far is it to the boundary line of the nearest incorporated area (miles)? What is the name of the incorporated municipality/city/town?	600 feet to Alexandria, LA
2.	Is the site within a zoning district? (YES/NO)	NO
	If YES, contact name, agency name, address and phone of zoning authority.	N/A
	If zoned, briefly describe the property's current zoning classification?	N/A
	If zoned, has a copy of the zoning regulation been attached? (YES/NO) If zoning regulation is attached, include Exhibit# and name of document.	N/A
3.	Are there any restrictions on noise level? (YES/NO)	NO
	If YES, please describe:	N/A
4.	Are there any height restrictions? (YES/NO)	YES
	If YES, please describe:	Height restrictions in accordance with 14 CFR Part 77 Objects Affecting Navigable Airspace
5.	Describe any land use restrictions (e.g., hours of operation)	property reserved for industrial manufacturing and distribution
6.	How long will it take for required city/parish re-zoning permits or other required permits to be issued? (months)	None Req'd
7.	Are adjacent properties zoned the same as the site? (YES/NO)	YES

8.	Please describe previous and current uses of the adjacent sites and planned projects. Please note any nearby schools, churches, or residential developments.		
	North: Residential; Majority of properties have been purchased by Owner through FAA Noise Mitigation Program. Currently, approximately 50% inhabited.		
	East: Alexandria International Airport (AEX)		
	South: Bayou Rapides Road (La Hwy 1202) and Bayou Rapides. Agricultural and Rural Residential areas are south of the highway and bayou.		
	West: Southwest- Bayou Rapides Road (La Hwy 1202) and Bayou Rapides. Agricultural and Rural Residential areas are south of the highway and bayou. Northwest- Agricultural		
9.	What is the current property tax millage applied to the site? Include units (per acre, etc.)	We are a government agency. There is no millage on the property. Only applies to improvements.	
10.	What is the current assessed valuation of the site?	N/A	
11.	Has a copy of the latest assessment been provided with this application? (YES/NO)		NO
	If YES, include Exhibit# and name of document.	Not Included	
12.	Is the site located within a Foreign Trade Zone? (YES/NO)	Yes #261	
13.	Is the site located within a Renewal Community? (YES/NO)	No	
14.	Is the site located within a Louisiana Enterprise Zone? (YES/NO)	No	

D. Existing Structures on-site					
	Buildings	Size (sq ft)	Year Built	Latest use	Included in sale (YES/NO)
1.	Building 1	1014	c.1955-2003	Aviation/Communication/Weather Station	No
	Building 2	1426	c.1955-1972	Warehouse/Storage Facility	No
	Building 3	419	c.1955-1972	Generator building	No
	Building 4	Unknown	c.1955-1972	Vehicle/Equipment storage	No
	No others known				
	Paved surfaces				
2.	Abandoned Aircraft Pavements	817,500	c.1950		
	Misc. Roads	Unknown	Unknown		
Fences					
3.	Airport Perimeter Fence	6-7' tall	c. 1990s		
4.	Are there any cemeteries located on the site? (YES/NO)				NO
	If YES, please describe.	None			
5.	Can any structures not included in the sale be removed within a reasonable timetable such as 180 days or less? (YES/NO)				Yes
	If current and existing structures will be removed, does a work plan exist to remove structures? (YES/NO)			All structures, except new weather tower, are to be removed by Owner prior to development.	
	If YES, include Exhibit# and name of document.			None	

E. Land Transferability and Encumbrances		
1.	Has a copy of the deed been included with this application? (YES/NO) NOTE: Deeds that have no deed restrictions are not required documents; deeds with any form of easements, limitations of use, or other encumbrances must be attached as an exhibit.	YES
	If YES, include Exhibit# and name of document.	Exhibit 19 – Property Deed
2.	Has the required boundary/property survey been included with this application? (YES/NO)	YES
	If YES, include Exhibit# and name of document.	Exhibit 3 – Boundary Survey
3.	List and describe rights-of-way (include property survey indicating rights-of-way). Feel free to attach as a separate Exhibit if lengthy.	
	Include Exhibit # and name of document if attached as a separate document. Exhibit 3 – Boundary Survey includes existing rights-of way. Exhibit 7e – Proposed Lot Layout includes template rights-of-way for proposed improvements.	
4.	List and describe other easements (include property survey indicating easements)	
	Include Exhibit # and name of document if attached as a separate document. None except Airport-related height restrictions.	
5.	List and describe any liens against the property.	
	Include Exhibit # and name of document if attached as a separate document. No liens	
6.	List and describe any judgments impacting development of the site.	
	Include Exhibit # and name of document if attached as a separate document. None	

7.	List and describe any restrictive covenants. Include Exhibit # and name of document if attached as a separate document.
	None
8.	List and describe other encumbrances. Include Exhibit # and name of document if attached as a separate document.
	None

F. Fire Protection Rating and Proximity to Emergency Medical Care		
1.	Is the site within the coverage area of a fire department? (YES/NO)	Yes
2.	Name of agency or other provider of fire protection services to the site	Rapides Parish
3.	Rating of fire service provider	ISO 3
4.	Distance to fire station (miles)	2
	Name of Fire Station providing services to the site	Rapides Parish Fire District 2
5.	Distance to emergency medical care (miles)	5
	Name and brief description of nearest emergency medical care facility:	Rapides Regional Medical Center

II. Utilities and infrastructure

A. Water Supply Infrastructure			
1.	Has a site map indicating the location of all existing water utilities been provided with this application? (YES/NO) If YES, please include Exhibit# and title of document.	YES Exhibit 8a – Water Service Map	
2.	Company/agency name, address and phone of provider of potable or process water to the site	Alexandria Water Department P.O. Box 71 Alexandria, LA 71309-0071 (318) 441-6216	
3.	Distance to the closest potable/process water line to service the site (feet) (Note: The line must be available to the property boundary or a construction plan and cost estimate must be attached to this application.) If a construction plan is attached, include Exhibit# and name of document	A rural, not-for-profit water system, Rapides Island Water System, currently provides water to customers adjacent to the site. However, improvements are proposed to serve industrial customers from the City of Alexandria Water System, which is currently 8,200 feet from the site. Exhibit 22 – Proposed Water Service Improvements	
4.	Size of potable/process water line closest to the site (inches in diameter)	16"	
5.	Static and residual pressures of the potable/process water line closest to the site	Static 65 psi	Residual 60 psi
6.	Source of potable or process water (lake, well, other source)	Wells- Kisatchie and Urban well fields	
7.	Total potable/process water system capacity (millions of gallons per day)	28.4 MGD	
8.	Current average daily use of the water system (millions of gallons per day)	10.4 MGD	
9.	Peak demand (millions of gallons per day)	Appx. 14 MGD	
10.	Excess capacity of the existing water system (millions of gallons per day)	13.6 MGD	
11.	Has a letter from the provider confirming the excess capacity been provided with this application? (YES/NO) If YES, include Exhibit# and name of document.	YES Exhibit 23 – Letter from City of Alexandria Utilities Department Regarding Excess Water and Wastewater Capacity	
12.	Distance to closest elevated potable water storage tank (miles)	2 miles	
13.	Capacity of closest elevated potable water storage tank (gallons)	500,000 gallons	

14.	Distance to the appropriate booster station (miles)	1.5 miles
15.	Is or will there be adequate pressure and flow at site to combat fires? (YES/NO)	YES
16.	Has a plan to improve or upgrade the existing water system (including construction budget and schedule) been provided with this application? (YES/NO) If YES, include Exhibit# and name of document.	YES Exhibit 22 – Proposed Water Service Improvements Exhibit 22a – Opinion of Probable Costs Exhibit 29 – Schedule for Proposed Improvements
	If YES, can this plan be executed within a reasonable timetable such as 180 days or less? (YES/NO)	Limited water service is available virtually immediately. However, the improvement plan included herein would require longer than 180 days.
	If the plan can be implemented within a reasonable time frame, what is the basis for this assertion? Discussions with water company? Engineering schedule? Contractor discussions?	
	Preliminary engineering layouts and prior discussions with the service provider.	

B. Wastewater Infrastructure		
1.	Has a site map indicating the location of all existing wastewater utilities been provided with this application? (YES/NO) If YES, please include Exhibit# and title of document.	YES Exhibit 8b – Wastewater Service Map
2.	Provider of sewer service (company name, municipal name, etc.). Include name, address, phone number and contact name, as appropriate.	Alexandria Wastewater Department P.O. Box 71 Alexandria, LA 71309-0071 (318) 441-6241 Jimbo Graham, Superintendent
3.	Distance to the closest wastewater collection line to service the site (feet) (Note: Line must be available to the site boundary or a construction plan and cost estimate must be attached.)	A rural, not-for-profit wastewater system currently provides sewer service to customers adjacent to the site. However, improvements are proposed to serve industrial customers from the City of Alexandria Wastewater System, which is currently 8,200 feet from the site, as shown in Exhibit 24 – Proposed Wastewater Service Improvements.
4.	Size of wastewater collection line closest to the site (inches diameter)	24" SFM
5.	Is there a force main at or near the site? (YES/NO)	YES
6.	Capacity of nearest lift station (gallons/day)	720,000 GPD (proposed)
7.	NPDES permit number of sewer provider	LA0041009 & LAJ650021
8.	Total capacity of wastewater system (gallons/day)	22,000,000 GPD
9.	Current average daily use of wastewater system (gallons/day)	11,000,000 GPD
10.	Peak load on wastewater system (gallons/day)	27,000,000 GPD
11.	Excess capacity of wastewater system (gallons/day)	6,500,000 GPD
12.	Has a letter from the provider confirming the excess capacity been provided with this application? (YES/NO)	YES Exhibit 23 – Letter from City of Alexandria Utilities Department Regarding Excess Water and Wastewater Capacity
	If not, what is the basis for the excess capacity assertion?	Discussions with the service provider
13.	What are the pre-treatment requirements to discharge to the wastewater system? If lengthy, please include the pretreatment requirements as a separate attachment. If included as a separate document, please include Exhibit# and title of document here.	
	Included in Exhibit 24b – Wastewater Pre-Treatment Requirements	

14.	Has a plan to improve or upgrade the existing wastewater system (including construction budget and schedule) been provided with this application? (YES/NO) If YES, please include Exhibit# and title of document.	YES Exhibit 24 – Proposed Wastewater Service Improvements Exhibit 24a – Opinion of Probable Costs Exhibit 29 – Schedule for Proposed Improvements
	If YES, can this plan be executed within a reasonable time frame such as 180 days or less? (YES/NO)	Limited wastewater service is available virtually immediately. However, the improvement plan included herein would require longer than 180 days.
15.	Has a plan to establish an on-site wastewater treatment facility been provided with this application? (YES/NO) If YES, please include the Exhibit# and title of document.	NO None

C. Electricity Infrastructure		
1.	Has a site map, with the site clearly outlined, indicating the location of all existing electrical lines been provided with this application? (YES/NO) If YES, please include Exhibit# and title of document.	YES Exhibit 8C – Electrical Service Map
2.	Local provider of electrical power (company name, address, phone and contact person, as appropriate)	Cleco Power, LLC P.O. Box 5000 Pineville, LA 71361 Mike Sibley (318)308-1273
3.	Distance to provider's nearest distribution line (feet)	200 feet
4.	Size of provider's nearest distribution line (kV)	13.2 kV
5.	Distance to nearest transmission line equal to or greater than 69 kV (miles)	0.56 miles
6.	Is reliable 3-phase service available at the site today? (YES/NO) (Note: If existing 3-phase service is not available at the site, certification will require submission of a formal cost estimate, construction plan and funding source to meet the minimum level of service within a reasonable timetable.)	NO
	If 3-Phase is NOT available at the site, include Exhibit# and title of document containing the plan to install 3-phase.	Exhibit 25 – Proposed Electrical Service Improvements Exhibit 25a – Opinion of Probable Costs Exhibit 29 – Schedule for Proposed Improvements
	What additional services are to be included with this upgrade?	Redundant feed is available from second substation if necessary.
	Can these plans be executed within a reasonable timetable such as 180 days or less? (YES/NO)	YES
7.	Is dual feed available? That is, can the site be supplied power from two substations such that if one substation has an outage, the site still has power? (YES/NO)	YES
8.	Peak load capacity available at site (MW)?	30 MW
9.	Distance to nearest substation to serve the site (miles)	0.7 miles
10.	Distance to the next closest substation to serve the site (miles)	2.6 miles

D. Natural Gas Infrastructure		
1.	<p>Has a site map, with the site clearly outlined, indicating the location of all existing natural gas lines near/adjacent to the site been provided with this application? (YES/NO)</p> <p>If YES, please include Exhibit# and title of document.</p>	<p>YES</p> <p>Exhibit 8d – Natural Gas Service Map</p>
2.	Local supplier of natural gas (Company/agency name, address, phone and contact name, as appropriate)	CrossTex LIG, LLC 8090 Highway 3128 Pineville, LA 71360 (318)445-8225
3.	Distance to nearest distribution service line (NOT transmission line) (feet)	On-site
4.	Size of distribution service line (inches)	2"
5.	Pressure of distribution service line (psi)	40 psi
6.	<p>If the distribution line is not on or immediately adjacent to the site, has a plan to extend the line (including construction budget and schedule) been provided with this application? (YES/NO)</p> <p>If YES, please include Exhibit# and title of document.</p>	<p>YES</p> <p>Exhibit 26 – Proposed Natural Gas Service Improvements Exhibit 26a – Opinion of Probable Costs Exhibit 29 – Schedule for Proposed Improvements</p>
	<p>If the line needs to be extended to the site, can this plan be executed within a reasonable timetable such as 180 days or less? (YES/NO)</p>	Limited natural gas service is available virtually immediately. However, the improvement plan included herein would require longer than 180 days.
	<p>What is your basis for asserting that the plan can be completed in a reasonable timetable? Engineering/construction estimate? Letter from natural gas supplier? etc.</p> <p>Preliminary engineering layouts and prior discussions with the service provider.</p>	
7.	Transmission provider of natural gas	CrossTex LIG, LLC
8.	Distance to nearest transmission line (NOT distribution line) (miles)	2 miles
9.	Size and pressure of transmission line (inches and PSI)	16", 600 psi
10.	Are any known transmission or distribution upgrades or infrastructure improvements planned that will impact service to the site? (YES/NO)	NO

11.	List and describe services to be upgraded or improved.
	Install 15,100 LF of 6" steel gas main from transmission main to the site; install 12,147 LF of 4" PE gas main throughout the site to serve customers
	Can these plans be executed within a reasonable timetable such as 180 days or less? (YES/NO) If so, what is the basis for this assertion?
	YES. The construction schedule indicates a longer project length, but the schedule could potentially be expedited.

E. Local Product Pipeline Crossings		
1.	Do any pipelines of any type (natural gas, water, crude oil, etc.) cross the site? (YES/NO)	NONE KNOWN
	If YES, has a site map, with the site clearly outlined, indicating the location of any existing or proposed underground (or above-ground) product pipelines been provided with this application? (YES/NO)	N/A
	If YES, please include Exhibit# and title of document.	N/A
2.	Pipeline owner	N/A
	Primary contents of pipeline	N/A
3.	Pipeline owner	N/A
	Primary contents of pipeline	N/A
4.	Pipeline owner	N/A
	Primary contents of pipeline	N/A
5.	Pipeline owner	N/A
	Primary contents of pipeline	N/A
6.	Pipeline owner	N/A
	Primary contents of pipeline	N/A

F. Telecommunications Infrastructure		
1.	<p>Has a site map indicating the location of all existing telecommunications lines been provided with this application? (YES/NO)</p> <p>If YES, please include Exhibit# and title of document.</p>	<p>YES</p> <p>Exhibit 8e – Telecommunications Service Map</p>
2.	Local provider of telecommunications services (Company, name, address, phone and contact name, as appropriate)	<p>AT&T 1120 Texas Ave 71301 Gary</p>
3.	Distance to provider's nearest telecommunications line (feet)	
4.	Distance to nearest central office (CO) serving the site (miles)	5 miles
5.	Is digital switching available at the site? (YES/NO)	Digital switching is available via the central office
6.	Is fiber optic cable currently available at the site? (YES/NO)	Fiber cable is nearby and can be provided to the site
7.	Are T-1 lines available at the site? (YES/NO)	YES
8.	Are T-3 lines available at the site? (YES/NO)	YES
9.	Is cellular or PCS wireless service available at the site? (YES/NO)	YES
10.	Is satellite or commercial grade with an unobstructed view of the sky available at the site? (YES/NO)	YES
11.	<p>If a plan is underway to improve telecommunications at/near the site, has a copy of the plan to improve the existing telecom lines or systems (including construction budget and schedule) been provided with this application? (YES/NO)</p> <p>If YES, please include Exhibit# and title of document.</p>	<p>YES</p> <p>Exhibit 27 – Proposed Telecommunications Service Improvements Exhibit 27a – Opinion of Probable Costs Exhibit 29 – Schedule for Proposed Improvements</p>
	If a plan has been developed, which services are to be included:	
	<p>AT&T is the Incumbant Local Exchange Carrier and can provide virtually any copper or fiber based telecommunications services to the site. Examples of services include POTS, DSL, T1, DS3, Metro Ethernet, Wavelength, Lightgate, and SMARTRing. The plan shown in the included exhibits includes the installation of underground conduit, which is to be used by the Local Exchange Carrier.</p>	
	<p>Can these plans be executed within a reasonable timetable such as 180 days or less? (YES/NO) If YES, what is the basis for this assertion?</p> <p>Basic telecommunications services are available virtually immediately. The level and location of services required will dictate whether construction is required and the length of time before such services are available.</p>	

G. Roadway Transportation Infrastructure					
1.	Has the required site map, with the site clearly outlined, indicating the location of all existing roadways abutting or crossing the site been provided with this application? (YES/NO) If YES, please include Exhibit# and title of document.			YES Exhibit 7d.1 – Site Map with Existing Roadways and Proposed Transportation Improvements	
2.	Nearest roadway	Roadway number	Distance from site (road miles)	Number of lanes	Width of lanes
	Parish road	Jimmy Brown Rd	0 (Abutting)	2	9 feet
	State highway	LA 1202	0 (Abutting)	2	10.5
	U.S. highway	US 71	5.3	4	12
	North-south Interstate highway	I-49	2.0		
	East-west Interstate highway	I-10	93		
3.	Can parish road sustain HS20 capacities (3-4 axle vehicles, such as semi-trucks and trailers)? (YES/NO)				YES
4.	What is the weight limit of the parish road in pounds (lbs)?				80,000 lbs
5.	Can state highway sustain HS20 capacities (3-4 axle vehicles, such as semi-trucks and trailers)? (YES/NO)				YES
6.	What is the weight limit of the state highway in pounds (lbs)?				80,000 lbs
7.	Is access to site controlled by a traffic light? (YES/NO)				NO
8.	Are there any known improvements planned for local roadways? (YES/NO). If YES, please complete the blocks below.				YES
	Local roadway to be improved	Description of improvement, Including controlling or funding authority			Schedule
	Moss Point Dr	Widening of 2,400 LF from 18' to 24' wide			16 months
	Jimmy Brown Rd	Widening of 8,500 LF from 18' to 24' wide			16 Months
	LA 1202	Widening of 6,400 LF from 21' to 24' wide			21 Months
	Robinson Rd	Widening of 5,700 LF from 18' to 24' wide			21 Months
9.	Are there any known road improvements planned that will impact access to the Interstate highway? (YES/NO)				NO

	If YES, how long will access to the interstate be impacted?	None known	
10.	Are any roadway improvements required to access the site? (YES/NO)	NO	
	If YES, please describe required improvements.	Access to the site exists, however, construction is proposed to improve access the site.	
	If YES, is there a state or local commitment to making these improvements? (YES/NO)	NO	
11.	Do any rights-of-way need to be obtained to access the site? (YES/NO)	NO	
	If YES, please describe Right-of-Way needs.	None	
	If YES, what is the time schedule for obtaining these rights-of-way?	N/A	

H. Air Transportation Infrastructure		
1.	Name and address of nearest commercial airport with scheduled passenger service	Alexandria International Airport
2.	Distance in road miles to the nearest commercial airport	On Site
3.	Average travel time to nearest commercial airport	On Site
4.	Number of air carriers serving nearest commercial airport	3
5.	Is direct international passenger service available at this airport? (YES/NO)	No
6.	Is international passenger service available within a two-hour flight? (YES/NO)	Yes
7.	Is international cargo service available? (YES/NO)	Yes
Optional – Enter a second commercial airport that might be near your facility if your site can be accessed fairly easily from both airports.		
8.	Name and address of second closest commercial airport with scheduled passenger service	Lafayette Regional
9.	Distance in road miles to the second closest commercial airport	90
10.	Average travel time to second closest commercial airport	80 minutes
11.	Number of air carriers serving second closest commercial airport	3
12.	Is direct international passenger service available at this airport? (YES/NO)	No
13.	Is international passenger service available within a two-hour flight at this airport? (YES/NO)	Yes
14.	Is international cargo service available at this airport? (YES/NO)	No

I. Rail Infrastructure		
1.	Is the site currently served by rail? (YES/NO) (Is there a rail spur currently on the site or adjacent to the site?)	NO
2.	Name of carrier of nearest freight railroad line?	Union Pacific Railroad
3.	Distance to the nearest carrier's freight railroad line (miles)	0.85 miles
4.	Second carrier's closest freight railroad line, if a second carrier is available.	Kansas City Southern Railroad
5.	Distance to the second closest carrier's freight railroad line (miles)	2.7 miles
6.	Location of nearest intermodal rail yard	New Orleans, LA
7.	Distance in rail miles to nearest intermodal rail yard	Appx. 180 miles
8.	If rail does not serve the site, has a plan to provide service (including construction budget, construction plan, and source of funding) been attached? (YES/NO)	YES
	If YES, please include Exhibit# and title of document.	Exhibit 28 – Proposed Rail Service Improvements Exhibit 28a – Opinion of Probable Costs Exhibit 29 – Schedule for Proposed Improvements
	In what time frame (number of months) can rail service to the site be provided?	21 months
	What is the basis for this assertion? Engineering estimate? Letter from rail company? etc.	Engineering estimate
9.	If rail is not currently on or adjacent to the site, do rights-of-way (ROW) exist for extension of rail line to site? (YES/NO)	NO
	Do these rights-of-way cross federal, state, or parish roadways? (YES/NO)	YES
10.	What party is responsible for ongoing maintenance of line extended to the site?	Undetermined

J. Water Transportation Infrastructure			
1.	Name, address, phone and contact name (as appropriate) of nearest shallow draft port	Port of Alexandria	
2.	Name of waterway at shallow draft port	Red River	
3.	What water depth is maintained at the shallow water port? (feet)	9 ft.	
4.	Distance in road miles to nearest shallow draft port	6	
5.	Does the shallow water port site currently have barge docking facilities? (YES/NO)	Yes	
6.	Name, address, phone and contact name (as appropriate) of nearest deepwater port	Port of Baton Rouge	
7.	Name of body of water at deepwater port	Mississippi River	
9.	Distance in road miles to nearest deepwater port	110	
10.	Does the deepwater port currently have deepwater vessel docking facilities? (YES/NO)	Yes	
11.	How much draft can this deepwater port accommodate?	45 ft.	

K. Geography and Geological Assessment		
1.	<p>Has the required U.S. Geological Survey quad map, with the site clearly outlined, been provided with this application? (YES/NO)</p> <p>Note: We prefer a map where the site has been zoomed into close enough to where the topographical data (elevations) is legible. We do not need the whole USGS quad map but would appreciate it if both exhibits are attached.</p> <p>If YES, please include Exhibit# and title of document.</p>	<p>YES</p> <p>Exhibit 1 – USGS Quad Map</p>
2.	<p>Has the required Soils Conservation Service (SCS) map, with the site clearly outlined, been provided with this application? (YES/NO)</p> <p>If YES, please include Exhibit# and title of document.</p>	<p>YES</p> <p>Exhibit 9 – USDA NRCS Soil Survey Map</p>
3.	<p>Has the required National Wetlands Inventory (NWI) map, with the site clearly outlined, been provided with this application? (YES/NO)</p> <p>If YES, please include Exhibit# and title of document.</p>	<p>YES</p> <p>Exhibit 10 – National Wetlands Inventory (NWI) Map</p>
4.	<p>Has the required FEMA 100-year flood plain map, with the site clearly outlined, been provided with this application? (YES/NO)</p> <p>Please use the latest FEMA DFIRM map, even if preliminary.</p> <p>If YES, please include Exhibit# and title of document.</p>	<p>YES</p> <p>Exhibit 12 – FEMA Flood Map</p>
5.	Minimum topographical elevation (ft, MSL)	73 feet MSL
6.	Maximum topographical elevation (ft, MSL)	87 feet MSL
7.	Topographical variation (maximum elevation minus minimum elevation) (ft)	14 feet
8.	Indicate the general grade or percentage slope of the site.	0.1 %
9.	Described the general terrain of the site (e.g., flat, gently rolling, greatly sloping, etc.).	Nearly Flat to Slightly Sloping
10.	Described the general type of vegetation on the site.	Row Crops and Wooded (to be cleared by Owner)

11.	Identify any bodies of water or wetlands on or abutting the site.	Identify authority with jurisdiction over water body.
	Delineated Wetlands (9.15 acres)	U.S. Army Corps of Engineers
	Intermittent Ditch, "Other Waters" (8,982 linear feet, 6.5 acres)	U.S. Army Corps of Engineers
12.	Has a copy of a preliminary geotechnical study been provided with this application? (YES/NO) Note: By "geotechnical study," we mean the study must have included soil borings by a licensed geotechnical contractor at the site or a nearby adjacent site. A GeoCheck report, while useful information, is not deemed sufficient to satisfy this criteria. If YES, please include Exhibit# and title of document.	YES Exhibit 18 – Preliminary Geotechnical Engineering Services Report
	If YES, does the geotechnical study indicate that the site is compatible with industrial development? (YES/NO)	YES
	If YES, does the study indicate the soils are suitable for building foundations and/or construction of on-site roadways?	YES
	If YES, is soil augmentation required for construction of a "typical" 100,000 sq ft industrial manufacturing building? (YES/NO)	YES
13.	Depth to groundwater (ft)	9.5 to 19 feet
14.	Has the required color aerial photo (from the past 24 months, with the site clearly outlined, been provided with this application? (YES/NO) If YES, please include Exhibit# and title of document.	YES Exhibit 2 – Aerial Imagery

L. Environmental Assessment		
1.	Has the required copy of the Phase I Environmental Assessment been included with this application? (YES/NO) If YES, please include Exhibit# and title of document.	YES Exhibit 13 – Phase I Environmental Assessment
2.	Was the result from Phase I “No Further Action”? (YES/NO) If NO, what additional recommendations were made?	YES N/A
3.	Do the findings of Phase I require a Phase II? (YES/NO)	NO
	If YES, has a Phase II environmental assessment been completed? (YES/NO)	N/A
	If a Phase II has been completed, has a copy of the Phase II assessment executive summary been provided with this application? (YES/NO) If YES, please include Exhibit# and title of document.	N/A N/A
	Was the result from Phase II “No Further Action”? (YES/NO)	N/A
4.	Has the required letter from the LA Dept. of Wildlife and Fisheries indicating that development will not impact any endangered species and that the site is cleared for development been included with the application? (YES/NO) Please include Exhibit# and title of document.	YES Exhibit 15 – Endangered Species Study
5.	Has a wetlands delineation/determination been conducted for this site? (YES/NO)	YES
	If a wetlands determination has been conducted, has a copy of the wetland delineation/ determination been provided with this application? (YES/NO) If a copy has been included, please include Exhibit# and title of document.	YES Exhibit 11 – Wetlands Delineation
	If a wetlands determination has been conducted, did it indicate the presence of wetlands and/or other waterways on site? (YES/NO)	YES

	<p>If wetlands are present, has a Corp of Engineers Sec 404 Permit Application been submitted? (YES/NO)</p> <p>If YES, please include Exhibit# and title of document.</p>	<p>NO</p> <p>N/A</p>
	<p>If wetlands are present, has a Corp of Engineers Sec 404 Permit been received? (YES/NO)</p> <p>If YES, please include Exhibit# and title of document.</p>	<p>NO</p> <p>N/A</p>
	<p>If wetlands are present, have all wetlands on the site been mitigated? (YES/NO)</p> <p>If YES, please include Exhibit# and title of document showing signed agreement with wetlands bank or other substantiation.</p>	<p>NO</p> <p>N/A</p>
	<p>Any other comments related to the possible presence of wetlands on site?</p>	<p>See Exhibit 11 – Wetlands Delineation</p>
6.	<p>Has the required State Historical Preservation Officer (SHPO) letter regarding the presence of historical or cultural artifacts on the site been provided with this application? (YES/NO)</p> <p>Note: The “SHPO” in Louisiana is the Louisiana Office of Culture, Recreation and Tourism (CRT), Division of Historic Preservation.</p> <p>Please include Exhibit# and title of document.</p>	<p>To complete this application, it was assumed that the SHPO would require a Cultural Resources Assessment.</p> <p>N/A</p>
	<p>Has the SHPO cleared the site for development? (YES/NO)</p>	<p>NO</p>
	<p>If the SHPO has NOT cleared the site for development, has the required Phase I Cultural Resources Assessment been performed? (YES/NO)</p> <p>If YES, please include Exhibit# and title of document.</p>	<p>YES</p> <p>Exhibit 17 – Cultural Resource Survey</p>