Project Number: 047882.00 June 30, 2015

Exhibit CC. North Webster Parish Industrial District Site Wetlands Delineation Report

Delineation of Wetlands and Other Waters of the U.S.
North Webster Parish Industrial District
61.329-acre Property
Webster Parish, Louisiana

Prepared for:
KSA Alliance, Inc.
1111 Hawn Avenue
Shreveport, LA 71107

Prepared by:
Sphere 3 Environmental, Inc.
1501 Bill Owens Parkway
Longview, Texas 75604
www.sphere3env.com

TABLE OF CONTENTS

LIST OF APPENDICES

INTRODUCTION

Sphere 3 Environmental, Inc. (Sphere 3) was retained by KSA Alliance, Inc. (KSA) to delineate wetlands and other waters of the United States on the North Webster Parish Industrial District's 61.329-acre property in Webster Parish, Louisiana. The project is located in Section 25, Township 23 North, and Range 11 West (Appendix A).

METHODOLOGY

Brandon McNeill, Sphere 3 Environmental Scientist, conducted a preliminary jurisdictional determination of waters of the United States on the property between June 15 and 25, 2015. The wetland delineation was conducted in accordance with the three-parameter approach outlined in Technical Report 10-20, the *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Atlantic and Gulf Coastal Plain Region* (Version 2.0). The three-parameter approach was utilized to assess the site's vegetation, soils, and hydrology to determine the presence or absence of wetlands. Dominant species include flora that cumulatively total 50 percent of the areal coverage and any other single species accounting for at least 20 percent areal coverage within the plot. The wetland indicator status of each species was determined using the *Atlantic and Gulf Coastal Plain 2014 Regional Wetland Plant List* (2014). Munsell Soil Color Charts (2009 Year Revised, 2010 Production) were used to identify the hue and chroma of soil samples.

Sphere 3 utilized Trimble's mapping grade GeoXT Global Positioning System (GPS) to map wetlands, streams, project boundaries, and other important features of the project. After field data collection was completed, the GPS data was exported into ESRI's ArcGIS Geographic Information System for analysis and map production.

WETLANDS AND OTHER WATERS OF THE UNITED STATES

The undeveloped 61.329-acre tract consists primarily of pine plantation and is transected by several utility easements. According to the Natural Resources Conservation Service's Web Soil Survey, soils within the project area are mapped as: Kolin silt loam, 1 to 3 percent slopes; Malbis fine sandy loam, 1 to 3 percent slopes; and Wrightsville silt loam. Wetland Determination Data Forms are provided in Appendix B and maps detailing the location of wetlands and other waters of the United States are provided in Appendix A. Photographs of the property are included in Appendix C.

Uplands

The majority of the uplands are located within pine plantation. The data forms for the uplands are included in Appendix B.

Forested Wetlands

Forested Wetland A (10.71 acres): This forested wetland is the largest wetland community and is located in the central portion of the property. Dominant vegetation within the tree stratum includes loblolly pine (*Pinus taeda*) and willow oak (*Quercus phellos*). Dominant vegetation within the sapling stratum includes sweetgum (*Liquidambar styraciflua*), willow oak, water oak (*Quercus nigra*), and Chinese tallow (*Triadica sebifera*). Dominant vegetation within the shrub stratum includes American beautyberry (*Callicarpa americana*), European privet (*Ligustrum vulgare*), and water oak, and deciduous holly (*Ilex decidua*). Dominant vegetation within the woody vine stratum includes common greenbrier (*Smilax rotundifolia*), Alabama supplejack (*Berchemia scandens*), and peppervine (*Ampelopsis arborea*), Virginia creeper (*Parthenocissus quinquefolia*), and poison ivy (*Toxicodendron radicans*). Field indicators of wetland hydrology include sediment deposits, water stained leaves, crayfish burrows, surface water, high water table, saturation, drift deposits, oxidized rhizospheres, and drainage patterns. Hydric soils with sandy redox features are present. Surface water and inundation varies from 0 to 2 feet within the wetland.

Forested Wetland B (1.12 acres): Forested Wetland B is located along the northern boundary of the property. Dominant vegetation within the tree stratum includes Chinese tallow and loblolly pine. Dominant vegetation within the sapling stratum is Chinese tallow. Dominant vegetation within the shrub stratum is sweetgum. Dominant vegetation within the woody vine stratum includes Virginia creeper, poison ivy, and sawtooth blackberry (*Rubus argutus*). Field indicators of wetland hydrology include water stained leaves, crayfish burrows, and drainage patterns. Hydric soils with sandy redox features are present.

Scrub/Shrub Wetlands

Scrub/Shrub Wetland A (0.03 acre): This small wetland community is located along the southern boundary of the property. Dominant vegetation within the sapling stratum is Chinese tallow. Dominant vegetation within the herbaceous stratum includes longleaf woodoats (*Chasmanthium sessiliflorum*) and looseflower water-willow (*Justicia ovata*). Dominant vegetation within the woody vine stratum includes Virginia creeper and peppervine. Field indicators of wetland hydrology include sediment deposits and water stained leaves. Hydric soils with sandy redox features are present.

Scrub/Shrub Wetland B (0.66 acre): Scrub/Shrub Wetland B is located along fencelines on the northern portion of the property. Dominant vegetation within the sapling stratum of Scrub/Shrub Wetland B is Chinese tallow. Dominant vegetation within the shrub stratum is European privet. Dominant vegetation within the herbaceous stratum is alligatorweed (*Alternanthera philoxeroides*), cypress swamp sedge (*Carex joorii*), and Canada goldenrod (*Solidago altissima*). Dominant vegetation within the woody vine stratum is peppervine. Field indicators of wetland hydrology include sediment deposits, water stained leaves, oxidized rhizospheres along living roots, and drainage patterns. Hydric soils with a depleted matrix are present.

Scrub/Shrub Wetland C (0.27 acre): This wetland community is located within the young pine plantation on the eastern side of the property. Dominant vegetation within the sapling stratum includes sweetgum and loblolly pine. Dominant vegetation within the herbaceous stratum includes longleaf woodoats and common rush (*Juncus effusus*). Dominant vegetation within the woody vine stratum is peppervine. Field indicators of wetland hydrology include saturation and water stained leaves. Hydric soils with sandy redox features are present.

Emergent Wetlands

Emergent Wetland A (3.90 acres): This wetland community is present within maintained utility easements on the eastern and central portion of the property. Dominant vegetation within the shrub stratum includes sweetgum and loblolly pine. Dominant vegetation within the herbaceous stratum includes rosette grass (*Dicanthelium* sp.), swamp sunflower (*Helianthus angustifolius*), and common boneset (*Eupatorium perfoliatum*). Dominant vegetation within the woody vine stratum is evening trumpetflower (*Gelsemium sempervirens*). Field indicators of wetland hydrology include surface water, saturation, sediment deposits, water stained leaves, and crayfish burrows. Hydric soils with sandy redox features are present.

Emergent Wetland B (1.18 acres): Emergent Wetland B is also found within maintained utility easements on the western portion of the property. Dominant vegetation within the herbaceous stratum includes panicgrass (*Panicum* sp.), crabgrass (*Digitaria* sp.), manyhead rush (*Juncus polycephalos*), and beaksedge (*Rhynchospora* sp.). Dominant vegetation within the woody vine stratum is peppervine. Field indicators of wetland hydrology include surface water, saturation, sediment deposits, water stained leaves, aquatic fauna, oxidized rhizospheres along living roots, drainage patterns, and crayfish burrows. Hydric soils with sandy redox features are present. Surface water and inundation varies from 0 to 6 inches within the wetland.

Emergent Wetland C (0.03 acre): This small wetland community is located in an area utilized as a horse pasture in the northeastern portion of the property. Dominant vegetation within the herbaceous stratum is smartweed (*Polygonum* sp.). Field indicators of wetland hydrology are sediment deposits. Hydric soils with sandy redox features are present.

Non-jurisdictional Drainages

Six non-jurisdictional drainages are present within the property boundaries. The drainages are associated with wetlands but do not flow into traditional navigable waters. The drainages average 2 feet in width and are generally less than 1 foot deep. Leaf litter is present within all the drainages indicating the lack of water flow in the channels despite recent very heavy rains. At the time of field investigation no surface water was observed in the drainages and a continuous ordinary high water mark was not present.

SUMMARY

Sphere 3 has conducted a preliminary jurisdictional determination of wetlands and other waters of the United States on the North Webster Parish Industrial District's 61.329-acre property. Included within the property is 6.101 acres (9.95% of the total area) of unbuildable areas consisting of existing utility easements, leaving 55.228 acres for development.

A total of 18.17 acres of wetlands and six non-jurisdictional drainages were identified within the property boundaries. Of the 18.17 acres of wetlands on the property, 5.08 acres consist of emergent wetlands on the existing utility easements. The remaining 13.09 acres of wetlands is located on the developable area. This wetlands area equates to 23.70% of the total developable property.

Appendix A:

Figures



Figure 1: Vicinity Map
North Webster Parish Industrial District
61.329-acre Property in Webster Parish, LA

N
W E
S

0 5 10 20 30 Miles

KSA Alliance, Inc. Project Number: 047882.00	Date: 06/30/2015	Coordinate System: NAD 1983 UTM Zone 15 North

SPHERE 3 ENVIRONMENTAL
1501 Bill Owens Parkway
Longview, TX 75604
Phone: (903) 297-4673
Fax: (903) 297-4675



Figure 2: Topographic Map
North Webster Parish Industrial District
61.329-acre Property in Webster Parish, LA

N
W E
S

0 1,000 2,000 4,000 6,000 8,000 Feet

KSA Alliance, Inc.
Project Number: 047882.00

Date: 06/30/2015

Base Map: 7.5 Minute USGS Topographic
Quadrangle: Cullen, LA (Published, 2012)

SPHERE 3 ENVIRONMENTAL
1501 Bill Owens Parkway
Longview, TX 75604
Phone: (903) 297-4673
Fax: (903) 297-4675



Figure 3: Waters of the United States
North Webster Parish Industrial District
61.329-acre Property in Webster Parish, LA

N
W E
S

0 250 500 1,000 Feet

KSA Alliance, Inc.
Project Number: 047882.00

Date: 06/30/2015

Cordinate System: NAD 1983
UTM Zone: 15 North

SPHERE 3 ENVIRONMENTAL
1501 Bill Owens Parkway
Longview, TX 75604
Phone: (903) 297-4673
Fax: (903) 297-4675



N
W E
S

Figure 4: Aerial Map
North Webster Parish Industrial District
61.329-acre Property in Webster Parish, LA

Feet
0 250 500 1,000

KSA Alliance, Inc.
Project Number: 047882.00

Date: 06/30/2015

Cordinate System: NAD 1983
UTM Zone: 15 North

SPHERE 3 ENVIRONMENTAL
1501 Bill Owens Parkway
Longview, TX 75604
Phone: (903) 297-4673
Fax: (903) 297-4675



Figure 5: Soils Map
North Webster Parish Industrial District
61.329-acre Property in Webster Parish, LA

N
W E
S

0 300 600 1,200 Feet

KSA Alliance, Inc.
Project Number: 047882.00

Date: 06/30/2015

Base Map: NRCS Geospatial Data Gateway
USDA Web Soil Survey (Webster Parish, LA)

SPHERE 3 ENVIRONMENTAL
1501 Bill Owens Parkway
Longview, TX 75604
Phone: (903) 297-4673
Fax: (903) 297-4675

Appendix B:

Wetland Determination Data Forms

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: 61.329-acre Property City/County: Webster Parish Sampling Date: 06-17-2015

Applicant/Owner: North Webster Parish Industrial District State: LA Sampling Point: Upland 1 (1)

Investigator(s): Brandon McNeill Section, Township, Range: Section: 25 Township: 23 North Range: 11 West

Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): convex Slope (%): 0-2

Subregion (LRR or MLRA): LRR-P Lat: 32.961945 N Long: -93.452809 W Datum: NAD 83

Soil Map Unit Name: Kolin silt loam, 1 to 3 percent slopes NWI classification: Upland

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓	No _____	**Is the Sampled Area within a Wetland?** Yes _____ No ✓
Hydric Soil Present?	Yes _____	No ✓	
Wetland Hydrology Present?	Yes _____	No ✓	

Remarks:

This data form is representative of the upland pine plantation community within the project area.

Only one of the three criteria has been met; therefore this is an upland community.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No ✓	Depth (inches): _____
Water Table Present?	Yes _____	No ✓	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes _____	No ✓	Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Field indicators of wetland hydrology are not present.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: Upland 1 (1)

Tree Stratum (Plot size: 20' x 20')	Absolute % Cover	Dominant Species?	Indicator Status
1. *Pinus taeda*	90	Yes	FAC
2.			
3.			
4.			
5.			
6.			
	90 = Total Cover		
50% of total cover: 45	20% of total cover: 18		
Sapling Stratum (Plot size: 20' x 20')			
1. *Liquidambar styraciflua*	10	Yes	FAC
2.			
3.			
4.			
5.			
6.			
	10 = Total Cover		
50% of total cover: 5	20% of total cover: 2		
Shrub Stratum (Plot size: 20' x 20')			
1. *Liquidambar styraciflua*	40	Yes	FAC
2. *Ilex decidua*	<2	No	FACW
3.			
4.			
5.			
6.			
	40 = Total Cover		
50% of total cover: 20	20% of total cover: 8		
Herb Stratum (Plot size: 20' x 20')			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		
Woody Vine Stratum (Plot size: 20' x 20')			
1. *Ampelopsis arborea*		No	FAC
2. *Toxicodendron radicans*		No	FAC
3.			
4.			
5.			
	<5 = Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ✓ No ___

Remarks: (If observed, list morphological adaptations below).

Hydrophytic vegetation is present.

SOIL

Sampling Point: Upland 1 (1)

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-12	10YR 5/3	98	10YR 5/6	2	C	M	SL	Sandy Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) **(LRR P, T, U)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
___ Muck Presence (A8) **(LRR U)**
___ 1 cm Muck (A9) **(LRR P, T)**
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) **(MLRA 150A)**
___ Sandy Mucky Mineral (S1) **(LRR O, S)**
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) **(LRR P, S, T, U)**
___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
___ Thin Dark Surface (S9) **(LRR S, T, U)**
___ Loamy Mucky Mineral (F1) **(LRR O)**
___ Loamy Gleyed Matrix (F2)
___ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) **(LRR U)**
___ Depleted Ochric (F11) **(MLRA 151)**
___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
___ Umbric Surface (F13) **(LRR P, T, U)**
___ Delta Ochric (F17) **(MLRA 151)**
___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

___ 1 cm Muck (A9) **(LRR O)**
___ 2 cm Muck (A10) **(LRR S)**
___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** _____ **No** ✓

Remarks:

Hydric soil is not present.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: 61.329-acre Property City/County: Webster Parish Sampling Date: 06-19-2015

Applicant/Owner: North Webster Parish Industrial District State: LA Sampling Point: Upland 1 (2)

Investigator(s): Brandon McNeill Section, Township, Range: Section: 25 Township: 23 North Range: 11 West

Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): convex Slope (%): 0-2

Subregion (LRR or MLRA): LRR-P Lat: 32.958761 N Long: -93.448892 W Datum: NAD 83

Soil Map Unit Name: Kolin silt loam, 1 to 3 percent slopes NWI classification: Upland

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____	No ✓	**Is the Sampled Area within a Wetland?** Yes _____ No ✓
Hydric Soil Present?	Yes _____	No ✓	
Wetland Hydrology Present?	Yes _____	No ✓	

Remarks:

This data form is representative of the upland pine plantation community within the project area.

None of the three criteria has been met; therefore this is an upland community.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No ✓	Depth (inches): _____
Water Table Present?	Yes _____	No ✓	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes _____	No ✓	Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Field indicators of wetland hydrology are not present.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: Upland 1 (2)

Tree Stratum (Plot size: 20' x 20')	Absolute % Cover	Dominant Species?	Indicator Status
1. *Pinus taeda*	80	Yes	FAC
2.			
3.			
4.			
5.			
6.			
	80 = Total Cover		
50% of total cover: 40	20% of total cover: 16		
Sapling Stratum (Plot size: 20' x 20')			
1. *Ulmus alata*	10	Yes	FACU
2. *Nyssa sylvatica*	<2	No	FAC
3. *Prunus serotina*	<2	No	FACU
4. *Quercus phellos*	<2	No	FACW
5.			
6.			
	10 = Total Cover		
50% of total cover: 5	20% of total cover: 2		
Shrub Stratum (Plot size: 20' x 20')			
1. *Callicarpa americana*	15	Yes	FACU
2. *Ligustrum vulgare*	10	Yes	UPL
3.			
4.			
5.			
6.			
	25 = Total Cover		
50% of total cover: 12.5	20% of total cover: 5		
Herb Stratum (Plot size: 20' x 20')			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		
Woody Vine Stratum (Plot size: 20' x 20')			
1. *Smilax rotundifolia*	25	Yes	FAC
2. *Vitis rotundifolia*	5	No	FAC
3.			
4.			
5.			
	30 = Total Cover		
50% of total cover: 15	20% of total cover: 6		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 40% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks: (If observed, list morphological adaptations below).

Hydrophytic vegetation is not present.

SOIL

Sampling Point: Upland 1 (2)

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-7	10YR 5/3	98	10YR 5/6	2	C	M	SL	Sandy Loam
7-12	10YR 6/6	98	10YR 5/6	2	C	M	SL	Sandy Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**
- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** _____ **No** ✓

Remarks:

Hydric soil is not present.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: 61.329-acre Property City/County: Webster Parish Sampling Date: 06-19-2015

Applicant/Owner: North Webster Parish Industrial District State: LA Sampling Point: Upland 2

Investigator(s): Brandon McNeill Section, Township, Range: Section: 25 Township: 23 North Range: 11 West

Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): convex Slope (%): 0-2

Subregion (LRR or MLRA): LRR-P Lat: 32.961567 N Long: -93.448297 W Datum: NAD 83

Soil Map Unit Name: Wrightsville silt loam NWI classification: Upland

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓	No _____	**Is the Sampled Area within a Wetland?** Yes _____ No ✓
Hydric Soil Present?	Yes _____	No ✓	
Wetland Hydrology Present?	Yes _____	No ✓	

Remarks:

This data form is representative of the upland young pine community within the northeast section of the project area.

Only one of the three criteria has been met; therefore this is an upland community.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No ✓	Depth (inches): _____
Water Table Present?	Yes _____	No ✓	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes _____	No ✓	Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Field indicators of wetland hydrology are not present.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: Upland 2

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	= Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 20' x 20')			
1. *Pinus taeda*	70	Yes	FAC
2. *Ulmus alata*	10	No	FACU
3. *Quercus phellos*	5	No	FACW
4. *Liquidambar styraciflua*	<2	No	FAC
5.			
6.			
	85 = Total Cover		
50% of total cover: 42.5	20% of total cover: 17		
Shrub Stratum (Plot size: 20' x 20')			
1. *Callicarpa americana*	10	Yes	FACU
2. *Ligustrum vulgare*	5	Yes	UPL
3.			
4.			
5.			
6.			
	15 = Total Cover		
50% of total cover: 7.5	20% of total cover: 3		
Herb Stratum (Plot size: 20' x 20')			
1. *Chasmanthium sessiliflorum*		No	FAC
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	<5 = Total Cover		
50% of total cover:	20% of total cover:		
Woody Vine Stratum (Plot size: 20' x 20')			
1. *Vitis rotundifolia*	10	Yes	FAC
2. *Lonicera japonica*	5	Yes	FAC
3. *Parthenocissus quinquefolia*	<2	No	FACU
4. *Ampelopsis arborea*	<2	No	FAC
5. *Smilax rotundifolia*	<2	No	FAC
	15 = Total Cover		
50% of total cover: 7.5	20% of total cover: 3		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 60% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ✓ No ___

Remarks: (If observed, list morphological adaptations below).

Hydrophytic vegetation is present.

SOIL

Sampling Point: Upland 2

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-6	10YR 5/3	98	10YR 4/6	2	C	M	SL	Sandy Loam
6-12	10YR 6/3	98	10YR 5/8	2	C	M	SL	Sandy Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) **(LRR P, T, U)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
___ Muck Presence (A8) **(LRR U)**
___ 1 cm Muck (A9) **(LRR P, T)**
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) **(MLRA 150A)**
___ Sandy Mucky Mineral (S1) **(LRR O, S)**
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) **(LRR P, S, T, U)**
___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
___ Thin Dark Surface (S9) **(LRR S, T, U)**
___ Loamy Mucky Mineral (F1) **(LRR O)**
___ Loamy Gleyed Matrix (F2)
___ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) **(LRR U)**
___ Depleted Ochric (F11) **(MLRA 151)**
___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
___ Umbric Surface (F13) **(LRR P, T, U)**
___ Delta Ochric (F17) **(MLRA 151)**
___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

___ 1 cm Muck (A9) **(LRR O)**
___ 2 cm Muck (A10) **(LRR S)**
___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** _____ **No** ✓

Remarks:

Hydric soil is not present.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: 61.329-acre Property City/County: Webster Parish Sampling Date: 06-25-2015

Applicant/Owner: North Webster Parish Industrial District State: LA Sampling Point: Upland 3

Investigator(s): Brandon McNeill Section, Township, Range: Section: 25 Township: 23 North Range: 11 West

Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): convex Slope (%): 0-2

Subregion (LRR or MLRA): LRR-P Lat: 32.961764 N Long: -93.449703 W Datum: NAD 83

Soil Map Unit Name: Wrightsville silt loam NWI classification: Upland

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____	No ✓	**Is the Sampled Area within a Wetland?** Yes _____ No ✓
Hydric Soil Present?	Yes ✓	No _____	
Wetland Hydrology Present?	Yes ✓	No _____	

Remarks:

This data form is representative of the forested area of the horse pasture within the northeastern portion of the project area.

Only two of the three criteria have been met; therefore this is an upland community.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ✓ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No ✓	Depth (inches): _____
Water Table Present?	Yes _____	No ✓	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes _____	No ✓	Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Field indicators of wetland hydrology are present.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: Upland 3

Tree Stratum (Plot size: 20' x 20')	Absolute % Cover	Dominant Species?	Indicator Status
1. *Liquidambar styraciflua*	10	Yes	FAC
2. *Pinus taeda*	5	Yes	FAC
3.			
4.			
5.			
6.			
	15 = Total Cover		
50% of total cover: 7.5	20% of total cover: 3		
Sapling Stratum (Plot size: 20' x 20')			
1. *Pinus taeda*	5	Yes	FAC
2. *Cercis canadensis*	1	No	UPL
3.			
4.			
5.			
6.			
	6 = Total Cover		
50% of total cover: 3	20% of total cover: 1.2		
Shrub Stratum (Plot size: 20' x 20')			
1. *Ligustrum vulgare*	10	Yes	UPL
2. *Phytolacca americana*	5	Yes	FACU
3. *Sambucus nigra*	1	No	FACW
4.			
5.			
6.			
	16 = Total Cover		
50% of total cover: 8	20% of total cover: 3.2		
Herb Stratum (Plot size: 20' x 20')			
1. *Polygonum sp.*	2	No	FACW
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	2 = Total Cover		
50% of total cover: 1	20% of total cover: 0.4		
Woody Vine Stratum (Plot size: 20' x 20')			
1. *Parthenocissus quinquefolia*	10	Yes	FACU
2. *Toxicodendron radicans*	1	No	FAC
3. *Smilax rotundifolia*	1	No	FAC
4. *Vitis aestivalis*	1	No	FACU
5.			
	13 = Total Cover		
50% of total cover: 6.5	20% of total cover: 2.6		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 6 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 50% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	3	x 2 =	6
FAC species	22	x 3 =	66
FACU species	16	x 4 =	64
UPL species	11	x 5 =	55
Column Totals:	52 (A)		191 (B)

Prevalence Index = B/A = 3.67

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes _____ No ✓

Remarks: (If observed, list morphological adaptations below).

Hydrophytic vegetation is not present.

SOIL

Sampling Point: Upland 3

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-12	10YR 4/2	95	10YR 4/6	5	C	M	SL	Sandy Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**
- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ✓ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ✓ No ___

Remarks:

Hydric soil is present.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: 61.329-acre Property City/County: Webster Parish Sampling Date: 06-15-2015

Applicant/Owner: North Webster Parish Industrial District State: LA Sampling Point: FW A (1)

Investigator(s): Brandon McNeill Section, Township, Range: Section: 25 Township: 23 North Range: 11 West

Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): concave Slope (%): 0-2

Subregion (LRR or MLRA): LRR-P Lat: 32.95915556 N Long: -93.45163889 W Datum: NAD 83

Soil Map Unit Name: Wrightsville silt loam NWI classification: Upland

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓ No _____	**Is the Sampled Area within a Wetland?** Yes ✓ No _____
Hydric Soil Present?	Yes ✓ No _____	
Wetland Hydrology Present?	Yes ✓ No _____	

Remarks:

This data form is representative of the forested wetland pine plantation within the southwest portion of the project area.

All of the three criteria have been met; therefore this is a wetland community.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ✓ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ✓ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No ✓	Depth (inches): _____
Water Table Present?	Yes _____	No ✓	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes _____	No ✓	Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Field indicators of wetland hydrology are present.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: FW A (1)

Tree Stratum (Plot size: 20' x 20')	Absolute % Cover	Dominant Species?	Indicator Status
1. *Pinus taeda*	65	Yes	FAC
2. *Quercus nigra*	5	No	FAC
3.			
4.			
5.			
6.			
	70 = Total Cover		
50% of total cover: 35	20% of total cover: 14		
Sapling Stratum (Plot size: 20' x 20')			
1. *Liquidambar styraciflua*	40	Yes	FAC
2. *Quercus nigra*	10	No	FAC
3. *Pinus taeda*	5	No	FAC
4. *Ilex decidua*	5	No	FACW
5. *Fraxinus pennsylvanica*	<2	No	FACW
6. *Ulmus alata*	<2	No	FACU
	60 = Total Cover		
50% of total cover: 30	20% of total cover: 12		
Shrub Stratum (Plot size: 20' x 20')			
1.			
2.			
3.			
4.			
5.			
6.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		
Herb Stratum (Plot size: 20' x 20')			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		
Woody Vine Stratum (Plot size: 20' x 20')			
1. *Smilax rotundifolia*	10	Yes	FAC
2. *Berchemia scandens*	10	Yes	FAC
3. *Ampelopsis arborea*	10	Yes	FAC
4. *Vitis aestivalis*	<2	No	FACU
5.			
	30 = Total Cover		
50% of total cover: 15	20% of total cover: 6		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 5 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ✓ No ___

Remarks: (If observed, list morphological adaptations below).

Hydrophytic vegetation is present.

SOIL

Sampling Point: FW A (1)

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-5	10YR 5/2	95	10YR 4/6	5	C	M	SL	Sandy Loam
5-12	10YR 6/2	90	10YR 5/8	10	C	M	LS	Loamy Sand

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**
- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ✓ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ✓ No _____

Remarks:

Hydric soil is present.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: 61.329-acre Property City/County: Webster Parish Sampling Date: 06-16-2015

Applicant/Owner: North Webster Parish Industrial District State: LA Sampling Point: FW A (2)

Investigator(s): Brandon McNeill Section, Township, Range: Section: 25 Township: 23 North Range: 11 West

Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): concave Slope (%): 0-2

Subregion (LRR or MLRA): LRR-P Lat: 32.95920556 N Long: -93.44855833 W Datum: NAD 83

Soil Map Unit Name: Kolin silt loam, 1 to 3 percent slopes NWI classification: Upland

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓	No _____	**Is the Sampled Area within a Wetland?** Yes ✓ No _____
Hydric Soil Present?	Yes ✓	No _____	
Wetland Hydrology Present?	Yes ✓	No _____	

Remarks:

This data form is representative of the forested wetland pine plantation within the southeast portion of the project area.

All of the three criteria have been met; therefore this is a wetland community.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ✓ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ✓ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ✓ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No ✓	Depth (inches): _____
Water Table Present?	Yes _____	No ✓	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes _____	No ✓	Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Field indicators of wetland hydrology are present.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: FW A (2)

Tree Stratum (Plot size: 20' x 20')	Absolute % Cover	Dominant Species?	Indicator Status
1. *Pinus taeda*	80	Yes	FAC
2. *Quercus nigra*	<2	No	FAC
3.			
4.			
5.			
6.			
	80 = Total Cover		
50% of total cover: 40	20% of total cover: 16		
Sapling Stratum (Plot size: 20' x 20')			
1. *Liquidambar styraciflua*	15	Yes	FAC
2. *Quercus nigra*	10	Yes	FAC
3. *Triadica sebifera*	10	Yes	FAC
4. *Quercus phellos*	5	No	FACW
5. *Diospyros virginiana*	5	No	FAC
6. *Ulmus alata*	5	No	FACU
	50 = Total Cover		
50% of total cover: 25	20% of total cover: 10		
Shrub Stratum (Plot size: 20' x 20')			
1. *Callicarpa americana*	10	Yes	FACU
2. *Ligustrum vulgare*	10	Yes	UPL
3. *Quercus nigra*	5	Yes	FAC
4.			
5.			
6.			
	25 = Total Cover		
50% of total cover: 12.5	20% of total cover: 5		
Herb Stratum (Plot size: 20' x 20')			
1. *Chasmanthium sessiliflorum*		No	FAC
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	<5 = Total Cover		
50% of total cover:	20% of total cover:		
Woody Vine Stratum (Plot size: 20' x 20')			
1. *Parthenocissus quinquefolia*	10	Yes	FACU
2. *Toxicodendron radicans*	5	Yes	FAC
3. *Ampelopsis arborea*	<2	No	FAC
4. *Vitis rotundifolia*	<2	No	FAC
5. *Berchemia scandens*	<2	No	FAC
	15 = Total Cover		
50% of total cover: 7.5	20% of total cover: 3		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 6 (A)

Total Number of Dominant Species Across All Strata: 9 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 67% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ✓ No ___

Remarks: (If observed, list morphological adaptations below).

Hydrophytic vegetation is present.

SOIL

Sampling Point: FW A (2)

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-4	10YR 5/2	100					SL	Sandy Loam
4-12	10YR 6/2	95	10YR 5/6	5	C	M	LS	Loamy Sand

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ✓ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**
- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ✓ No ___

Remarks:

Hydric soil is present.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: 61.329-acre Property City/County: Webster Parish Sampling Date: 06-17-2015

Applicant/Owner: North Webster Parish Industrial District State: LA Sampling Point: FW A (3)

Investigator(s): Brandon McNeill Section, Township, Range: Section: 25 Township: 23 North Range: 11 West

Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): concave Slope (%): 0-2

Subregion (LRR or MLRA): LRR-P Lat: 32.96127778 N Long: -93.45187778 W Datum: NAD 83

Soil Map Unit Name: Kolin silt loam, 1 to 3 percent slopes, Wrightsville silt loam NWI classification: Upland

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓ No _____	**Is the Sampled Area within a Wetland?** Yes ✓ No _____
Hydric Soil Present?	Yes ✓ No _____	
Wetland Hydrology Present?	Yes ✓ No _____	

Remarks:

This data form is representative of the inundated forested wetland pine plantation within the western portion of the project area.

All of the three criteria have been met; therefore this is a wetland community.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ✓ Surface Water (A1)
- ✓ High Water Table (A2)
- ✓ Saturation (A3)
- ___ Water Marks (B1)
- ✓ Sediment Deposits (B2)
- ✓ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ✓ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ✓ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ✓ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ✓ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes ✓	No _____	Depth (inches): 2'
Water Table Present?	Yes ✓	No _____	Depth (inches): 4"
Saturation Present? (includes capillary fringe)	Yes ✓	No _____	Depth (inches): surface

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Field indicators of wetland hydrology are present.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: FW A (3)

Tree Stratum (Plot size: 20' x 20')	Absolute % Cover	Dominant Species?	Indicator Status
1. *Pinus taeda*	60	Yes	FAC
2. *Quercus phellos*	20	Yes	FACW
3.			
4.			
5.			
6.			
	80 = Total Cover		
50% of total cover: 40	20% of total cover: 16		
Sapling Stratum (Plot size: 20' x 20')			
1. *Quercus phellos*	10	Yes	FACW
2.			
3.			
4.			
5.			
6.			
	10 = Total Cover		
50% of total cover: 5	20% of total cover: 2		
Shrub Stratum (Plot size: 20' x 20')			
1. *Ilex decidua*	10	Yes	FACW
2.			
3.			
4.			
5.			
6.			
	10 = Total Cover		
50% of total cover: 5	20% of total cover: 2		
Herb Stratum (Plot size: 20' x 20')			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		
Woody Vine Stratum (Plot size: 20' x 20')			
1. *Ampelopsis arborea*	15	Yes	FAC
2.			
3.			
4.			
5.			
	15 = Total Cover		
50% of total cover: 7.5	20% of total cover: 3		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 5 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ✓ No ___

Remarks: (If observed, list morphological adaptations below).

Hydrophytic vegetation is present.

SOIL

Sampling Point: FW A (3)

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-12	10YR 5/2	95	10YR 4/6	5	C	M	SL	Sandy Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**
- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ✓ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ✓ No _____

Remarks:

Hydric soil is present.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: 61.329-acre Property City/County: Webster Parish Sampling Date: 06-17-2015

Applicant/Owner: North Webster Parish Industrial District State: LA Sampling Point: FW B

Investigator(s): Brandon McNeill Section, Township, Range: Section: 25 Township: 23 North Range: 11 West

Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): concave Slope (%): 0-2

Subregion (LRR or MLRA): LRR-P Lat: 32.96390278 N Long: -93.45226389 W Datum: NAD 83

Soil Map Unit Name: Kolin silt loam, 1 to 3 percent slopes NWI classification: Upland

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓	No _____	**Is the Sampled Area within a Wetland?** Yes ✓ No _____
Hydric Soil Present?	Yes ✓	No _____	
Wetland Hydrology Present?	Yes ✓	No _____	

Remarks:

This data form is representative of the forested wetland mixed pine hardwood community within the northwest portion of the project area.

All of the three criteria have been met; therefore this is a wetland community.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ✓ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ✓ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ✓ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No ✓	Depth (inches): _____
Water Table Present?	Yes _____	No ✓	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes _____	No ✓	Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Field indicators of wetland hydrology are present.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: FW B

Tree Stratum (Plot size: 20' x 20')	Absolute % Cover	Dominant Species?	Indicator Status
1. *Triadica sebifera*	20	Yes	FAC
2. *Pinus taeda*	10	Yes	FAC
3.			
4.			
5.			
6.			
	30 = Total Cover		
50% of total cover: 15	20% of total cover: 6		
Sapling Stratum (Plot size: 20' x 20')			
1. *Triadica sebifera*	50	Yes	FAC
2. *Liquidambar styraciflua*	15	No	FAC
3.			
4.			
5.			
6.			
	65 = Total Cover		
50% of total cover: 32.5	20% of total cover: 13		
Shrub Stratum (Plot size: 20' x 20')			
1. *Liquidambar styraciflua*	10	Yes	FAC
2. *Ligustrum vulgare*	<2	No	UPL
3. *Morella cerifera*	<2	No	FAC
4.			
5.			
6.			
	10 = Total Cover		
50% of total cover: 5	20% of total cover: 2		
Herb Stratum (Plot size: 20' x 20')			
1. *Phytolacca americana*		No	FACU
2. *Hackelia virginiana*		No	FAC
3. *Chasmanthium sessiliflorum*		No	FAC
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	<5 = Total Cover		
50% of total cover:	20% of total cover:		
Woody Vine Stratum (Plot size: 20' x 20')			
1. *Parthenocissus quinquefolia*	5	Yes	FACU
2. *Toxicodendron radicans*	5	Yes	FAC
3. *Rubus argutus*	5	Yes	FAC
4. *Ampelopsis arborea*	<2	No	FAC
5.			
	15 = Total Cover		
50% of total cover: 7.5	20% of total cover: 3		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 6 (A)

Total Number of Dominant Species Across All Strata: 7 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 86% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ✓ No ___

Remarks: (If observed, list morphological adaptations below).

Hydrophytic vegetation is present.

SOIL

Sampling Point: FW B

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-12	10YR 5/2	90	7.5YR 5/8	10	C	M	SL	Sandy Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**
- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ✓ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ✓ **No** _____

Remarks:

Hydric soil is present.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: 61.329-acre Property City/County: Webster Parish Sampling Date: 06-15-2015

Applicant/Owner: North Webster Parish Industrial District State: LA Sampling Point: SSW A

Investigator(s): Brandon McNeill Section, Township, Range: Section: 25 Township: 23 North Range: 11 West

Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): concave Slope (%): 0-2

Subregion (LRR or MLRA): LRR-P Lat: 32.958511 N Long: -93.452179 W Datum: NAD 83

Soil Map Unit Name: Wrightsville silt loam NWI classification: Upland

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓	No _____	**Is the Sampled Area within a Wetland?** Yes ✓ No _____
Hydric Soil Present?	Yes ✓	No _____	
Wetland Hydrology Present?	Yes ✓	No _____	

Remarks:

This data form is representative of the scrub/shrub wetland along the fence line within the southwestern portion of the project area.

All of the three criteria have been met; therefore this is a wetland community.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ✓ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ✓ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No ✓	Depth (inches): _____
Water Table Present?	Yes _____	No ✓	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes _____	No ✓	Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Field indicators of wetland hydrology are present.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: SSW A

Tree Stratum (Plot size: 20' x 20')	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 20' x 20')			
1. *Quercus phellos*	20	Yes	FACW
2. *Liquidambar styraciflua*	5	No	FAC
3. *Triadica sebifera*	5	No	FAC
4.			
5.			
6.			
	30 = Total Cover		
50% of total cover: 15	20% of total cover: 6		
Shrub Stratum (Plot size: 20' x 20')			
1. *Ligustrum vulgare*		No	UPL
2.			
3.			
4.			
5.			
6.			
	<5 = Total Cover		
50% of total cover:	20% of total cover:		
Herb Stratum (Plot size: 20' x 20')			
1. *Chasmanthium sessiliflorum*	10	Yes	FAC
2. *Justicia ovata*	10	Yes	OBL
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	20 = Total Cover		
50% of total cover: 10	20% of total cover: 4		
Woody Vine Stratum (Plot size: 20' x 20')			
1. *Parthenocissus quinquefolia*	15	Yes	FACU
2. *Ampelopsis arborea*	10	Yes	FAC
3.			
4.			
5.			
	25 = Total Cover		
50% of total cover: 12.5	20% of total cover: 5		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 80% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ✓ No ___

Remarks: (If observed, list morphological adaptations below).

Hydrophytic vegetation is present.

SOIL

Sampling Point: SSW A

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-4	10YR 5/1	95	10YR 4/6	5	C	M	SL	Sandy Loam
4-12	10YR 6/2	90	10YR 5/8	10	C	M	LS	Loamy Sand

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ✓ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**
- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ✓ No _____

Remarks:

Hydric soil is present.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: 61.329-acre Property City/County: Webster Parish Sampling Date: 06-17-2015

Applicant/Owner: North Webster Parish Industrial District State: LA Sampling Point: SSW B (1)

Investigator(s): Brandon McNeill Section, Township, Range: Section: 25 Township: 23 North Range: 11 West

Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): concave Slope (%): 0-5

Subregion (LRR or MLRA): LRR-P Lat: 32.963886 N Long: -93.452036 W Datum: NAD 83

Soil Map Unit Name: Kolin silt loam, 1 to 3 percent slopes NWI classification: Upland

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓	No _____	**Is the Sampled Area within a Wetland?** Yes ✓ No _____
Hydric Soil Present?	Yes ✓	No _____	
Wetland Hydrology Present?	Yes ✓	No _____	

Remarks:

This data form is representative of the scrub/shrub wetland along the non-jurisdictional drainage and fenceline within the northern portion of the project area.

All of the three criteria have been met; therefore this is a wetland community.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ✓ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ✓ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ✓ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No ✓	Depth (inches): _____
Water Table Present?	Yes _____	No ✓	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes _____	No ✓	Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Field indicators of wetland hydrology are present.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: SSW B (1)

Tree Stratum (Plot size: 20' x 20')	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 20' x 20')			
1. *Triadica sebifera*	30	Yes	FAC
2. *Carya sp.*	5	No	FAC
3. *Ulmus alata*	5	No	FACU
4. *Pinus taeda*	5	No	FAC
5. *Fraxinus pennsylvanica*	<2	No	FACW
6.			
	45 = Total Cover		
50% of total cover: 22.5	20% of total cover: 9		
Shrub Stratum (Plot size: 20' x 20')			
1.			
2.			
3.			
4.			
5.			
6.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		
Herb Stratum (Plot size: 20' x 20')			
1. *Alternanthera philoxeroides*	25	Yes	OBL
2. *Carex joorii*	10	Yes	OBL
3. *Solidago altissima*	10	Yes	FACU
4. *Carex frankii*	5	No	OBL
5. *Juncus polycephalos*	5	No	OBL
6. *Juncus marginatus*	5	No	FACW
7. *Polygonum sp.*	5	No	FACW
8.			
9.			
10.			
11.			
	65 = Total Cover		
50% of total cover: 32.5	20% of total cover: 13		
Woody Vine Stratum (Plot size: 20' x 20')			
1. *Lonicera japonica*		No	FAC
2. *Ampelopsis arborea*		No	FAC
3.			
4.			
5.			
	<5 = Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 75% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ✓ No ___

Remarks: (If observed, list morphological adaptations below).

Hydrophytic vegetation is present.

SOIL

Sampling Point: SSW B (1)

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-12	10YR 5/2	90	7.5YR 4/6	10	C	M	SCL	Sandy Clay Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**
- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ✓ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ✓ **No** _____

Remarks:

Hydric soil is present.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: 61.329-acre Property City/County: Webster Parish Sampling Date: 06-17-2015

Applicant/Owner: North Webster Parish Industrial District State: LA Sampling Point: SSW B (2)

Investigator(s): Brandon McNeill Section, Township, Range: Section: 25 Township: 23 North Range: 11 West

Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): concave Slope (%): 0-2

Subregion (LRR or MLRA): LRR-P Lat: 32.963925 N Long: -93.451034 W Datum: NAD 83

Soil Map Unit Name: Kolin silt loam, 1 to 3 percent slopes NWI classification: Upland

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓	No _____	**Is the Sampled Area within a Wetland?** Yes ✓ No _____
Hydric Soil Present?	Yes ✓	No _____	
Wetland Hydrology Present?	Yes ✓	No _____	

Remarks:

This data form is representative of the scrub/shrub wetland along the fence line within the northern portion of the project area.

All of the three criteria have been met; therefore this is a wetland community.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ✓ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ✓ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No ✓	Depth (inches): _____
Water Table Present?	Yes _____	No ✓	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes _____	No ✓	Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Field indicators of wetland hydrology are present.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: SSW B (2)

Tree Stratum (Plot size: 20' x 20')	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 20' x 20')			
1. *Triadica sebifera*	20	Yes	FAC
2. *Quercus phellos*	10	Yes	FACW
3. *Liquidambar styraciflua*	5	No	FAC
4. *Fraxinus pennsylvanica*	<2	No	FACW
5.			
6.			
	35 = Total Cover		
50% of total cover: 17.5	20% of total cover: 7		
Shrub Stratum (Plot size: 20' x 20')			
1. *Ligustrum vulgare*	10	Yes	UPL
2. *Baccharis halimifolia*	<2	No	FAC
3.			
4.			
5.			
6.			
	10 = Total Cover		
50% of total cover: 5	20% of total cover: 2		
Herb Stratum (Plot size: 20' x 20')			
1. *Carex joorii*	35	Yes	OBL
2. *Solidago altissima*	5	No	FACU
3. *Hackelia virginiana*	<2	No	FAC
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	40 = Total Cover		
50% of total cover: 20	20% of total cover: 8		
Woody Vine Stratum (Plot size: 20' x 20')			
1. *Ampelopsis arborea*	10	Yes	FAC
2. *Rubus argutus*	<2	No	FAC
3. *Toxicodendron radicans*	<2	No	FAC
4.			
5.			
	10 = Total Cover		
50% of total cover: 5	20% of total cover: 2		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 80% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ✓ No ___

Remarks: (If observed, list morphological adaptations below).

Hydrophytic vegetation is present.

SOIL

Sampling Point: SSW B (2)

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-12	10YR 5/2	90	7.5YR 4/6	10	C	M	SL	Sandy Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**
- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ✓ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ✓ **No** _____

Remarks:

Hydric soil is present.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: 61.329-acre Property City/County: Webster Parish Sampling Date: 06-19-2015

Applicant/Owner: North Webster Parish Industrial District State: LA Sampling Point: SSW C

Investigator(s): Brandon McNeill Section, Township, Range: Section: 25 Township: 23 North Range: 11 West

Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): concave Slope (%): 0-2

Subregion (LRR or MLRA): LRR-P Lat: 32.961031 N Long: -93.448572 W Datum: NAD 83

Soil Map Unit Name: Wrightsville silt loam NWI classification: Upland

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓	No _____	**Is the Sampled Area within a Wetland?** Yes ✓ No _____
Hydric Soil Present?	Yes ✓	No _____	
Wetland Hydrology Present?	Yes ✓	No _____	

Remarks:

This data form is representative of the scrub/shrub wetland pine plantation within the northeastern portion of the project area.

All of the three criteria have been met; therefore this is a wetland community.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ✓ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ✓ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No ✓	Depth (inches): _____
Water Table Present?	Yes _____	No ✓	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes ✓	No _____	Depth (inches): surface

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Field indicators of wetland hydrology are present.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: SSW C

Tree Stratum (Plot size: 20' x 20')	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 20' x 20')			
1. *Liquidambar styraciflua*	50	Yes	FAC
2. *Pinus taeda*	20	Yes	FAC
3. *Quercus phellos*	5	No	FACW
4. *Acer rubrum*	<2	No	FAC
5.			
6.			
	75 = Total Cover		
50% of total cover: 37.5	20% of total cover: 15		
Shrub Stratum (Plot size: 20' x 20')			
1.			
2.			
3.			
4.			
5.			
6.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		
Herb Stratum (Plot size: 20' x 20')			
1. *Chasmanthium sessiliflorum*	15	Yes	FAC
2. *Juncus effusus*	5	Yes	OBL
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	20 = Total Cover		
50% of total cover: 10	20% of total cover: 4		
Woody Vine Stratum (Plot size: 20' x 20')			
1. *Ampelopsis arborea*	10	Yes	FAC
2.			
3.			
4.			
5.			
	10 = Total Cover		
50% of total cover: 5	20% of total cover: 2		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 5 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ✓ No ___

Remarks: (If observed, list morphological adaptations below).

Hydrophytic vegetation is present.

SOIL

Sampling Point: SSW C

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-6	10YR 5/2	95	10YR 5/6	5	C	M	SL	Sandy Loam
6-12	10YR 6/2	95	10YR 5/6	5	C	M	SL	Sandy Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ Organic Bodies (A6) **(LRR P, T, U)**
___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
___ Muck Presence (A8) **(LRR U)**
___ 1 cm Muck (A9) **(LRR P, T)**
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Coast Prairie Redox (A16) **(MLRA 150A)**
___ Sandy Mucky Mineral (S1) **(LRR O, S)**
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7) **(LRR P, S, T, U)**
___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
___ Thin Dark Surface (S9) **(LRR S, T, U)**
___ Loamy Mucky Mineral (F1) **(LRR O)**
___ Loamy Gleyed Matrix (F2)
✓ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Marl (F10) **(LRR U)**
___ Depleted Ochric (F11) **(MLRA 151)**
___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
___ Umbric Surface (F13) **(LRR P, T, U)**
___ Delta Ochric (F17) **(MLRA 151)**
___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

___ 1 cm Muck (A9) **(LRR O)**
___ 2 cm Muck (A10) **(LRR S)**
___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
___ Red Parent Material (TF2)
___ Very Shallow Dark Surface (TF12)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ✓ **No** _____

Remarks:

Hydric soil is present.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: 61.329-acre Property City/County: Webster Parish Sampling Date: 06-19-2015

Applicant/Owner: North Webster Parish Industrial District State: LA Sampling Point: EW A (1)

Investigator(s): Brandon McNeill Section, Township, Range: Section: 25 Township: 23 North Range: 11 West

Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): concave Slope (%): 0-2

Subregion (LRR or MLRA): LRR-P Lat: 32.959203 N Long: -93.449329 W Datum: NAD 83

Soil Map Unit Name: Kolin silt loam, 1 to 3 pecent slopes NWI classification: Upland

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓	No _____	**Is the Sampled Area within a Wetland?** Yes ✓ No _____
Hydric Soil Present?	Yes ✓	No _____	
Wetland Hydrology Present?	Yes ✓	No _____	

Remarks:

This data form is representative of the emergent wetland within the powerline right-of-way within the southeastern portion of the project area.

All of the three criteria have been met; therefore this is a wetland community.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ✓ Surface Water (A1)
- ___ High Water Table (A2)
- ✓ Saturation (A3)
- ___ Water Marks (B1)
- ✓ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ✓ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ✓ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes ✓	No _____	Depth (inches): 0 - 2"	
Water Table Present?	Yes ✓	No _____	Depth (inches): surface	
Saturation Present? (includes capillary fringe)	Yes ✓	No _____	Depth (inches): surface	**Wetland Hydrology Present?** Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Field indicators of wetland hydrology are present.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: EW A (1)

Tree Stratum (Plot size: 20' x 20')	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 20' x 20')			
1.			
2.			
3.			
4.			
5.			
6.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		
Shrub Stratum (Plot size: 20' x 20')			
1. *Baccharis halimifolia*		No	FAC
2. *Liquidambar styraciflua*		No	FAC
3. *Diospyros virginiana*		No	FAC
4.			
5.			
6.			
	<5 = Total Cover		
50% of total cover:	20% of total cover:		
Herb Stratum (Plot size: 20' x 20')			
1. *Dichanthelium sp.*	20	Yes	FAC
2. *Helianthus angustifolius*	18	Yes	FACW
3. *Eupatorium perfoliatum*	12	Yes	FACW
4. *Rhynchospora capitellata*	10	No	OBL
5. *Juncus polycephalos*	8	No	OBL
6. *Juncus marginatus*	7	No	FACW
7. *Rhynchospora inexpansa*	3	No	FACW
8. *Helenium flexuosum*	2	No	FACW
9. *Eupatorium capillifolium*	2	No	FACU
10.			
11.			
	82 = Total Cover		
50% of total cover: 41	20% of total cover: 16.4		
Woody Vine Stratum (Plot size: 20' x 20')			
1. *Gelsemium sempervirens*	10	Yes	FAC
2.			
3.			
4.			
5.			
	10 = Total Cover		
50% of total cover: 5	20% of total cover: 2		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ✓ No ___

Remarks: (If observed, list morphological adaptations below).

Hydrophytic vegetation is present.

SOIL

Sampling Point: EW A (1)

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-12	10YR 5/2	90	10YR 5/6	10	C	M	SL	Sandy Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**
- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ✓ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ✓ No _____

Remarks:

Hydric soil is present.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: 61.329-acre Property City/County: Webster Parish Sampling Date: 06-19-2015

Applicant/Owner: North Webster Parish Industrial District State: LA Sampling Point: EW A (2)

Investigator(s): Brandon McNeill Section, Township, Range: Section: 25 Township: 23 North Range: 11 West

Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): concave Slope (%): 0-2

Subregion (LRR or MLRA): LRR-P Lat: 32.961550 N Long: -93.448122 W Datum: NAD 83

Soil Map Unit Name: Kolin silt loam, 1 to 3 pecent slopes, Wrightsville silt loam NWI classification: Upland

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓	No _____	**Is the Sampled Area within a Wetland?** Yes ✓ No _____
Hydric Soil Present?	Yes ✓	No _____	
Wetland Hydrology Present?	Yes ✓	No _____	

Remarks:

This data form is representative of the emergent wetland within the powerline right-of-way within the eastern portion of the project area.

All of the three criteria have been met; therefore this is a wetland community.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ✓ Surface Water (A1)
- ___ High Water Table (A2)
- ✓ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ✓ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ✓ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes ✓	No _____	Depth (inches): 0 - 3"	
Water Table Present?	Yes ✓	No _____	Depth (inches): surface	
Saturation Present? (includes capillary fringe)	Yes ✓	No _____	Depth (inches): surface	**Wetland Hydrology Present?** Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Field indicators of wetland hydrology are present.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: EW A (2)

Tree Stratum (Plot size: 20' x 20')	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 20' x 20')			
1.			
2.			
3.			
4.			
5.			
6.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		
Shrub Stratum (Plot size: 20' x 20')			
1. *Liquidambar styraciflua*	5	Yes	FAC
2. *Pinus taeda*	5	Yes	FAC
3. *Baccharis halimifolia*	<2	No	FAC
4. *Triadica sebifera*	<2	No	FAC
5.			
6.			
	10 = Total Cover		
50% of total cover: 5	20% of total cover: 2		
Herb Stratum (Plot size: 20' x 20')			
1. *Dichanthelium sp.*	60	Yes	FAC
2. *Juncus polycephalos*	5	No	OBL
3. *Juncus marginatus*	5	No	FACW
4. *Carex sp.*	5	No	FACW
5. *Eupatorium perfoliatum*	5	No	FACW
6. *Helianthus angustifolius*	5	No	FACW
7. *Cyperus sp.*	<2	No	FACW
8.			
9.			
10.			
11.			
	85 = Total Cover		
50% of total cover: 42.5	20% of total cover: 17		
Woody Vine Stratum (Plot size: 20' x 20')			
1. *Rubus argutus*		No	FAC
2.			
3.			
4.			
5.			
	<5 = Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ✓ No ___

Remarks: (If observed, list morphological adaptations below).

Hydrophytic vegetation is present.

SOIL

Sampling Point: EW A (2)

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-12	10YR 5/2	90	10YR 5/6	10	C	M	SL	Sandy Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**
- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ✓ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ✓ No _____

Remarks:

Hydric soil is present.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: 61.329-acre Property City/County: Webster Parish Sampling Date: 06-17-2015

Applicant/Owner: North Webster Parish Industrial District State: LA Sampling Point: EW B (1)

Investigator(s): Brandon McNeill Section, Township, Range: Section: 25 Township: 23 North Range: 11 West

Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): concave Slope (%): 0-2

Subregion (LRR or MLRA): LRR-P Lat: 32.961505 N Long: -93.451669 W Datum: NAD 83

Soil Map Unit Name: Wrightsville silt loam NWI classification: Upland

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓	No _____	**Is the Sampled Area within a Wetland?** Yes ✓ No _____
Hydric Soil Present?	Yes ✓	No _____	
Wetland Hydrology Present?	Yes ✓	No _____	

Remarks:

This data form is representative of the emergent wetland within the pipeline right-of-way within the northern portion of the project area.

All of the three criteria have been met; therefore this is a wetland community.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ✓ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ✓ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ✓ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ✓ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No ✓	Depth (inches): _____
Water Table Present?	Yes _____	No ✓	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes _____	No ✓	Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Field indicators of wetland hydrology are present.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: EW B (1)

Tree Stratum (Plot size: 20' x 20')	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 20' x 20')			
1.			
2.			
3.			
4.			
5.			
6.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		
Shrub Stratum (Plot size: 20' x 20')			
1.			
2.			
3.			
4.			
5.			
6.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		
Herb Stratum (Plot size: 20' x 20')			
1. *Panicum sp.*	25	Yes	FAC
2. *Digitaria sp.*	15	Yes	FAC
3. *Juncus polycephalos*	15	Yes	OBL
4. *Helenium flexuosum*	10	No	FACW
5. *Juncus marginatus*	10	No	FACW
6. *Bromus sp.*	5	No	FAC
7. *Helianthus angustifolius*	5	No	FACW
8. *Dichanthelium sp.*	5	No	FAC
9. *Ambrosia artemisiifolia*	<2	No	FACU
10.			
11.			
	90 = Total Cover		
50% of total cover: 45	20% of total cover: 18		
Woody Vine Stratum (Plot size: 20' x 20')			
1. *Ampelopsis arborea*	15	Yes	FAC
2. *Rubus argutus*	<2	No	FAC
3.			
4.			
5.			
	15 = Total Cover		
50% of total cover: 7.5	20% of total cover: 3		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ✓ No ___

Remarks: (If observed, list morphological adaptations below).

Hydrophytic vegetation is present.

SOIL

Sampling Point: EW B (1)

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-12	10YR 5/2	95	10YR 5/8	5	C	M	SL	Sandy Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**
- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ✓ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ✓ No _____

Remarks:

Hydric soil is present.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: 61.329-acre Property City/County: Webster Parish Sampling Date: 06-19-2015

Applicant/Owner: North Webster Parish Industrial District State: LA Sampling Point: EW B (2)

Investigator(s): Brandon McNeill Section, Township, Range:

Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): concave Slope (%): 0-2

Subregion (LRR or MLRA): LRR-P Lat: 32.959717 N Long: -93.451347 W Datum: NAD 83

Soil Map Unit Name: Kolin silt loam, 1 to 3 pecent slopes NWI classification: Upland

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓	No _____	**Is the Sampled Area within a Wetland?** Yes ✓ No _____
Hydric Soil Present?	Yes ✓	No _____	
Wetland Hydrology Present?	Yes ✓	No _____	

Remarks:

This data form is representative of the emergent wetland within the pipeline right-of-way within the southwestern portion of the project area.

All of the three criteria have been met; therefore this is a wetland community.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ✓ Surface Water (A1)
- ___ High Water Table (A2)
- ✓ Saturation (A3)
- ___ Water Marks (B1)
- ✓ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ✓ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ✓ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes ✓	No _____	Depth (inches): 6"	
Water Table Present?	Yes ✓	No _____	Depth (inches): surface	
Saturation Present? (includes capillary fringe)	Yes ✓	No _____	Depth (inches): surface	**Wetland Hydrology Present?** Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Field indicators of wetland hydrology are present.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: EW B (2)

Tree Stratum (Plot size: 20' x 20')	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 20' x 20')			
1.			
2.			
3.			
4.			
5.			
6.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		
Shrub Stratum (Plot size: 20' x 20')			
1.			
2.			
3.			
4.			
5.			
6.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		
Herb Stratum (Plot size: 20' x 20')			
1. *Rhynchospora sp.*	60	Yes	FACW
2. *Rhynchospora capitellata*	15	No	FACW
3. *Polygonum sp.*	10	No	FACW
4. *Carex sp.*	5	No	FACW
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	90 = Total Cover		
50% of total cover: 45	20% of total cover: 18		
Woody Vine Stratum (Plot size: 20' x 20')			
1.			
2.			
3.			
4.			
5.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ✓ No ___

Remarks: (If observed, list morphological adaptations below).

Hydrophytic vegetation is present.

SOIL

Sampling Point: EW B (2)

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-12	10YR 5/2	95	10YR 5/6	5	C	M	SL	Sandy Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

[2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**
- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ✓ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ✓ No ___

Remarks:

Hydric soil is present.

WETLAND DETERMINATION DATA FORM – Atlantic and Gulf Coastal Plain Region

Project/Site: 61.329-acre Property City/County: Webster Parish Sampling Date: 06-25-2015

Applicant/Owner: North Webster Parish Industrial District State: LA Sampling Point: EW C

Investigator(s): Brandon McNeill Section, Township, Range: Section: 25 Township: 23 North Range: 11 West

Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): concave Slope (%): 0-2

Subregion (LRR or MLRA): LRR-P Lat: 32.961864 N Long: -93.449664 W Datum: NAD 83

Soil Map Unit Name: Wrightsville silt loam NWI classification: Upland

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✓	No _____	**Is the Sampled Area within a Wetland?** Yes ✓ No _____
Hydric Soil Present?	Yes ✓	No _____	
Wetland Hydrology Present?	Yes ✓	No _____	

Remarks:

This data form is representative of the emergent wetland within the horse pasture within the northeastern portion of the project area.

All of the three criteria have been met; therefore this is a wetland community.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ✓ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15) **(LRR U)**
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)
- ___ Sphagnum moss (D8) **(LRR T, U)**

Field Observations:

Surface Water Present?	Yes _____	No ✓	Depth (inches): _____
Water Table Present?	Yes _____	No ✓	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes _____	No ✓	Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Field indicators of wetland hydrology are present.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: EW C

Tree Stratum (Plot size: 20' x 20')	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 20' x 20')			
1.			
2.			
3.			
4.			
5.			
6.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		
Shrub Stratum (Plot size: 20' x 20')			
1.			
2.			
3.			
4.			
5.			
6.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		
Herb Stratum (Plot size: 20' x 20')			
1. *Polygonum sp.*	65	Yes	FACW
2. *Rumex crispus*	5	No	FAC
3. *Ranunculus sp.*	5	No	FAC
4. *Digitaria sp.*	5	No	FAC
5. *Solanum carolinense*	<2	No	FACU
6. *Phytolacca americana*	<2	No	FACU
7.			
8.			
9.			
10.			
11.			
	80 = Total Cover		
50% of total cover: 40	20% of total cover: 16		
Woody Vine Stratum (Plot size: 20' x 20')			
1.			
2.			
3.			
4.			
5.			
	0 = Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species	x 4 =
UPL species	x 5 =
Column Totals: (A)	(B)

Prevalence Index = B/A =

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

✓ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ✓ No ___

Remarks: (If observed, list morphological adaptations below).

Hydrophytic vegetation is present.

SOIL

Sampling Point: EW C

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-12	10YR 4/2	95	10YR 4/6	5	C	M	SL	Sandy Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Organic Bodies (A6) **(LRR P, T, U)**
- ___ 5 cm Mucky Mineral (A7) **(LRR P, T, U)**
- ___ Muck Presence (A8) **(LRR U)**
- ___ 1 cm Muck (A9) **(LRR P, T)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Coast Prairie Redox (A16) **(MLRA 150A)**
- ___ Sandy Mucky Mineral (S1) **(LRR O, S)**
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) **(LRR P, S, T, U)**
- ___ Polyvalue Below Surface (S8) **(LRR S, T, U)**
- ___ Thin Dark Surface (S9) **(LRR S, T, U)**
- ___ Loamy Mucky Mineral (F1) **(LRR O)**
- ___ Loamy Gleyed Matrix (F2)
- ✓ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Marl (F10) **(LRR U)**
- ___ Depleted Ochric (F11) **(MLRA 151)**
- ___ Iron-Manganese Masses (F12) **(LRR O, P, T)**
- ___ Umbric Surface (F13) **(LRR P, T, U)**
- ___ Delta Ochric (F17) **(MLRA 151)**
- ___ Reduced Vertic (F18) **(MLRA 150A, 150B)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 149A)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 149A, 153C, 153D)**

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) **(LRR O)**
- ___ 2 cm Muck (A10) **(LRR S)**
- ___ Reduced Vertic (F18) **(outside MLRA 150A,B)**
- ___ Piedmont Floodplain Soils (F19) **(LRR P, S, T)**
- ___ Anomalous Bright Loamy Soils (F20) **(MLRA 153B)**
- ___ Red Parent Material (TF2)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ✓ **No** _____

Remarks:

Hydric soil is present.

Appendix C:

Site Photographs

Photograph: 1

Project I.D. No.: 047882.00

Date: 06-17-2015

Subject Property: North Webster Parish Industrial District - 61. 329-acre Property

Description: View of Upland 1 pine plantation within the northwestern portion of the project area.

Photograph: 2

Project I.D. No.: 047882.00

Date: 06-19-2015

Subject Property: North Webster Parish Industrial District - 61. 329-acre Property

Description: View of Upland 1 pine plantation within the southern portion of the project area.

Photograph: 3

Project I.D. No.:
047882.00

Date: 06-19-2015

Subject Property:
North Webster Parish Industrial District - 61. 329-acre Property

Description:
View of Upland 2 young pine plantation within the northeastern portion of the project.

Photograph: 4

Project I.D. No.:
047882.00

Date: 06-25-2015

Subject Property:
North Webster Parish Industrial District - 61. 329-acre Property

Description:
View of Upland 3 mixed hardwood community within the northern portion of the project area.

Photograph: 5

Project I.D. No.: 047882.00

Date: 06-16-2015

Subject Property: North Webster Parish Industrial District - 61. 329-acre Property

Description: View of Forested Wetland A within the southeastern portion of the project area.

Photograph: 6

Project I.D. No.: 047882.00

Date: 06-17-2015

Subject Property: North Webster Parish Industrial District - 61. 329-acre Property

Description: View of an inundated portion of Forested Wetland A within the western portion of the project area.

Photograph: 7

Project I.D. No.:
047882.00

Date: 06-17-2015

Subject Property:
North Webster Parish Industrial District - 61. 329-acre Property

Description:
View of Forested Wetland B within the northwestern portion of the project area.

Photograph: 8

Project I.D. No.:
047882.00

Date: 06-15-2015

Subject Property:
North Webster Parish Industrial District - 61. 329-acre Property

Description:
View of Scrub/Shrub Wetland A within the southwestern portion of the project area.

Photograph: 9

Project I.D. No.: 047882.00

Date: 01-13-2011

Subject Property: North Webster Parish Industrial District - 61. 329-acre Property

Description: View of Scrub/Shrub Wetland B within the northern portion of the project area.

Photograph: 10

Project I.D. No.: 047882.00

Date: 01-13-2011

Subject Property: North Webster Parish Industrial District - 61. 329-acre Property

Description: View of Scrub/Shrub Wetland C within the eastern portion of the project area.

Photograph: 11

Project I.D. No.:
047882.00

Date: 06-17-2015

Subject Property:
North Webster Parish Industrial District - 61. 329-acre Property

Description:
View of the inundated powerline right-of-way on the western edge of the project area.

Photograph: 12

Project I.D. No.:
047882.00

Date: 06-19-2015

Subject Property:
North Webster Parish Industrial District - 61. 329-acre Property

Description:
View of Emergent Wetland A powerline right-of-way within the southern portion of the project area.

Photograph: 13

Project I.D. No.: 047882.00

Date: 06-19-2015

Subject Property: North Webster Parish Industrial District - 61. 329-acre Property

Description: View of Emergent Wetland B within the southern portion of the project area.

Photograph: 14

Project I.D. No.: 047882.00

Date: 06-25-2015

Subject Property: North Webster Parish Industrial District - 61. 329-acre Property

Description: View of Emergent Wetland C within the northern portion of the project area.

Photograph: 15

Project I.D. No.: 047882.00

Date: 06-17-2015

Subject Property: North Webster Parish Industrial District - 61. 329-acre Property

Description: View to the north of a non-jurisdictional drainage on the western portion of the property, west of the pipeline right-of-way.

Photograph: 16

Project I.D. No.: 047882.00

Date: 06-17-2015

Subject Property: North Webster Parish Industrial District - 61. 329-acre Property

Description: View to the south of a non-jurisdictional drainage on the northern portion of the property, east of the pipeline right-of-way.

Photograph: 17

Project I.D. No.: 047882.00

Date: 06-17-2015

Subject Property: North Webster Parish Industrial District - 61. 329-acre Property

Description: View to the north of a non-jurisdictional drainage on the northern portion of the property, east of the pipeline right-of-way.

Photograph: 18

Project I.D. No.: 047882.00

Date: 06-17-2015

Subject Property: North Webster Parish Industrial District - 61. 329-acre Property

Description: View to the northeast of a non-jurisdictional drainage on the northeastern portion of the property, east of the pipeline right-of-way.

Photograph: 19

Project I.D. No.: 047882.00

Date: 06-25-2015

Subject Property: North Webster Parish Industrial District - 61. 329-acre Property

Description: View to the northeast of a non-jurisdictional drainage within the northeastern portion of the project area.