

## Exhibit N.

# Highland Park Mixed-Use Development Site Phase I Environmental Site Assessment





# Highland Park Mixed-Use Development Site Phase I Environmental Site Assessment

### Phase I Environmental Site Assessment

# West End Golf Course Site West Monroe, Louisiana

Prepared for

### Northeast Louisiana Economic Alliance

January 2020

Prepared by

Chenier Environmental Consulting, LLC

January 20, 2020

Ms. Tana Trichel Northeast Louisiana Economic Alliance 204 Fair Avenue Winnsboro, Louisiana 71295

Subject: Phase I Environmental Site Assessment

West End Golf Course West Monroe, Louisiana

Dear Ms. Trichel:

Chenier Environmental Consulting, LLC (Chenier) is pleased to provide the results of the *Phase I Environmental Site Assessment* (Phase I ESA) report of the abovementioned address (the "subject property"). This assessment was performed in conformance with the scope and limitations as detailed in the ASTM Practice E1527-13 Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process.

This assessment included a site reconnaissance as well as research and interviews with representatives of the public, property ownership, site manager, and regulatory agencies. An assessment was made, conclusions stated, and recommendations outlined.

We appreciate the opportunity to provide environmental services to you. If you have any questions concerning this report, or if we can assist you in any other matter, please contact me at (225) 235-9557

Sincerely,

Aaron S. Bass, PhD

Claver Base

Principal

#### **EXECUTIVE SUMMARY**

Chenier Environmental Consulting, LLC. (Chenier) has performed a Phase I Environmental Site Assessment (ESA) in accordance with the scope of work and limitations of ASTM Standard Practice E1527-13, the Environmental Protection Agency Standards and Practices for All Appropriate Inquiries (AAI) (40 CFR Part 312) and set forth by Northeast Louisiana Economic Alliance for the property located at 2411 Trenton Street in West Monroe, Ouachita Parish, Louisiana (the "subject property"). The Phase I Environmental Site Assessment is designed to provide Northeast Louisiana Economic Alliance with an assessment concerning environmental conditions (limited to those issues identified in the report) as they exist at the subject property.

#### **Property Description**

The subject property is situated east of North 7<sup>th</sup> Street, north of Otis Street, and south of Arkansas Road in a mixed commercial/residential area of West Monroe. Please refer to the table below for further description of the subject property:

Subject Property Data

Address(es): 2411 Trenton Street, West Monroe, Louisiana

**Property Use:** Vacant former golf course

Land Acreage (Ac): +/-16 Ac

Number of Buildings: 0 Number of Floors: 0

Gross Building Area (SF): Not applicable

**Date of Construction:** 

Assessor's Parcel Number 87025

(APN):

**Type of Construction: Current Tenants:**Not applicable
City of West Monroe

Site Assessment Performed By: Aaron S. Bass Site Assessment Conducted On: November 12, 2019

The subject property is currently a vacant former golf course. There no current onsite operations other than general maintenance.

According to available historical sources, the subject property was formerly undeveloped as early as 1935 and developed with the current structures in 1956. Tenants on the subject property include The City of West Monroe (1956-present). No potential environmental concerns were identified in association with the current or former use of the subject property.

The immediately surrounding properties consist of Chevron West Monroe (2710 N. 7<sup>th</sup> Street) to the north; Ford Bacon Davis (2500 N. 7<sup>th</sup> Street) and Sikh Temple (500 Otis Street) to the south; West Monroe Fire Department Station (404 Otis Street) to the east; and Coney Island Connection (2635 N. 7<sup>th</sup> Street); Frogs Flea Market (2625 N. 7<sup>th</sup> Street); Air 1 Supply ( 2609 N. 7<sup>th</sup> Street); The Vape Escape (2519 N. 7<sup>th</sup> Street); Serenity Care Providers (2517 N. 7<sup>th</sup> Street); Pit Stop Oil Change (2505 N. 7<sup>th</sup> Street) to the west.

According to the USDA Soil Survey and EDR, the depth to groundwater in the vicinity of the subject property is inferred to be approximately 1 to 3 feet below ground surface (bgs) and groundwater flow is inferred to be toward the east.

#### **Findings**

A recognized environmental condition (REC) refers to the presence or likely presence of any hazardous substances or petroleum products in, on, or at a property: due to release to the environment; under conditions indicative of a release to the environment; or under conditions that pose a material threat of a future release to the environment. The following was identified during this assessment:

Chenier did not identify any recognized environmental conditions during this assessment.

A *controlled recognized environmental condition (CREC)* refers to a REC resulting from a past release of hazardous substances or petroleum products that has been addressed to the satisfaction of the applicable regulatory authority, with hazardous substances or petroleum products allowed to remain in place subject to the implementation of required controls. The following was identified during this assessment:

Chenier did not identify any controlled recognized environmental conditions during this
assessment.

A historical recognized environmental condition (HREC) refers to a past release of any hazardous substances or petroleum products that has occurred in connection with the property and has been addressed to the satisfaction of the applicable regulatory authority or meeting unrestricted use criteria established by a regulatory authority, without subjecting the property to any required controls. The following was identified during this assessment:

• Chenier did not identify any historical recognized environmental conditions during this assessment.

An *environmental issue* refers to environmental concerns identified by Chenier, which do not qualify as RECs; however, warrant further discussion. The following was identified during this assessment:

• Chenier did not identify any environmental issues during this assessment.

#### **Conclusions, Opinions and Recommendations**

Chenier has performed a Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E1527-13 of 2411 Trenton Street in West Monroe, Ouachita Parish, Louisiana (the "subject property"). Any exceptions to, or deletions from, this practice are described in Section 1.5 of this report.

This assessment has revealed no evidence of recognized environmental conditions or environmental issues in connection with the subject property. Based on the conclusions of this assessment, Chenier recommends no further investigation of the subject property at this time.

### **TABLE OF CONTENTS**

1.0	INTR	ODUCTION	. 1
1.1	Purj	oose	1
1.2	Sco	pe of Work	1
1.3	Lim	itations	2
1.4		r Reliance	
1.5	Lim	iting Conditions	3
2.0	SITE	DESCRIPTION	. 4
2.1	Site	Location and Legal Description	4
2.2	Cur	rent Property Use	4
2.3	Cur	rent Use of Adjacent Properties	4
2.4	Phy	sical Setting Sources	4
2	.4.1	Topography	4
2	.4.2	Hydrology	5
2	.4.3	Geology/Soils	5
2	.4.4	Flood Zone Information	5
3.0	HIST	ORICAL INFORMATION	. 7
3.1	Aer	ial Photograph Review	7
3.2	Fire	Insurance Maps	8
3.3	City	Directories	8
3.4	Hist	orical Topographic Maps	9
4.0	REG	ULATORY RECORDS REVIEW	11
4.1	Reg	ulatory Agencies	11
4	.1.1	State Department	11
4	.1.2	Fire Department	11
4	.1.3	Building Department	11
4	.1.4	Oil & Gas Exploration	12
4	.1.5	Assessor's Office	12
4.2	Maj	pped Database Records Search	12
4	.2.1	Regulatory Database Summary	13
4	.2.2	Subject Property Listings	13
4	.2.3	Adjacent Property Listings	13
4	.2.4	Sites of Concern Listings.	16
4	.2.5	Orphan Listings	16
5.0	USEI	R PROVIDED INFORMATION AND INTERVIEWS	17
5.1	Inte	rviews	17
5	.1.1	Interview with Owner	17
5	.1.2	Interview with Report User	18
5	.1.3	Interview with Key Site Manager	18
5	.1.4	Interviews with Past Owners, Operators and Occupants	18
	.1.5	Interview with Others	40

5.2	User Provided Information	18
5	.2.1 Title Records, Environmental Liens, and AULs	18
5	.2.2 Specialized Knowledge	18
5	.2.3 Actual Knowledge of the User	18
5	.2.4 Valuation Reduction for Environmental Issues	18
5	.2.5 Commonly Known or Reasonably Ascertainable Information	19
5	.2.6 Previous Reports and Other Provided Documentation	19
6.0	SITE RECONNAISSANCE	20
6.1	General Site Characteristics	
6.2	Potential Environmental Hazards	21
6.3	Non-ASTM Services	22
6.4	Adjacent Property Reconnaissance	22
7.0	FINDINGS AND CONCLUSIONS	23
8.0	SIGNATURES OF ENVIRONMENTAL PROFESSIONALS	2/
0.0	SIGNATURES OF ENVIRONMENTAL PROFESSIONALS	

#### **Figures**

Figure 1 Site Location Map

Figure 2 Site Plan

Figure 3 Topographic Map

#### **Appendices**

**Appendix A** Site Photographs

**Appendix B** Historical/Regulatory Documentation

**Appendix C** Regulatory Database Report

**Appendix D** Supporting Documents

**Appendix E** Qualifications

#### 1.0 INTRODUCTION

Chenier Environmental Consulting, LLC (Chenier) has performed a Phase I Environmental Site Assessment (ESA) in conformance with the scope and limitations of ASTM Standard Practice E1527-13 and the Environmental Protection Agency Standards and Practices for All Appropriate Inquiries (AAI) (40 CFR Part 312) for the property located at 2411 Trenton Street in West Monroe, Ouachita Parish County, Louisiana (the "subject property"). Any exceptions to, or deletions from, this scope of work are described in the report.

#### 1.1 Purpose

The purpose of this ESA is to identify existing or potential Recognized Environmental Conditions (as defined by ASTM Standard E1527-13) affecting the subject property that: 1) constitute or result in a material violation or a potential material violation of any applicable environmental law; 2) impose any material constraints on the operation of the subject property or require a material change in the use thereof; 3) require clean-up, remedial action or other response with respect to Hazardous Substances or Petroleum Products on or affecting the subject property under any applicable environmental law; 4) may affect the value of the subject property; and 5) may require specific actions to be performed with regard to such conditions and circumstances. The information contained in the ESA Report will be used by Client to: 1) evaluate its legal and financial liabilities for transactions related to foreclosure, purchase, sale, loan origination, loan workout or seller financing; 2) evaluate the subject property's overall development potential, the associated market value and the impact of applicable laws that restrict financial and other types of assistance for the future development of the subject property; and/or 3) determine whether specific actions are required to be performed prior to the foreclosure, purchase, sale, loan origination, loan workout or seller financing of the subject property.

This ESA was performed to permit the *User* to satisfy one of the requirements to qualify for the innocent landowner, contiguous property owner, or bona fide prospective purchaser limitations on scope of Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) (42 U.S.C. §9601) liability (hereinafter, the "*landowner liability protections*," or "*LLPs*"). ASTM Standard E1527-13 constitutes "*all appropriate inquiry* into the previous ownership and uses of the *property* consistent with good commercial or customary practice" as defined at 42 U.S.C. §9601(35)(B).

#### 1.2 Scope of Work

This assessment included: 1) a property and adjacent site reconnaissance; 2) interviews with key personnel; 3) a review of historical sources; 4) a review of regulatory agency records; and 5) a review of a regulatory database report provided by a third-party vendor. Chenier contacted local agencies, such as environmental health departments, fire departments and building departments in order to determine any current and/or former hazardous substances usage, storage and/or releases of hazardous substances on the subject property. Additionally, Chenier researched information on the presence of activity and use limitations (AULs) at these agencies. As defined by ASTM E1527-13, AULs are the legal or physical restrictions or limitations on the use of, or access to, a site or facility: 1) to reduce or eliminate potential exposure to hazardous substances or petroleum products in the soil or groundwater on the subject property; or 2) to prevent activities that could interfere with the effectiveness of a response action, in order to ensure maintenance of a condition of no significant risk to public health or the environment.

These legal or physical restrictions, which may include institutional and/or engineering controls (IC/ECs), are intended to prevent adverse impacts to individuals or populations that may be exposed to hazardous substances and petroleum products in the soil or groundwater on the property.

#### 1.3 Limitations

Chenier warrants that the findings and conclusions contained herein were accomplished in accordance with the methodologies set forth in the Scope of Work. These methodologies are described as representing good commercial and customary practice for conducting an ESA of a property for the purpose of identifying recognized environmental conditions. There is a possibility that even with the proper application of these methodologies there may exist on the subject property conditions that could not be identified within the scope of the assessment or which were not reasonably identifiable from the available information. Chenier believes that the information obtained from the record review and the interviews concerning the subject property is reliable. However, Chenier cannot and does not warrant or guarantee that the information provided by these other sources is accurate or complete. The conclusions and findings set forth in this report are strictly limited in time and scope to the date of the evaluations. The conclusions presented in the report are based solely on the services described therein, and not on scientific tasks or procedures beyond the scope of agreed-upon services or the time and budgeting restraints imposed by the Client. No other warranties are implied or expressed.

Some of the information provided in this report is based upon personal interviews, and research of available documents, records, and maps held by the appropriate government and private agencies. This report is subject to the limitations of historical documentation, availability, and accuracy of pertinent records, and the personal recollections of those persons contacted.

This practice does not address requirements of any state or local laws or of any federal laws other than the all appropriate inquiry provisions of the LLPs. Further, this report does not intend to address all the safety concerns, if any, associated with the subject property.

Environmental concerns, which are beyond the scope of a Phase I ESA as defined by ASTM include the following: ACMs, LBP, radon, and lead in drinking water. These issues may affect environmental risk at the subject property and may warrant discussion and/or assessment; however, are considered non-scope issues. If specifically requested by the Client, these non-scope issues are discussed in Section 6.3.

#### 1.4 User Reliance

The Northeast Louisiana Economic Alliance engaged Chenier to perform this assessment in accordance with an agreement governing the nature, scope and purpose of the work as well as other matters critical to the engagement. All reports, both verbal and written, are for the sole use and benefit of the Northeast Louisiana Economic Alliance. Either verbally or in writing, third parties may come into possession of this report or all or part of the information generated as a result of this work. In the absence of a written agreement with Chenier granting such rights, no third parties shall have rights of recourse or recovery whatsoever under any course of action against Chenier, its officers, employees, vendors, successors or assigns. Any such unauthorized user shall be responsible to protect, indemnify and hold Chenier, Client and their respective officers, employees, vendors, successors and assigns harmless from any and all claims, damages, losses, liabilities, expenses (including reasonable attorneys' fees) and costs attributable to such Use. Unauthorized use of this report shall constitute acceptance of and commitment to these

responsibilities, which shall be irrevocable and shall apply regardless of the cause of action or legal theory pled or asserted. Additional legal penalties may apply.

#### 1.5 Limiting Conditions

The findings and conclusions contain all the limitations inherent in these methodologies that are referred to in ASTM E1527-13.

Specific limitations and exceptions to this ESA are more specifically set forth below:

• Chenier was not able to document the historical use of the subject property prior to 1935. The following sources were reviewed during this assessment and found to be limited: aerial photographs were not available prior to 1956; city directories were not available prior to 1964; topographic maps prior to 1935 were not reasonably ascertainable from local agencies. This data failure is not considered critical and does not change the conclusions of this report, as the subject property was not developed with any buildings according to the 1935 topographic map and became a golf course in approximately 1957.

Due to time constraints associated with this report, the Client has requested the report despite the above-listed limitations.

#### 2.0 SITE DESCRIPTION

#### 2.1 Site Location and Legal Description

The former golf course official address is 2411 Trenton Street in West Monroe, Louisiana. However, the subject property only includes the western portion of the former golf course which is located east of North 7<sup>th</sup> Street, north of Otis Street, and south of Arkansas Road. According to the Ouachita Parish Assessor the subject property is legally described as:

66.15 ACS IN SECS 37, 38 & 39 T18 NR 3E BOUGHT OF HM MCGUIRE-SOLDPARCEL1-2CONTG.044BK1487-832-\*WESTMONROEGOLFCOURSE

\*RIVERSIDEGOLFCOURSE\*HIGHLANDPARKGOLFCOURSE.

The City of West Monroe currently owns the subject property.

Please refer to Figure 1: Site Location Map, Figure 2: Site Plan, Figure 3: Topographic Map, and Appendix A: Site Photographs for the location and site characteristics of the subject property.

#### 2.2 Current Property Use

The subject property is vacant land formerly occupied by the West End Golf Course. There are no current onsite operations other than routine maintenance such as mowing the grass.

The subject property was not identified in the regulatory database report of Section 4.2.

#### 2.3 Current Use of Adjacent Properties

The subject property is located within a mixed commercial/residential area of West Monroe. During the vicinity reconnaissance, Chenier observed the following land use on properties in the immediate vicinity of the subject property:

#### Immediately Surrounding Properties

**North:** Chevron West Monroe (2710 N. 7<sup>th</sup> Street)

**South:** Across Otis Street is Ford Bacon Davis and Business First Bank (2500 N. 7<sup>th</sup> Street); Sikh Temple (500 Otis Street)

**East:** Across Otis Street is West Monroe Fire Department Station 3 (404 Otis Street)

West: Across North 7th street is Anytime Fitness (2419); Teams of Tomorrow (2503); Pit Stop Oil

Change (2505); Troy Bostic DDS (2507); Comm. Strip Center (2519); Drenan's

Pharmacy (2601); Westgate Shop Center (2625); and Central Station (700 Arkansas Road)

Adjacent properties to the north and west were identified as EDR Historical Auto Station, Historical Lust, UST, REM, AUL, US Brownfields, EDR Historical Cleaners, Drycleaners, and VCP sites in the regulatory database report of Section 4.2.

#### 2.4 Physical Setting Sources

#### 2.4.1 Topography

The United States Geological Survey (USGS) *West Monroe North, Louisiana* Quadrangle 7.5-minute series topographic map was reviewed for this ESA. According to the contour lines on the topographic map, the subject property is located at approximately 92 feet above mean sea level (MSL). The contour lines in the area of the subject property indicate the area is sloping gently toward the east. The subject

property is depicted on the 2018 map with no indication of development; however, the subject property is depicted on the 1999 map with high density development.

A copy of the most recent topographic map is included as Figure 3 of this report.

#### 2.4.2 Hydrology

According to topographic map interpretation, the direction of groundwater flow in the vicinity of the subject property is inferred to be toward the east. The nearest surface water in the vicinity of the subject property is a pond located adjacent to the east of the subject property. Furthermore, the Ouachita River is located approximately 0.48 miles to the east of the subject property. No settling ponds, lagoons, surface impoundments, wetlands or natural catch basins were observed at the subject property during this assessment.

According to available information, a public water system operated by the West Monroe Department of Public Works services the subject property vicinity. The sources of public water for West Monroe are groundwater from Sparta aquifer.

Information specific to the subject property regarding the depth to groundwater and direction of groundwater flow was not available for the subject area. However, based on the USDA Soil Survey, depth to the water table is approximately 48 to 72 inches below ground surface (bgs).

#### 2.4.3 Geology/Soils

The subject property is situated within the Mississippi Alluvial Plan of the Arkansas/ Ouachita River Backswamps physiographic province of the State of Louisiana. The uppermost geologic formation underlying the soils at the subject property is Quaternary (Holocene) alluvial clay and silty clay, and some layers of peat and sand. Soils tend to be gray mixed with brown-to-red clay and silty clay; some sand and gravel locally. The area is topographically higher that Holocene alluvium and lower than Prairie terraces.

Based on information obtained from the USDA Natural Resources Conservation Service Web Soil Survey online database, the subject property is mapped as Rilla silt loam (RIA), Waller loam (Wa), Perry clay (Pc), and Made land (Ma). The Rilla series consists of very deep, well drained, moderately permeable soils that formed in reddish silty and loamy alluvium. These soils are on nearly level to gently sloping natural levees along the Red River and the present and abandoned channels of the Arkansas River. Slopes range from 0 to 5 percent. The Waller series consists of very deep, poorly drained soils. These nearly level soils formed in loamy fluviomarine deposits of the Lissie Formation of Pleistocene age. Slope ranges from 0 to 1 percent but are mainly less than 0.5 percent. The Perry series consists of very deep, poorly drained, very slowly permeable soils that formed in clayey alluvium. These soils are on level to gently undulating alluvial plains of the Arkansas and Red Rivers and their distributaries. Slopes range from 0 to 3 percent. The Made land series consists of mixtures or complexes of spots of recognizable series with extensive areas of cut and fill,

#### 2.4.4 Flood Zone Information

Chenier performed a review of the Flood Insurance Rate Map, published by the Federal Emergency Management Agency. According to Community Panel Number 22073C0145F, dated January 20, 2016, the subject property appears to be in Zone X, an area located outside of the 100-year and 500-year flood plains.

A copy of the reviewed flood map is not included in Appendix B of this report.		

#### 3.0 HISTORICAL INFORMATION

Chenier obtained historical use information about the subject property from a variety of sources. A chronological listing of the historical data found is summarized in the table below:

Historical Use InformationPeriod/DateSourceDescription/Use1935-1955Aerial Photographs and Topographic MapsVacant land1956-PresentAerial Photographs, Topographic Maps, Sanborn MapsGolf course/vacant

Tenants on the subject property include The City of West Monroe (1956-present). No potential environmental concerns were identified in association with the current or former use of the subject property.

#### 3.1 Aerial Photograph Review

Chenier obtained available aerial photographs of the subject property and surrounding area from Environmental Data Resources (EDR) on October 14, 2019. The following was observed on the subject property and adjacent properties during the aerial photograph review:

Date: 1956 Scale: 1"=500'

**Subject Property:** Appears to be developed as a golf course

**North:** Appears to be developed commercial buildings and residences across Arkansas Road

**South:** Appears to be vacant land and residences across Otis Street

**East:** Appears to be developed as a golf course

West: Appears to be developed with residences across North 7<sup>th</sup> Street. Vacant land

present in the northern half.

Date: 1969 Scale: 1"=500'

Subject Property:No significant changes visibleNorth:No significant changes visibleSouth:No significant changes visibleEast:No significant changes visible

West: Commercial buildings and parking lots in the northern half and residences in the

southern half

Date: 1974 Scale: 1"=500'

**Subject Property:** No significant changes visible North: No significant changes visible

**South:** The vacant land at the corner of Otis Street and North 7<sup>th</sup> Street has been replaced

with structures that resemble mobile homes. The eastern half of the stretch of street

is developed with what appears to be residences.

East: No significant changes visible West: No significant changes visible

Date: 1983 Scale: 1"=1000"

**Subject Property:** No significant changes detectible due to the photograph resolution

North:

South: No significant changes detectible due to the photograph resolution

East: No significant changes detectible due to the photograph resolution

Phase I Environmental Site Assessment Project No. 19-132

January 20, 2020

Date: 1983 Scale: 1"=1000'

West: No significant changes detectible due to the photograph resolution

Date: 1985 and 1994 Scale: 1"=500"

**Subject Property:** No significant changes visible **North:** No significant changes visible

**South:** The building configuration appears to change between 1985 and 1994

**East:** No significant changes visible

**West:** Commercial development appears to be replacing residences along North 7<sup>th</sup> Street

Date: 1998 Scale: 1"=500"

**Subject Property:** No significant changes visible. Subject property remains a golf course.

**North:** No significant changes visible

**South:** Large building constructed at the corner of Otis Street and North 7<sup>th</sup> Street

**East:** The property to the east remains part of the golf course

West: The property east across North 7<sup>th</sup> Street appears to be predominantly commercial

Date: 2004, 2007, 2010, 2013, 2017 Scale: 1"=500'

Subject Property: A rectangular golf course pond constructed near the northwest corner of the

property

North:
No significant changes visible
South:
No significant changes visible
East:
No significant changes visible
West:
No significant changes visible

Copies of select aerial photographs are included in Appendix B of this report.

#### 3.2 Fire Insurance Maps

Chenier reviewed the collection of Sanborn Fire insurance maps from Environmental Data Resources (EDR) on October 14, 2019. The following was observed on the subject property and adjacent properties during the fire insurance map review:

Date: 1966

**Subject Property:** Subject property is labeled "City Park". No structures are depicted.

North: Area unidentified in map coverage
South: Area unidentified in map coverage
East: Area unidentified in map coverage

West: Appears to be developed with eight dwellings, four automobile garages and the

Westgate Shopping Center across North 7th Street

Copies of reviewed Sanborn Maps are included in Appendix B of this report.

#### 3.3 City Directories

Chenier reviewed historical city directories obtained from Environmental Data Resources (EDR) on October 17, 2019 for past names and businesses that were listed for the subject property and adjacent properties along N. 7<sup>th</sup> Street and Otis Street. The findings are presented in the following table:

#### City Directory Search for Subject Property

#### Year(s) Occupant Listed

#### City Directory Search for Subject Property

#### Year(s) Occupant Listed

No listings on the subject property for North 7<sup>th</sup> Street or Otis Street

2014

According to the city directory review, the subject property has had no address listings along North 7<sup>th</sup> Street or Otis Street. Based on the city directory review, no environmentally sensitive listings were identified for the subject property.

City Directory Search for Adjacent Properties (Environmentally Sensitive Listings)		
Year(s)	Occupant Listed	
2014,	Weil Cleaners Inc. (2503 North 7 <sup>th</sup> Street); Pit Stop Oil Change of Ouachita (2505 North 7 <sup>th</sup>	
2010	Street)	
2005	Pit Stop Oil Change of Ouachita (2505 North 7th Street)	
2000	Weil Cleaners, Inc. (2503 North 7 <sup>th</sup> Street); Pit Stop Oil Change of Ouachita (2505 North 7 <sup>th</sup>	
	Street)	
1995	Weil Cleaners (2503 North 7 <sup>th</sup> Street); Pit Stop Oil Change of Ouachita (2505 North 7 <sup>th</sup>	
	Street); Harde Mart (2701 North 7 <sup>th</sup> Street)	
1992	Weil Cleaners (2503 North 7th Street); Pit Stop Oil Change of Ouachita (2505 North 7th	
	Street)	
1986	Junior Food Mart (2419d North 7 <sup>th</sup> Street); Weil Cleaners (2503 North 7 <sup>th</sup> Street); North	
	Seventh Street Amoco Station (2701 North 7 <sup>th</sup> Street)	
1981	Junior Food Mart (2419d North 7th Street); Weil Cleaners (2503 North 7th Street); Westgate	
	Shell Service Station (2635 North 7 <sup>th</sup> Street); Albright's Gulf Service Station (2700 North 7 <sup>th</sup>	
	Street); North Seventh Street Amoco Station (2701 North 7th Street)	
1976	Weil Cleaners (2503 North 7th Street); Junior's Westgate Shell Service Station (2635 North	
	7 <sup>th</sup> Street)	
1971	Weil Cleaners (2505 North 7 <sup>th</sup> Street); Bob's Westgate Shell Service Station (2635 North 7 <sup>th</sup>	
	Street); Albright's Gulf Service Station (2700 North 7 <sup>th</sup> Street)	
1966,	Albright's Tenneco Service Station (2701 North 7 <sup>th</sup> Street)	
1964		

here are no listings for the subject property. According to the city directory review, the adjacent properties to the west of North 7<sup>th</sup> Street have been occupied by commercial business including gasoline service stations, dry cleaners, and an oil change facility. These listings represent potential environmental threats to the subject property and are further discussed in Section 4.2.

Copies of reviewed city directories are included in Appendix B of this report.

#### 3.4 Historical Topographic Maps

Chenier reviewed historical topographic maps obtained from NETR Online on December 12, 2019. The following was observed on the subject property and adjacent properties during the topographic map review:

Date: 1935

**Subject Property:** No buildings depicted. An unimproved road runs diagonally across the property.

**North:** Appears to be undeveloped across Arkansas Road

**South:** No buildings depicted

East: Mostly depicted as forested land

**West:** Appears to be developed with one building across North 7<sup>th</sup> Street

Date: 1957

Subject Property: No significant changes depicted

**North:** Appears to be developed with a residential subdivision Arkansas Road

**South:** Shading indicates high density development

East: No significant changes depicted

West: Shading indicates high density development

Date: 1969

**Subject Property:** No significant changes depicted North: No significant changes depicted South: No significant changes depicted

**East:** No significant changes depicted except area is labeled "golf course"

West: Commercial shopping center developed to the northwest; no other significant changes

depicted

Date: 1975-

2018

Subject Property: No significant changes depicted North: No significant changes depicted No significant changes depicted No significant changes depicted No significant changes depicted West: No significant changes depicted

Copies of reviewed topographic maps are included in Appendix B of this report.

#### 4.0 REGULATORY RECORDS REVIEW

#### 4.1 Regulatory Agencies

#### 4.1.1 State Department

Regulatory Agency Data

Name of Agency:Louisiana Department of Environmental Quality (LDEQ)Point of Contact:Electronic Document Management System (EDMS)Agency Address:602 North 5th Street, Baton Rouge, Louisiana

**Agency Phone Number:** (225) 219-5337 **Date of Contact:** January 17, 2019

**Method of Communication:** Online

**Summary of Communication:** No records regarding hazardous substance use, storage or releases,

or the presence of USTs and AULs on the subject property were on

file with the LDEQ.

Copies of pertinent documents are included in Appendix B of this report.

#### 4.1.2 Fire Department

#### Regulatory Agency Data

Name of Agency: West Monroe Fire Department, Station 3

**Point of Contact:** Captain P. Wheels

**Agency Address:** 404 Otis Street, West Monroe, LA 71291

**Agency Phone Number:** (318) 325-1621 **Date of Contact:** November 12, 2019

**Method of Communication:** In person

Summary of Communication: Captain Wheels has been employed with the fire department for

approximately 19 years and he is not aware of any environmental issues or callouts involving hazardous materials or petroleum

products on the subject property.

Copies of pertinent documents are included in Appendix B of this report.

#### 4.1.3 Building Department

#### Regulatory Agency Data

Name of Agency: City of West Monroe Building and Zoning Department

**Point of Contact:** Jonathan Kaufman

**Agency Address:** 2305 North 7<sup>th</sup> Street, West Monroe, Louisiana 71291

**Agency Phone Number:** (318) 737-9727 **Date of Contact:** November 12, 2019

**Method of Communication:** In person

**Summary of Communication:** Mr. Kaufman was not aware of any potential environmental issues

on the property including USTs or ASTs or the storage or use of

hazardous materials or petroleum products.

Copies of pertinent documents are included in Appendix B of this report.

#### 4.1.4 Oil & Gas Exploration

Regulatory Agency Data

Name of Agency: Louisiana Department of Natural Resources (LDNR)

**Point of Contact:** Strategic Online Natural Resources Information System (SONRIS)

**Agency Address:** 617 North 3rd Street, Baton Rouge, Louisiana

**Agency Phone Number:** (225) 342-8955 **Date of Contact:** January 17, 2020

**Method of Communication:** Online

**Summary of Communication:** According to the LDEQ SONRIS database, no oil/gas wells or pits

are located on the subject property.

A groundwater monitoring well is located in the northwest corner of the property near the intersection of Arkansas Road and North 7<sup>th</sup> Street. The monitoring well was owned by Central Oil and Supply and was installed by Walker-Hill Environmental to a depth of 19

feet below ground surface.

Copies of pertinent documents are included in Appendix B of this report.

#### 4.1.5 Assessor's Office

Regulatory Agency Data

Name of Agency: Ouachita Parish Assessor (OPA)
Point of Contact: Stephanie Smith, Assessor

**Agency Address:** 300 Saint John Street, Monroe, Louisiana 71201

**Agency Phone Number:** (318) 327-1300 **Date of Contact:** December 13, 2019

**Method of Communication:** Online

**Summary of Communication:** According to records reviewed, the subject property is identified by

Assessor Parcel Number (APN) 87025 and is currently owned by the City of West Monroe. The legal address is: 66.15 ACS IN SECS 37, 38 & 39 T18 NR 3E BOUGHT OF HM MCGUIRE-SOLD PARCEL 1-2 CONTG .044BK 1487-832-\*WEST MONROE GOLF COURSE\*RIVERSIDE GOLF COURSE\*HIGHLAND PARK

**GOLF COURSE** 

Copies of pertinent documents are included in Appendix B of this report.

#### **4.2** Mapped Database Records Search

Information from standard federal, state, county, and city environmental record sources were provided by Environmental Data Resources, Inc. (EDR). Data from governmental agency lists are updated and integrated into one database, which is updated as these data are released. The information contained in this report was compiled from publicly available sources and the locations of the sites are plotted utilizing a geographic information system, which geocodes the site addresses. The accuracy of the geocoded locations is approximately +/-300 feet.

Using the ASTM definition of migration, Chenier considers the migration of hazardous substances or petroleum products in any form onto the subject property during the evaluation of each site listed on the radius report, which includes solid, liquid, and vapor.

#### 4.2.1 Regulatory Database Summary

Radius Report Data	_	_	_	_
Database	Search	Subject	Adjacent	Sites of Concern
Federal NPL or Delisted NPL Site	Radius (mile)	<b>Property</b> N	<b>Properties</b> N	N
Federal CERCLIS Site	0.50	N	N	N
Federal CERCLIS-NFRAP Site	0.50	N	N	N
Federal RCRA CORRACTS Facility	1.00	N	N	N
Federal RCRA TSDF Facility	0.50	N	N	N
Federal RCRA Generators Site (LQG, SQG,	0.25	N	Y	N
CESQG)	0.23	11	1	11
Federal IC/EC Registries	0.50	N	N	N
Federal ERNS Site	Subject	N	N	N
Touchur Era 15 510	Property			
State/Tribal Equivalent NPL	1.00	N	N	N
State/Tribal Equivalent CERCLIS	1.00	N	N	N
State/Tribal Landfill/Solid Waste Disposal Site	0.50	N	Y	N
State/Tribal Leaking Storage Tank Site	0.50	N	Y	N
State/Tribal Registered Storage Tank Sites	0.25	N	Y	N
(UST/AST)				
State/Tribal Voluntary Cleanup Sites (VCP)	0.50	N	Y	N
State/Tribal Spills	0.50	N	N	N
Federal Brownfield Sites	0.50	N	N	N
State Brownfield Sites	0.50	N	N	N
EDR MGP	1.00	N	N	N
EDR US Hist Auto Station	0.125	N	Y	N
EDR US Hist Cleaners	0.125	N	Y	N
EDR Historical LUST	0.5	N	Y	N
SPILLS	TP	N	Y	N
AUL	0.5	N	Y	N
US Brownfields	0.5	N	Y	N
FINDS	TP	N	Y	N
SWRCY	0.5	N	Y	N

#### 4.2.2 Subject Property Listings

The subject property is not identified in the regulatory database report.

#### 4.2.3 Adjacent Property Listings

#### Cluster A

The adjacent properties to the north identified in the regulatory database report are discussed below:

- The property, identified as ASA I Albright at 2700 N 7<sup>th</sup> Street, is located adjacent to the north of the subject property. This site is listed as a gasoline station from 1969 to 1976.
  - LDEQ File Review: no files identified for this listing
- The property, identified as Harde Mart #114 at 2701 N 7<sup>th</sup> Street, is located to the north of the subject property. This site is listed as a Historical LUST. A gasoline leak occurred on July 22,

- 1991. Free-phase gasoline was discovered in a South-Central Bell manhole. An assessment plan was approved on April 16, 1993 and a corrective plan was approved on January 5, 1996. The AI# for this listing is 40984.
- The property, identified as Central Oil & Supply Harde Mart #114 at 2701 N 7<sup>th</sup> Street, is located to the north northwest of the subject property. This site is listed as a UST, NPDES, REM, AUL, LUST, SPILLS site. Three USTs installed in 1965 were removed in 1996. Two gasoline USTs and one diesel UST were installed on January 3, 1996. The REM listing (AI# 40984) stated that the site was evaluated and closed on March 7, 2011 and August 18, 2015 and NFAs were issued. AUL. The SPILLS listing was associated with an incident that occurred on October 18, 2010. The incident was closed, and no product was released to the environment.
  - LDEQ File Review: An NFA letter associated with a release that occurred on May 16, 2011 was issued by LDEQ on August 18, 2015. The letter documented the site's use as a gas station from 1965 to the time the letter was written. The letter specified that no soils may be removed from this site without written authorization from LDEQ unless they are removed and disposed at a permitted disposal facility.
- The property identified as CMA Properties (Former Fashion Cleaners and Modern Cleaners) at 2712/14/16/18 N 7<sup>th</sup> Street, is located to the north of the subject property. The site is listed as a US Brownfields, FINDS, AUL, Voluntary Remediation Program (VCP), and REM site. Polk City Directories indicate that this location was occupied by a dry cleaner since 1956. It was included on the EDR Historical Cleaner database from 1969 to 1997. According to the Radius Report, TCE was found in the soil and groundwater. LDEQ required cleanup and institutional controls were established. An NFA letter was issued on July 17, 2007. The facility ID# is 13170.
  - LDEQ File Review: LDEQ issued a Certificate of Completion for the property on July 17, 2007 for the former Fashion Cleaners. The Certificate of Completion was subject to terms and conditions of a Partial Remediation Agreement including, but not limited to, all use restrictions and other institutional controls approved by the LDEQ.
- The property identified as Rich Slayton Elmo at 2707 N 7<sup>th</sup> Street, is located to the north northwest of the subject property. The site is listed as a historical cleaner in 1969 and 1970.
  - LDEQ File Review: no files were identified for this listing.
- The property, identified as Westgate Shell at 2635 N 7<sup>th</sup> Street, is located to the north northwest of the subject property. The site is listed as a UST site. Gasoline USTs installed in 1966 and 1983 were removed in 1995. An oil UST installed in 1966 was removed in 1996. No releases were reported.
  - LDEQ File Review: The LDEQ AI# for this listing is 73168. An Underground Storage Tank Closure form dated April 10, 1997 for the waste oil tank was obtained. The form indicated UST system was removed from the LDEQ database and no further action was required. An Underground Storage Tank Closure Form dated December 15, 1995 was also obtained for three gasoline USTs that were closed on November 17, 1995. The form indicated that the USTs were removed from the LDEQ database and no further action was required.

The property, identified as Moore's U-Pak-It at 2710 N 7<sup>th</sup> Street, is located to the north of the subject property. The site is listed as a UST site and an EDR Historical Auto Station site from 1985 to 2014. Three gasoline USTs installed in 1972 was removed in 1996. A used oil UST installed in 1980 was also removed in 1996. Two fiberglass USTs were installed in 1996. No releases were reported.

LDEQ File Review: The LDEQ AI# for this listing is 76002. An LDEQ Field Interview Form and Compliance Inspection Report dated January 26, 2017 indicated that the facility was in compliance with all UST regulations and no issues were reported.

#### **Cluster B**

Adjacent properties to the southwest in the regulatory database report are discussed below:

- The property, identified as Weil Cleaners, Inc. at 2503 N 7th Street, is located adjacent to the south southwest of the subject property. The site is listed as a drycleaner from 1991 to 2014. The Facility ID is 39557. No spills or environmental issues are reported in the Radius Report.
  - LDEQ File Review: The LDEQ AI# for this listing is 39557.
  - Chenier conducted an LDEQ file review. The only document in the LDEQ file was the Initial Notification Report dated May 16, 1995. No indications of environmental issues associated with this facility were found.
- The property, identified as Pit Stop Oil Change of Ouachita at 2505 N 7th Street, is located adjacent to the southwest of the subject property. The property is listed as a Historic Auto Station and included on the UST and SWRCY databases. The site is listed as an oil change facility from 1986 to 2014. An oil UST installed in 1985 were removed and closed in 2007. No spills or releases were reported.
  - LDEQ File Review: The LDEQ AI# for this listing is 20815. A UST Tank Closure/Assessment Form dated August 28, 2007 indicated that the use oil UST had been removed from the LDEQ database and that no further action was required.
- The property, identified as Junior Food Mart at 2419 N 7th Street, is located south southwest of the subject property. The site is listed as a convenience store from 1978 to 1987. USTs installed in 1970 were removed in 1990. No releases were reported.
  - LDEQ File Review: The LDEQ AI# for this listing is 75518. A letter dated August 12, 1991 issued by LDEQ indicated that closure had been granted for three gasoline USTs at this facility.
- The property, identified as North Seventh Street U-Pump-It, is located south southwest of the subject property. The site is listed on the UST database. USTs installed in 1980 were removed in 1997. No releases were reported. The Agency ID # is 68975.
  - LDEQ File Review: A UST Tank Closure/Assessment Form dated June 26, 1997, indicated that two 8,000-gallon gasoline USTs had been removed from the LDEQ database and that no further action was required.

Based on the distance from the subject property and/or regulatory status, these listings do not appear to represent a significant environmental threat to the property and vapor migration is not expected to represent a significant environmental concern at this time.

#### 4.2.4 Sites of Concern Listings

No sites of concern are identified in the regulatory database report.

#### 4.2.5 Orphan Listings

No orphan listings of concern are identified in the regulatory database report. A copy of the regulatory database report is included in Appendix C of this report.

#### 5.0 USER PROVIDED INFORMATION AND INTERVIEWS

In order to qualify for one of the *Landowner Liability Protections (LLPs)* offered by the Small Business Liability Relief and Brownfields Revitalization Act of 2001 (the *Brownfields Amendments*), the *User* must conduct the following inquiries required by 40 CFR 312.25, 312.28, 312.29, 312.30, and 312.31. The *User* should provide the following information to the *environmental professional*. Failure to provide this information could result in a determination that *all appropriate inquiries* is not complete. The *User* is asked to provide information or knowledge of the following:

- Review Title and Judicial Records for Environmental Liens and AULs
- Specialized Knowledge or Experience of the User
- Actual Knowledge of the User
- Reason for Significantly Lower Purchase Price
- Commonly Known or *Reasonably Ascertainable* information
- Degree of Obviousness
- Reason for Preparation of this Phase I ESA

Fulfillment of these user responsibilities is key to qualification for the identified defenses to CERCLA liability. Chenier requested our Client to provide information to satisfy User Responsibilities as identified in Section 6 of the ASTM guidance.

Pursuant to ASTM E1527-13, Chenier requested the following site information from the Northeast Louisiana Economic Alliance (User of this report).

User Responsibilities				
Item	Provided By User	Not Provided By User	Discussed Below	Does Not Apply
Environmental Pre-Survey Questionnaire		·	X	
Title Records, Environmental Liens, and AULs			X	
Specialized Knowledge			X	
Actual Knowledge			X	
Valuation Reduction for Environmental Issues			X	
Identification of Key Site Manager	Section 5.1.3			
Reason for Performing Phase I ESA	Section 1.1			
Prior Environmental Reports		X		
Other		X		

#### 5.1 Interviews

#### 5.1.1 Interview with Owner

Ms. Courtney Hornsby, Chief of Staff, City of West Monroe, was not aware of any environmental issues on the subject property or surrounding properties. Furthermore, she was not aware any stored chemicals,

underground storage tanks, aboveground storage tanks, spills or releases, landfills, waste treatment systems stained soils, electrical transformers, oil and gas monitoring wells, or environmental permits on or associated with the subject property. According to Ms. Hornsby, the subject property has historically been a golf course.

#### 5.1.2 Interview with Report User

Please refer to Section 5.2 below for information requested from the Report User. The information requested was not received prior to the issuance of this report. Because the Report User (Client) is an economic development organization, it is understood that the Report User would not have knowledge of the property that would significantly impact our ability to satisfy the objectives of this assessment. The lack of this information is not considered to represent a significant data gap.

#### 5.1.3 Interview with Key Site Manager

Mr. Doug Seegers, key site manager, indicated that he was not aware of any environmental issues associated with the subject property nor was he aware of the storage or use of hazardous materials or petroleum products on the property. The subject property has historically been a golf course.

#### 5.1.4 Interviews with Past Owners, Operators and Occupants

Interviews with past owners, operators and occupants were not conducted since information regarding the potential for contamination at the subject property was obtained from other sources.

#### 5.1.5 Interview with Others

As the subject property is not an abandoned property as defined in ASTM 1527-13, interview with others were not performed.

#### **5.2** User Provided Information

#### 5.2.1 Title Records, Environmental Liens, and AULs

Chenier was not provided with title records or environmental lien and AUL information for review as part of this assessment.

#### 5.2.2 Specialized Knowledge

No specialized knowledge of environmental conditions associated with the subject property was provided by the User at the time of the assessment.

#### 5.2.3 Actual Knowledge of the User

No actual knowledge of any environmental lien or AULs encumbering the subject property or in connection with the subject property was provided by the User at the time of the assessment.

#### 5.2.4 Valuation Reduction for Environmental Issues

No knowledge of valuation reductions associated with the subject property was provided by the User at the time of the assessment

#### 5.2.5 Commonly Known or Reasonably Ascertainable Information

The User did not provide information that is commonly known or *reasonably ascertainable* within the local community about the subject property at the time of the assessment.

#### 5.2.6 Previous Reports and Other Provided Documentation

No previous reports or other pertinent documentation was provided to Chenier for review during this assessment.

#### 6.0 SITE RECONNAISSANCE

The weather at the time of the site visit was sunny and clear. Refer to Section 1.5 for limitations encountered during the field reconnaissance and Sections 2.1 and 2.2 for subject property operations. The table below provides the site assessment details:

#### Site Assessment Data

Site Assessment Performed By: Aaron S. Bass
Site Assessment Conducted On: November 12, 2019

The table below provides the subject property personnel interviewed during the field reconnaissance:

Site Visit Personnel for 2411 Trenton Street (Subject Property)					
Name	Title/Role	Contact Number	Site Walk* Yes/No		
Doug Seegers	Parks and Recreation Director/Key Site Manager	(318) 237-8778	Yes		
Jonathan Kaufman	City of West Monroe, Building and Zoning	(318) 237-9727	No		
Captain P. Wheels	City of West Monroe Fire Department	(318) 3976939	No		

<sup>\*</sup> Accompanied Chenier during the field reconnaissance activities and provided information pertaining to the current operations and maintenance of the subject property

No potential environmental concerns were identified during the onsite reconnaissance.

#### 6.1 General Site Characteristics

#### 6.1.1 Solid Waste Disposal

No solid waste is currently generated at the subject property and no dumpsters were observed. No evidence of illegal dumping of solid waste was observed during the Chenier site reconnaissance.

#### 6.1.2 Sewage Discharge and Disposal

Sanitary discharges on the subject property are directed into the municipal sanitary sewer system. The City of West Monroe services the subject property vicinity. No wastewater treatment facilities or septic systems were observed or reported on the subject property.

#### 6.1.3 Surface Water Drainage

Storm water is removed from the subject property primarily by percolation into the ground and by runoff into the adjacent ponds and wetlands. A roadside ditch along Otis street provides drainage along the southern part of the property.

The subject property does not appear to include designated wetland areas, based on information obtained from the United States Fish & Wildlife Service; however, a comprehensive wetlands survey would be required in order to formally determine actual wetlands on the subject property. Forested wetlands do exist adjacent to the east side of the property. No surface impoundments, natural catch basins, settling ponds, or lagoons are located on the subject property. An area that was previously golf course pond near

the northwest corner of the property has been backfilled. No drywells were identified on the subject property.

#### 6.1.4 Source of Heating and Cooling

There are no buildings on the property with heating and cooling systems.

#### 6.1.5 Wells and Cisterns

No aboveground evidence of wells or cisterns was observed during the site reconnaissance.

#### 6.1.6 Wastewater

Domestic wastewater is not currently generated at the subject property. No industrial process is currently performed at the subject property.

#### 6.1.7 Septic Systems

No septic systems were observed or reported on the subject property.

#### 6.1.8 Additional Site Observations

No additional general site characteristics were observed during the site reconnaissance.

#### **6.2** Potential Environmental Hazards

#### 6.2.1 Hazardous Substances and Petroleum Products Used or Stored at the Site

No hazardous substances or petroleum products were observed on the subject property during the site reconnaissance.

# 6.2.2 Aboveground & Underground Hazardous Substance or Petroleum Product Storage Tanks (ASTs/USTs)

No evidence of current or former ASTs or USTs was observed during the site reconnaissance.

#### 6.2.3 Evidence of Releases

No spills, stains or other indications that a surficial release has occurred at the subject property were observed.

#### 6.2.4 Polychlorinated Biphenyls (PCBs)

No potential PCB-containing equipment (transformers, oil-filled switches, hoists, lifts, dock levelers, hydraulic elevators, etc.) was observed on the subject property during Chenier's reconnaissance.

#### 6.2.5 Strong, Pungent or Noxious Odors

No strong, pungent or noxious odors were evident during the site reconnaissance.

#### 6.2.6 Pools of Liquid

No pools of liquid were observed on the subject property during the site reconnaissance.

#### 6.2.7 Drains, Sumps and Clarifiers

No drains, sumps, or clarifiers, other than those associated with storm water removal, were observed on the subject property during the site reconnaissance.

#### 6.2.8 Pits, Ponds and Lagoons

No pits, ponds or lagoons were observed on the subject property. One former golf course pond near the northwest corner of the property has been backfilled.

#### 6.2.9 Stressed Vegetation

No stressed vegetation was observed on the subject property.

#### 6.2.10 Additional Potential Environmental Hazards

No additional environmental hazards, including landfill activities or radiological hazards, were observed.

#### 6.3 Non-ASTM Services

No non-ASTM services were provided.

#### 6.4 Adjacent Property Reconnaissance

The adjacent property reconnaissance consisted of observing the adjacent properties from the subject property premises. No items of environmental concern were identified on the adjacent properties during the site assessment, including hazardous substances, evidence of releases, PCBs, strong or noxious odors, pools of liquids, sumps or clarifiers, pits or lagoons, stressed vegetation, or any other potential environmental hazards. Adjacent commercial properties along North 7<sup>th</sup> Street included a Pit Stop Oil Change and Central Gas Station. A Chevron gas station was located north of the property across Arkansas Road. These facilities all include USTs.

#### 6.4.1 ASTs/USTs for Hazardous Substances or Petroleum Products

USTs exist at the Pit Stop Oil Change facility, Central Gas station, and at the Chevron gas station. The regulatory status of these USTs is discussed in Section 4.2.3.

#### 7.0 FINDINGS AND CONCLUSIONS

#### **Findings**

A REC refers to the presence or likely presence of any hazardous substances or petroleum products in, on, or at a property: due to release to the environment; under conditions indicative of a release to the environment; or under conditions that pose a material threat of a future release to the environment. The following was identified during this assessment:

Chenier did not identify any recognized environmental conditions during this assessment.

A CREC refers to a REC resulting from a past release of hazardous substances or petroleum products that has been addressed to the satisfaction of the applicable regulatory authority, with hazardous substances or petroleum products allowed to remain in place subject to the implementation of required controls. The following was identified during this assessment:

Chenier did not identify any controlled recognized environmental conditions during this assessment.

A HREC refers to a past release of any hazardous substances or petroleum products that has occurred in connection with the property and has been addressed to the satisfaction of the applicable regulatory authority or meeting unrestricted use criteria established by a regulatory authority, without subjecting the property to any required controls. The following was identified during this assessment:

 Chenier did not identify any historical recognized environmental conditions during this assessment.

An environmental issue refers to environmental concerns identified by Chenier, which do not qualify as RECs; however, warrant further discussion. The following was identified during this assessment:

Chenier did not identify any environmental issues during this assessment.

#### **Conclusions, Opinions and Recommendations**

Chenier has performed a Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E1527-13 of 2411 Trenton Street in West Monroe, Ouachita Parish, Louisiana (the "subject property"). Any exceptions to, or deletions from, this practice are described in Section 1.5 of this report.

This assessment has revealed no evidence of recognized environmental conditions or environmental issues in connection with the subject property. Based on the conclusions of this assessment, Chenier recommends no further investigation of the subject property at this time.

#### 8.0 SIGNATURES OF ENVIRONMENTAL PROFESSIONALS

Chenier has performed a Phase I Environmental Site Assessment of the property located at 2411 Trenton Street in West Monroe, Ouachita Parish, Louisiana in conformance with the scope and limitations of the protocol and the limitations stated earlier in this report. Exceptions to or deletions from this protocol are discussed earlier in this report.

By signing below, Chenier declares that, to the best of our professional knowledge and belief, we meet the definition of *Environmental Professional* as defined in §312.10 of 40 CFR §312. Chenier has the specific qualifications based on education, training, and experience to assess a *property* of the nature, history, and setting of the subject *property*. Chenier has developed and performed the all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.

Prepared By:

Aaron S. Bass, PhD

aun Bare

Principal

#### 9.0 REFERENCES

#### **Reference Documents**

American Society for Testing and Materials, Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process, ASTM Designation: E1527-13.

Environmental Data Resources (EDR), Radius Report, October 2019

Federal Emergency Management Agency, Federal Insurance Administration, National Flood Insurance Program, Flood Insurance Map, accessed via internet, December 2019

United States Department of Agriculture, Natural Resources Conservation Service, accessed via internet, December 2019


United States Department of Agriculture, Natural Resources Conservation Service, Web Soil Survey, accessed via the internet, December 2019

United States Geological Survey, accessed via the Internet, December 2019

United States Geological Survey Topographic Map 1995, 7.5-minute series, accessed via internet, December 2019

### **FIGURES**

- 1 SITE LOCATION MAP
- 2 SITE PLAN
- 3 TOPOGRAPHIC MAP




N


Drawing Not To Scale

KEY: Subject Property



N N KEY:
Subject Property







1. Subject property facing north along North 7<sup>th</sup> Street



3. West side of subject property facing north



5. Southerly view along Otis Street



2. Northerly view of the subject property from across Otis Street



4. Northerly view along the eastern property boundary



6. Northerly view along Otis Street



7. Natural gas pipeline marker near the southwest corner of the property



9. Concrete cart paths along the west side of the property



11. Easterly view of the property along Arkansas Road



8. Northeasterly view of the property from the southwest corner



10. View near the southwest corner of the property



12. Overview of the property facing south from Arkansas Road



13. Easterly view of the property along Arkansas Road



14. Northerly view of the intersection North 7<sup>th</sup> Street and Arkansas Road



15. Northwesterly view across the intersection North 7<sup>th</sup> Street and Arkansas Road



16. Adjacent property to the north across Arkansas Road



17. Adjacent property to the north across Arkansas Road



18. Adjacent property to the north across Arkansas Road



19. West Monroe Fire Department Station 3 to the southeast of the property



20. Adjacent property to the south across Otis Street



21. Westerly view along Otis Street



22. Pond and swamp to the east of the property



23. Northerly view along North 7<sup>th</sup> Street



24. Adjacent property to the north across North 7<sup>th</sup> Street


Project No. 132



25. Adjacent property to the north across North 7<sup>th</sup> Street



26. Adjacent property to the north at the intersection of North 7<sup>th</sup> Street and Arkansas Road



### **West End Golf Course**

Highway 143 West Monroe, LA 71291

Inquiry Number: 5828844.8

October 14, 2019

# The EDR Aerial Photo Decade Package



## **EDR Aerial Photo Decade Package**

10/14/19

Site Name: Client Name:

West End Golf Course Chenier Environmental Consulting

Highway 143 PO Box 82466

West Monroe, LA 71291 Baton Rouge, LA 70884 EDR Inquiry # 5828844.8 Contact: Aaron Bass



Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

#### Search Results:

<u>Year</u>	<u>Scale</u>	<u>Details</u>	Source
2017	1"=500'	Flight Year: 2017	USDA/NAIP
2013	1"=500'	Flight Year: 2013	USDA/NAIP
2010	1"=500'	Flight Year: 2010	USDA/NAIP
2007	1"=500'	Flight Year: 2007	USDA/NAIP
2004	1"=500'	Acquisition Date: February 18, 2004	USGS/DOQQ
1998	1"=500'	Flight Date: January 24, 1998	USGS
1994	1"=500'	Flight Date: February 02, 1994	USGS
1985	1"=500'	Flight Date: February 08, 1985	USDA
1983	1"=1000'	Flight Date: February 17, 1983	USGS
1974	1"=500'	Flight Date: January 04, 1974	USGS
1969	1"=500'	Flight Date: January 25, 1969	USGS
1956	1"=500'	Flight Date: February 21, 1956	USGS

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

#### **Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2019 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

























West End Golf Course Highway 143 West Monroe, LA 71291

Inquiry Number: 5828844.3

October 14, 2019

# **Certified Sanborn® Map Report**



6 Armstrong Road, 4th floor Shelton, CT 06484 Toll Free: 800.352.0050 www.edrnet.com

### **Certified Sanborn® Map Report**

10/14/19

Site Name: Client Name:

West End Golf Course Chenier Environmental Consulting

Highway 143 PO Box 82466

West Monroe, LA 71291 Baton Rouge, LA 70884 EDR Inquiry # 5828844.3 Contact: Aaron Bass



The Sanborn Library has been searched by EDR and maps covering the target property location as provided by Chenier Environmental Consulting were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

#### Certified Sanborn Results:

Certification # 7906-4702-B25E

**PO#** 19-132

Project West End Golf Course

Maps Provided:

1966



Sanborn® Library search results

Certification #: 7906-4702-B25E

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

Library of Congress

University Publications of America

EDR Private Collection

The Sanborn Library LLC Since 1866™

#### **Limited Permission To Make Copies**

Chenier Environmental Consulting (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

#### **Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2019 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

page 2

### Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.



#### 1966 Source Sheets



Volume 2, Sheet 216 1966



Volume 2, Sheet 216 1966

**West End Golf Course** 

Highway 143 West Monroe, LA 71291

Inquiry Number: 5828844.5

October 17, 2019

# The EDR-City Directory Image Report



#### **TABLE OF CONTENTS**

#### **SECTION**

**Executive Summary** 

**Findings** 

**City Directory Images** 

**Thank you for your business.**Please contact EDR at 1-800-352-0050 with any questions or comments.

#### **Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING. WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2017 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

#### **EXECUTIVE SUMMARY**

#### **DESCRIPTION**

Environmental Data Resources, Inc.'s (EDR) City Directory Report is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Report includes a search of available city directory data at 5 year intervals.

#### **RECORD SOURCES**

EDR's Digital Archive combines historical directory listings from sources such as Cole Information and Dun & Bradstreet. These standard sources of property information complement and enhance each other to provide a more comprehensive report.

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer. Reproduction of City Directories without permission of the publisher or licensed vendor may be a violation of copyright.



#### **RESEARCH SUMMARY**

The following research sources were consulted in the preparation of this report. A check mark indicates where information was identified in the source and provided in this report.

<u>Year</u>	Target Street	Cross Street	<u>Source</u>
2014	$\overline{\checkmark}$		EDR Digital Archive
2010	$\overline{\checkmark}$	$\overline{\checkmark}$	EDR Digital Archive
2005	$\overline{\checkmark}$		EDR Digital Archive
2000	$\overline{\checkmark}$		EDR Digital Archive
1995	$\overline{\checkmark}$		EDR Digital Archive
1992	$\overline{\checkmark}$		EDR Digital Archive
1986	$\overline{\checkmark}$		POLK DIRECTORY CO
1981	$\overline{\checkmark}$		POLK DIRECTORY CO
1976	$\overline{\mathbf{V}}$		POLK DIRECTORY CO
1971	$\overline{\checkmark}$		POLK DIRECTORY CO
1966	$\overline{\square}$		POLK DIRECTORY CO
1964			POLK DIRECTORY CO

## **FINDINGS**

#### TARGET PROPERTY STREET

Highway 143 West Monroe, LA 71291

<u>Year</u>	CD Image	<u>Source</u>
N 7TH ST		
2014	pg A1	EDR Digital Archive
2010	pg A3	EDR Digital Archive
2005	pg A5	EDR Digital Archive
2000	pg A7	EDR Digital Archive
1995	pg A9	EDR Digital Archive
1992	pg A11	EDR Digital Archive
1986	pg A13	POLK DIRECTORY CO
1981	pg A15	POLK DIRECTORY CO
1976	pg A17	POLK DIRECTORY CO
1971	pg A19	POLK DIRECTORY CO
1966	pg A21	POLK DIRECTORY CO
1966	pg A22	POLK DIRECTORY CO
1964	pg A25	POLK DIRECTORY CO

5828844-5 Page 2

## **FINDINGS**

#### **CROSS STREETS**

<u>Year</u>	CD Image	<u>Source</u>
OTIS ST		
2014	pg. A2	EDR Digital Archive
2010	pg. A4	EDR Digital Archive
2005	pg. A6	EDR Digital Archive
2000	pg. A8	EDR Digital Archive
1995	pg. A10	EDR Digital Archive
1992	pg. A12	EDR Digital Archive
1986	pg. A14	POLK DIRECTORY CO
1981	pg. A16	POLK DIRECTORY CO
1976	pg. A18	POLK DIRECTORY CO
1971	pg. A20	POLK DIRECTORY CO
1966	pg. A23	POLK DIRECTORY CO
1966	pg. A24	POLK DIRECTORY CO
1964	pg. A26	POLK DIRECTORY CO
1964	pg. A27	POLK DIRECTORY CO

5828844-5 Page 3



Target Street Cross Street Source

- EDR Digital Archive

# N 7TH ST 2014

25	00	FORD BACON & DAVIS LLC
		JOELS CAFE
		JOHN ALDEN LIFE INSURANCE CO
		LEDI CORPORATION
25	03	WEIL CLEANERS INC
25	05	PIT STOP OIL CHNGE OF OUACHITA
25	07	BOSTICK TROY D DDS
	17	LOWERY BORDA B
26		METTIFE
20	01	RICHARD WOMACK LCSW
		TURNER RONIIE INS
26	11	FACTORY CONNECTION LLC
26	13	BAYOU CRAFTERS MALL
		PATRICKS CNTRY COOKING SEAFOOD
26	15	FREDS DISCOUNT
		FREDS STORES TENNESSEE INC
26	17	A V C XTREME TECHNOLOGY
20	.,	ACTION MARTIAL ARTS
200	40	710110111111111111111111111111111111111
26	. •	WORN CONSIGNMENT
26		TAYLORS TREASURE FLEA MARKET
26	31	BVN INC
26	35	CONEY ISLAND CONNECTION
27	07	A GOLDEN TUCH THRPUTIC MASSAGE

Target Street Cross Street Source
- Source EDR Digital Archive

# OTIS ST 2014

	0113 31	2014
401	HOLMES, ALICIA	
405	STEWART, NECCHIE C	
405	FORD, SARAH A	
411	STOKES, VIRGIL O	
500	FIRST WESLEYAN CHURCH W MONROE	
801	OCCUPANT UNKNOWN,	
	,	

Target Street Cross Street Source

- EDR Digital Archive

# N 7TH ST 2010

2500	ALLIANCE DATA
2300	BAYLES BROTHERS FUR & PECAN CO
	JO ELS CAFE
	LEDI CORPORATION
	TERRE RICHE RESTAURANTS LLC
	WEST MONROE MEDICAL CLINIC
2503	WEIL CLEANERS INC
2505	PIT STOP OIL CHNGE OF OUACHITA
2507	BOSTICK TROY D DDS
2517	BRUCE HALL COUNSELING SERVICE
2519	CAR WASH CITY
2601	BUCK 4 LLC
	MET LIFE
	TURNER RONIIE INS
2609	ROCK-A-BYE BABY LLC
2611	FACTORY CONNECTION LLC
	TWIN CITY TEAM BASS
2613	IRON HORSE BARBEQUE
	PATRICKS CNTRY COOKING SEAFOOD
2615	FREDS DISCOUNT
	FREDS STORES TENNESSEE INC
2617	A V C XTREME TECHNOLOGY
	ACTION MARTIAL ARTS
	AMERICAN GENERAL FINANCE CORP
2619	MARYS CANDLES INC
2625	JUNGLE GYM LLC
2629	JUST FOR LOOKS
2631	BVN INC
2635	
2707	ELLIOTTS COMPUTER SERVICE

Target Street Cross Street Source
- Source EDR Digital Archive

## **OTIS ST 2010**

	OTIS ST	2010
401	ROBINSON, JAETHAN STEWART, NECCHIE	
403	HARRIS, CRYSTAL	
	MORAGHAN, RYAN	
405	HOPKINS, WADE	
411	JARVIS, FAYE	
500 803	FIRST WESLEYAN CHURCH W MONROE TYLER, DANIEL R	
003	ITLER, DANIEL K	

Target Street Cross Street Source

- EDR Digital Archive

# N 7TH ST 2005

2500	ALLIANCE DATA
	BAYLES BROTHERS FUR & PECAN CO
	DISCOVERY CLEANING
	FORSYTHE HOLDINGS INC
	LEWIS ENTERPRISES INC
	SCENICLAND CONSTRUCTION CO LLC
2501	JENKINS, WARREN D
2505	•
2507	
2517	BRUYNINCKX LAW OFFICE PC
_0	BRUYNINCKX, FELIX J
2519	CAR WASH CITY
2609	PERFECT FIND LLC
2611	FACTORY CONNECTION 138
2613	
2615	
2617	
2011	ACTION MARTIAL ARTS
	AMERICAN GENERAL FINANCE CORP
2621	,
2625	
2635	20202
2701	HARDE, MART
2101	HAINDE, MAIN

Target Street Cross Street Source
- Source EDR Digital Archive

# OTIS ST 2005

401	GUIDRY, SELINA
	HUTSELL, SHANE C
	KILCREASE, BRYAN
	SMITH, BROOKE
	THOMPSON, TIM
	WINK, RONALD
403	GRAY, HOLLY
	GREEN, FAYE
500	FIRST WESLEYAN CHURCH W MONROE
801	NICOSIA, DAVID

Target Street Cross Street Source

- EDR Digital Archive

Target Street Cross Street Source
- Source EDR Digital Archive

OTIS ST 2000

808	DUNMORE, BARBARA A

Target Street Cross Street Source

- EDR Digital Archive

# N 7TH ST 1995

	N/IHSI	1995
2501 2503 2505 2507 2517 2525 2611 2613 2629 2701	OCCUPANT UNKNOWNN WEIL CLEANERS PIT STOP OIL CHNGE OF OUACHITA OCCUPANT UNKNOWNN HEARD, V S SHAKOOR, MOHD TOLEDO TACKLE OF MONROE BOBBIS BOOKS & MOVIES BONANZA ROOM HARDE MART	

Target Street Cross Street Source
- Source EDR Digital Archive

# OTIS ST 1995

401	HUTSELL, BILLY J	
	LACHNEY, MELISSA C	
	MCCOOL, KORI	
	SNYDER, SHAWN	
403	BAILEY, ASHLEY	
	FLANAGAN, MERLEE	
	REDDEN, E H	
405	OCCUPANT UNKNOWNN	
407	OCCUPANT UNKNOWNN	
411	NICHOLSON, CLAUDE A	
505	OCCUPANT UNKNOWNN	
801	OCCUPANT UNKNOWNN	

Target Street Cross Street Source

- EDR Digital Archive

## N 7TH ST 1992

2501	KING, WILLIAM L
2503	WEIL CLEANERS
2505	PIT STOP OIL CHNGE OF OUACHITA
2517	HEARD, V S
2611	TOLEDO TACKLE OF MONROE
2613	BOBBIS BOOKS & MOVIES
2629	BONANZA ROOM
2709	ADAMS DON INC

Target Street Cross Street Source
- Source EDR Digital Archive

# OTIS ST 1992

	0113 31	1992
401	FOY, JERRY	
401	I O I, JEINN I	
	HUTSELL, BILLY J	
405	JOYNER, C	
411	NICHOLSON, CLAUDE A	
505	LIVELY, MATTIE	
803	FREEMAN, TEDDY R	
003	I KELWAN, ILDDI K	

## N 7TH ST 1986

N 77	TH ST—Contd
2407	U-Pump It gas sta 396-3556
	Wilson Leslie Mrs 396-3556
2409	Alds Lisa
	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~

2409a Conner Irene E Mrs 397-1199 2409★Hutson Phil 396-4322

CONRAD ENDS

2410 Killins Don Homes Inc 323-9823

2411 State Health & Human Resources Dept 1 audit servs div 362-3201

2417 Edgerton Edwin O III phys 396-1717

2419a Vines Sylvia Insurance Agency 396-3497

2419b State Farm Insurance Co 396-0312 Barfoot Willie H lwyr 396-1400 C Touch Of Class beauty shop 397-2087

2419d Junior Food Mart 396-1078

133

## OTIS INTERSECTS

2501 King Wm L @ 396-4356

2503 Weil Cleaners Inc 396-1334

2501★King Sammy M

2517 Heard Virginia S Mrs ⊚ 396-3275

2525 Williams Sallie H Mrs ⊚ 396-1416 SHAW BEGINS

2600 Otasco auto sup 396-1273

2601 Vacant

2613 Vacant

2615 Vacant

2629 Needle & Thread 396-4038

2631 Kathy's Cut & Curl 396-6041

2635 R & A Handy Stop 396-9180

33

#### ARKANSAS RD INTERSECTS

2701 North Seventh St Amoco Sta station 396-9284

2707 East-West Karate

2709 Advanced Insurance Planning 397-1660

2710 Moore's U-Pak-It 323-3903

2711 West Monroe Hardware 396-6043

2712 Fashion Cleaners Inc 388-3500

2713 Drennan's Rexall Drug Store 396-6180

2715 Cissy's Interiors 396-4131

2716 K N A N Radio 387-3922

2718 Irma's Spring Crest Interiors 388-5787 AUDUBON INTERSECTS

**OTIS ST** 1986

TII INICIIOISOII CIAUUC II C ULU-ULU

FLANAGAN ST ENDS

500 Wesleyan Church The 325-6083

505 No Return

MC GUIRE RD INTERSECTS

N 7TH ST INTERSECTS

N 8TH ST INTERSECTS

801★Fisher James R 396-1881

803 Simpson Roddy ◎ 396-0988

806 Vacant

808 No Return

N 9TH INTERSECTS

901 Thorn Truett ◎ 396-4100

903 Potier Harold J

905 Bordelon Richd J 396-9796

907 Johnston Jane Mrs ⊙ 396-4365

915 Watson James C ⊚ 396-4457

N 10TH INTERSECTS

## N 7TH ST 1981

C★Warner Debra CONRAD ENDS

2410 Hendon's Mobile Homes Inc renting & leasing 325-2260

2411 Century Twenty One Babcock Realty 396-8882

2417 Edgerton Edwin O III phys 396-1717

2419 Delta Pipe & Supply Inc 396-3045 Barfoot Willie H lwyr 396-1400

2419a Sample Frank & Associates consulting eng 387-1034

2419b State Farm Insurance Co 396-3497 Cook Robt Insurance Agency 396-3560

Furlow J L Jr Ins Agey 396-3497 2419c Junior Food Mart 396-1078

133

OTIS INTERSECTS

2501 King Wm L @ 396-4356

2503 Weil Cleaners Inc 396-1334

2517 Heard Virginia S Mrs ⊚ 396-3275

2525 Williams Sara H Mrs © 396-1416 SHAW BEGINS

2600 Otasco Stores auto sup 396-1273 T G & Y Store 396-3800

2601 Fable Cottage int dec 396-8766

2613 C E S Book Store 396-1453

2615 Safeway Store No 176 396-1362

2631 Minninger's clo 396-1086

2635 Westgate Shell Service Station 396-4530

33

ARKANSAS RD INTERSECTS

2700 Albright's Gulf Service Station 323-9348

2701 North Seventh St Amoco Sta station 322-9484

2707 Irma's Spring Crest Interiors 323-7190

2709 Poole Dorene Realty 325-2387

2711 West Monroe Hardware 323-1501

2712 Fashion Cleaners 388-3500

2713 Drennan Rexall Drug Store Inc 323-5157

2715 Stork Tot & Uniform Shop 387-0464

2716 Vacant

2718 Electrolux vacuum cleaners 322-3108

**AUDUBON INTERSECTS** 

2800 Jean's Gifts & Decorative Accessories

FLANAGAN ST ENDS
500 Wesleyan Church The 325-6083
505 Lively Roy 323-2190
MC GUIRE RD INTERSECTS
N 7TH ST INTERSECTS
N 8TH ST INTERSECTS
801 Fisher Bobby ©

803 Pardue Roger D @ 396-3292

806 Agnes Beauty Shop 396-1063

808 Turner Johnny 396-1396

N 9TH INTERSECTS

901 Thorn Truitt © 396-4100

903 Potier Harold J 396-1306

905★Hinson Virginia 396-2988

2629 Vacant

## N 7TH ST 1976

N 7TH ST-Contd 2631 Pat's Fashions 322-8932 118 East Hugh 2635 Junior's Westgate Shell Service Station 119 Hudson Williams 387-1685 120★Parker Jewel SHORT JACKSON BEGINS 2001 Blackwell Chambliss Hobbs Henry & ARKANSAS RD INTERSECTS Harrod lwyrs 388-1000 2700 Albright's Gulf Service Station 323-9348 2002 Under Constn 2701 Save Independent Gas 322-4191 2005 Nix-Cage Rexall Drug 388-1224 2707 Irma's Spring Crest Interiors 323-7190 PROFESSIONAL DR BEGINS 2709 Gates & Cook Agency Inc ins 322-0509 2711 West Monroe Hardware 323-1501 2103 American Bank & Trust Co 325-2063 2105 Flynt's Little-Bit gro 322-9337 Rutledge Equipment Co serv sta equip 2107 Hydraulic Rebuilders Inc 325-1808 322-6180 2109 Ray's Shell 322-9490 2712 Hawthorne Dry Cleaners 388-3500 MC MILLAN RD INTERSECTS 2713 Drennan Rexall Drug Store Inc 323-5157 2715 Stork Tot & Uniform Shop 387-0464 CYPRESS INTERSECTS 2716 Cablevision 387-0276 2110 J & C Washateria self serv Indry 2718 Compton's TV Inc 323-8535 322-1275 AUDUBON INTERSECTS 2110b Poole Realty 322-9501 2800 Vacant 2801 Muckleroy J E Mrs 325-8828 Carter Bonding Co bail bonds 322-9501 2111 Johnston Welding Works 323-4910 2803 Calhoun Darrell L @ 322-6624 LINCOLN INTERSECTS 2809 Vacant 2200 Garnett's sporting goods 388-2721 2201 Ouachita Valley Fair Association SUMMIT BEGINS 2901 Ford Joseph A Jr ⊚ 323-4906 HERMAN BEGINS 2903 Beach Frances L Mrs @ 387-1981 2310 State Auto Recovery Bureau 2905 Socha Charlotte Mrs @ 387-8026 repossessing serv 322-6227 2907 Weakley Irene R Mrs @ 322-4752 2908 Miller's Drive In restr 322-9442 Foster H Carl Jr ⊚ 322-6227 POWELL ENDS 2909 Hall Billye S Mrs ⊚ 322-0372 RIDGE AV BEGINS 2912a Highland Barber Shop 2405 Clement Billy R ⊚ 325-1141 2912b Phyllis' Beauty Shop 325-1231 2406 Pettit O Earl 322-7417 Highland Washateria 2407 U-Pump It 387-9886 2916 Seven-Eleven Food Store 322-9248 Wilson Reagan @ 387-9886 2920 Lauves Drug Center No 2 387-7161 2409 Apartments MEADOWBROOK DR BEGINS A\*La Dart J P DIVISION ST BEGINS B Vacant 3000 Piggly Wiggly (whse) 323-1381 C Vacant 3001★Turner Gene ⊚ CONRAD ENDS 3003 West I Ray @ 325-3384 2410 Hendon's Mobile Homes Inc 325-2260 3004 Piggly Wiggly (Central Ofc) 323-1381 2411 Colvin James P ⊚ 322-6690 3005 Thurston James W ⊚ 323-4029 2417 Bryan Holmes L @ 325-3603 3007 Cody Jimmy R ⊚ 323-9581 3009 Christian Carl G ⊚ 387-1132 2419a Sample Frank & Assoc consulting eng 387-1034 3011 Carroll Lois Mrs @ 322-1817 2419b State Farm Insurance Co 388-0220 3013 Atkins Charles 387-6780 3036 Texaco Help Ur Self 387-1602 133 GLENWOOD DR BEGINS OTIS INTERSECTS OLYMPIA ENDS 2501 King Wm L @ 322-7434 3101★Hearne Martin 322-5971 2503 Weil Cleaners Inc 387-0098 3103 Hanley Louie G @ 325-7847 2507 Highland Hair Fashion 322-3361 3105 Harrell Grover H ⊚ 387-5521 2509 Corbett Joe 3107 Leonard Don J 322-8539 2511 Bohannon Annette 387-8307 3109 Taylor Davis E ⊚ 323-8217 2517 Heard Virginia S Mrs ⊚ 322-3205 3113 Younse Tom M @ 325-4783 2525 Williams Sara H Mrs @ 323-1416 3111★Haynes James SHAW BEGINS 3117a★Hammonds Charles 2600 Otasco auto sup 387-6641 3117b★Arnold Brenda 2613 Vacant 3117c Vacant 2615 Safeway Store No 176 3119 Richer Horace E ⊚ 387-0813 2617 T G & Y Store 387-2171 3121a Dawson Daphne S Mrs @ 325-9661

3121b No Return

OTIS ST 1976

D Vacant 405 Vacant 407 White Bonnie 411 Nicholson Claude A @ 325-3201 FLANAGAN ST ENDS 500 Wesleyan Church The 325-6083 505 Lively Roy 323-2190 N 7TH ST INTERSECTS N 8TH ST INTERSECTS 801 Saxon Jake 322-9896 803 Pardue Roger D @ 387-3940 806 Agnes Beauty Shop 322-1814 N 9TH INTERSECTS 901 Thorn Truett @ 323-8726 903★Walker Charles C 388-3161 905\*Tidwell Gary D 388-3440

## N 7TH ST 1971

	133
CO	IS INTERSECTS
2501	King Wm L ⊚ 322-7434
2505	Weil Cleaners Inc 387-0098
2507	Mahaffey Eric
	Canterberry Gerald A 322-8918
2511	Johnson James R 323-2556
	Heard Virginia S Mrs ⊚ 322-3205
2525	Williams Sara H Mrs @ 323-1416
	IAW BEGINS
2600	Otasco 387-6641
2601	Dartez Nazaire @ 387-9047
	Value Mart Dollar Store retail 325-4776
	Safeway Store No 176 387-2104
2617	T G & Y Store No 332 387-2171
2629	Winnie's Beauty Salon 387-5881
2631	Hatten-Wall Insurance Agency Inc 323-8401
2635	Bob's Westgate Shell Service Station 387-1685
	33
AR	KANSAS RD INTERSECTS
	Albright's Gulf Service Station 323-9348
2701	Par Self Service Station 325-9513
	Westgate Shell Service Station 387-1685
	Vacant
2708	Vacant
2710	Vacant
2711	Bill's Hardware 323-1501

2712 Hawthorne Dry Cleaners 325-0556

OTIS ST

1971

411	Nicholson	Clau	de	A @	32	5-3201
F	LANAGAN	ST	EN	DS		
FOO	XX7 1	01		TTV)	00=	0000

500 Wesleyan Church The 325-6083

505 Vacant

N 7TH ST INTERSECTS

N 8TH ST INTERSECTS

803 Landrum Fred E ⊚ 323-4770

806 Agnes Beauty Shop 325-5120

N 9TH INTERSECTS

901 Thorn Truett @ 323-8726

903 Smith Leenell

905 Joiner John W Jr 322-0932

907 Fatheree Maunsell B @ 322-3843

915 Watson Chester 387-3696

N 10TH INTERSECTS

1001 Brown Arsene D ⊚ 323-3381

1011 Irving Louie M ⊚ 323-3652

1012 Vacant

## N 7TH ST 1966

2406 TYNER GEO E @ 322-7417

2407 HARGUSS M L @ 322-7110

--- CONRAD ENDS

Target Street

2411 COLVIN JAMES P @ 322-6690

2417 BRYAN HOLMES M @ 325-3603

2429 WOMACK VIRGINIA MRS . 387-0871

2431 TAYLOR ROY J • 322-9697

---OTIS INTERSECTS

2501 KING WM L @ 322-7434

2503 ALFORD LOUIS W

2505 BARKER'S RENT-ALLS INC 387-1576

2507 FRANKLIN TOMMY L 325-1331

2409 HARRELSON GLEN R 325-0868

2511 CURTIS FORREST M @ 322-4271

2517 HEARD WM P @ 322-3205

2525 WILLIAMS SARAH H 323-1416

REAR VACANT

--- SHOW BEGINS

2600 SAFEWAY STORE NO 176

387-2104

2601 DARTEZ NAZAIRE . 387-9047

N 7TH ST 1966

7TH ST NORTH -- Contd 3 2635 HIGHLAND PARK SHELL SERVICE 3 STATION 387-1188 3 --- ARKANSAS RD INTERSECTS 3 2700 GRAY'S TRIPLE S SUPER MARKET 3 323-8119 3 2701 ALBRIGHT'S TENNECO SERVICE 3 SERV STA 323-9348 3 2704 CURTIS DRUG STORE 323-3168 2707 HIGHLAND CLEANERS 323-9879 2708 POINTER'S BARBER SHOP 3 325-9143 2709 SMITH CLAUDE K PHYS 325-3134 2710 PETERS TOM DISCOUNT CO WHSE 3 2711 BILL'S JEWELRY JEWELER 323-4022 3 BILL'S HARDWARE HARDWARE 323-1501 2712 SPIGEL FASHION CENTER 322-4830 FIELD'S OF WEST MONROE INC 2713A US PO (CONTRACT STA NO P) MC GUIRE REXALL DRUG STORE 323-5157 2716 CABLEVISION 387-0276 2718 COMPTON'S TV INC SLS & SERV 323-8535 --- AUDUBON INTERSECTS 2800 BENNETT'S SERVICE CENTER GAS STA 322-5291 REAR HIGHLAND CAFE 325-5140 2801 PATMY MARVIN J 322-6877

POLK DIRECTORY CO

**OTIS ST** 1966

---FLANNAGAN ENDS

311 GUIN DOLLIE H MRS @ 323-7779

313 KIRBY TRAVIS 0 @ 325-7622

315 SINGLETON DEWEY H . 325-3290

317 KILMAN ROY W @ 325-7449

319 WEIMORTS HUGH 325-5214

321 GODWIN WM C @ 325-5038

323 SHANKMAN SAML 322-7923

--- MC GUIRE ENDS

405 MC KAY ROY E

407 NICHOLSON T CLARENCE

411 NICHOLSON CLAUDE A @ 325-3201

---N 7TH INTERSECTS

505 HOLLOWAY RONALD W . 322-1070

803 LAMDRUM FRED E

---N 8TH INTERSECTS

**OTIS ST** 1966

OTIS ST--Contd

916 SEGREST ROBT 0 JR 323-6470
---N 9TH INTERSECTS
---N 10TH INTERSECTS
1001 BROWN ARSENE D • 323-3381
1011 VACANT •
1012 ROWTON EDWIN R 323-3681
---N 11TH INTERSECTS
1101 OVERTON KING W • 323-8652

## N 7TH ST 1964

2417 BRYAN HOLMES M . FA5-3603 2429 WOMACK VIRGINIA MRS . FA5-4429 2431 TAYLOR ROY J ● FA2-9697 OTIS INTERSECTS 2501 KING WM L • 322-7434 2503 HOLLIS NORMA S MRS . FA2-0293 BSMT RISLER GUY A FA5-4914 2507 VACANT 2509 TERRY JAY D @ FA5-7165 2511 CURTIS FORREST M ● FA3-2526 2517 HEARD WM P • FA2-3205 2525 WILLIAMS SARAH H FA3-1416 REAR NEWMAN JOE E 325-4436 SHOW BEGINS 2601 DARTEZ NAZAIRE . FA2-9047 ARKANSAS RD INTERSECTS 2700 GRAY'S TRIPLE S SUPER MARKET FA3-8119 2701 ALBRIGHT'S TENNECO SERVICE SERV STA FA3-9348 2704 CURTIS DRUG STORE FA3-3168 CURTIS VARIETY STORE FA3-3168 2707 HIGHLAND CLEANERS FA3-9879 2708 POINTER'S BARBER SHOP FA5-9143 2709 SMITH CLAUDE K PHYS FA5-3134 2710 PETERS TOM DISCOUNT CO WHSE 2711 BILL'S JEWELRY JEWELER 323-4022 BILL'S HARDWARE HARDWARE 323-1501 2712 HUMPHRIES FASHION CENTER JRS & WOMENS CLOS FA2-4830 2713 MC GUIRE REXALL DRUG STORE DRUG STORE 323-5157 2713A US PO (CONTRACT STA NO 1)

<u>Source</u>

POLK DIRECTORY CO

**OTIS ST** 1964

# FLANNAGAN ENDS

311 GUIN DOLLIE H MRS .

313 WARREN LOUIS • 325-8970

315 SINGLETON DEWEY H .

317 KILMAN ROY W . 325-7449

319 WEIMORTS HUGH FA5-5214

321 GODWIN WM C • 325-5038

323 VACANT

MC GUIRE ENDS

405 GREER GEO W FA2-7660

407 NICHOLSON T CLARENCE

**OTIS ST** 1964

OTIS ST--CONTD

411 NICHOLSON CLAUDE A . FA5-3201

N 7TH INTERSECTS

505 HOLLOWAY RONALD W . FA2-1070

803 NO RETURN

806 NO RETURN

N 8TH INTERSECTS

915 NO RETURN

N 9TH INTERSECTS N 10TH INTERSECTS

1001 BROWN ARSENE D . FA3-3381

1011 IRVING LOUIE M . FA2-9531

1012 GRANT A B JR ● FA5-1820

N 11TH INTERSECTS

1101 OVERTON KING W . FAZ-8452

West End Golf Course Highway 143 West Monroe, LA 71291

Inquiry Number: 5828844.4

October 14, 2019

# **EDR Historical Topo Map Report**

with QuadMatch™



## **EDR Historical Topo Map Report**

10/14/19

Site Name: Client Name:

West End Golf Course Chenier Environmental Consulting
Highway 143 PO Box 82466

West Monroe, LA 71291 Baton Rouge, LA 70884 EDR Inquiry # 5828844.4 Contact: Aaron Bass



EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by Chenier Environmental Consulting were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topo Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the late 1800s.

Search Resi	ults:	Coordinates:	Coordinates:		
P.O.#	19-132	Latitude:	32.525267 32° 31' 31" North		
Project:	West End Golf Course	Longitude:	-92.14685 -92° 8' 49" West		
		UTM Zone:	Zone 15 North		
		UTM X Meters:	580123.05		
		<b>UTM Y Meters:</b>	3598980.75		
		Elevation:	92.98' above sea level		

#### **Maps Provided:**

2012

1999

1995

1975

1969

1957 1935

#### **Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2019 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

## Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

#### 2012 Source Sheets



Monroe North 2012 7.5-minute, 24000



West Monroe North 2012 7.5-minute, 24000

#### 1999 Source Sheets



West Monroe North 1999 7.5-minute, 24000 Aerial Photo Revised 1999



Monroe North 1999 7.5-minute, 24000 Aerial Photo Revised 1999

#### 1995 Source Sheets



Monroe North 1995 7.5-minute, 24000 Aerial Photo Revised 1994



West Monroe North 1995 7.5-minute, 24000 Aerial Photo Revised 1994

#### 1975 Source Sheets



West Monroe North 1975 7.5-minute, 24000 Aerial Photo Revised 1975



Monroe North 1975 7.5-minute, 24000 Aerial Photo Revised 1975

## **Topo Sheet Key**

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

#### 1969 Source Sheets



Monroe North 1969 7.5-minute, 24000 Aerial Photo Revised 1969



West Monroe North 1969 7.5-minute, 24000 Aerial Photo Revised 1969

#### 1957 Source Sheets



Monroe North 1957 7.5-minute, 24000 Aerial Photo Revised 1956



West Monroe North 1957 7.5-minute, 24000 Aerial Photo Revised 1956

#### 1935 Source Sheets




Drew 1935 15-minute, 62500

This report includes information from the following map sheet(s).

SW

S



SITE NAME: West End Golf Course

0.5

ADDRESS: Highway 143

0.25


0 Miles


West Monroe, LA 71291


CLIENT: Chenier Environmental Consulting





1.5

















**West End Golf Course** 

Highway 143 West Monroe, LA 71291

Inquiry Number: 5828844.2s

October 14, 2019

The EDR Radius Map™ Report with GeoCheck®



6 Armstrong Road, 4th floor Shelton, CT 06484 Toll Free: 800.352.0050 www.edrnet.com

## **TABLE OF CONTENTS**

SECTION	PAGE
Executive Summary	ES1
Overview Map.	2
Detail Map.	3
Map Findings Summary	4
Map Findings	<b>8</b>
Orphan Summary	123
Government Records Searched/Data Currency Tracking	GR-1
GEOCHECK ADDENDUM	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary.	A-2
Physical Setting Source Map	<b>A-8</b>
Physical Setting Source Map Findings.	<b>A-9</b>
Physical Setting Source Records Searched.	PSGR-1

**Thank you for your business.**Please contact EDR at 1-800-352-0050 with any questions or comments.

#### **Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2019 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E 2247-16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E 1528-14) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

## TARGET PROPERTY INFORMATION

#### **ADDRESS**

HIGHWAY 143 WEST MONROE, LA 71291

## **COORDINATES**

Latitude (North): 32.5252670 - 32° 31' 30.96" Longitude (West): 92.1468500 - 92° 8' 48.66"

Universal Tranverse Mercator: Zone 15 UTM X (Meters): 580124.8 UTM Y (Meters): 3598791.2

Elevation: 92 ft. above sea level

## USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 5637195 WEST MONROE NORTH, LA

Version Date: 2012

Northeast Map: 5637175 MONROE NORTH, LA

Version Date: 2012

## **AERIAL PHOTOGRAPHY IN THIS REPORT**

Portions of Photo from: 20150501 Source: USDA

# MAPPED SITES SUMMARY

Target Property Address: HIGHWAY 143 WEST MONROE, LA 71291

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
A1	ALBRIGHT ASA I	2700 N 7TH	EDR Hist Auto	Higher	80, 0.015, North
A2	HARDE MART #114	2701 N 7TH ST	HIST LUST	Higher	90, 0.017, NNW
A3	CENTRAL OIL & SUPPLY	2701 N SEVENTH ST	UST	Higher	90, 0.017, NNW
A4	ALBRIGHT ASA I	2701 N 7TH ST	EDR Hist Auto	Higher	90, 0.017, NNW
A5	CENTRAL OIL & SUPPLY	2701 N SEVENTH ST	NPDES, REM	Higher	90, 0.017, NNW
A6	HARDE MART NO. 114	2701 NORTH SEVENTH S	AUL	Higher	90, 0.017, NNW
A7	CENTRAL OIL & SUPPLY	2701 N SEVENTH ST	LUST, AUL, SPILLS, AIRS	Higher	90, 0.017, NNW
A8	CMA PROPERTIES (FORM	2712/14/16/18 NORTH	US BROWNFIELDS, FINDS	Higher	93, 0.018, North
A9	RICH SLAYTON ELMO	2707 N 7TH ST	EDR Hist Cleaner	Higher	104, 0.020, NNW
B10	WEIL CLEANERS INC	2503 N 7TH ST	EDR Hist Cleaner	Higher	111, 0.021, SSW
B11	WEIL CLNR	2503 N 7TH ST	DRYCLEANERS	Higher	111, 0.021, SSW
B12	WEIL CLEANERS	2503 N SEVENTH ST	DRYCLEANERS	Higher	111, 0.021, SSW
B13	PIT STOP OIL CHNGE O	2505 N 7TH ST	EDR Hist Auto	Higher	111, 0.021, SW
B14	PIT STOP OIL CHANGE	2505 N SEVENTH ST	UST, SWRCY	Higher	111, 0.021, SW
A15	WESTGATE SHELL	2635 N SEVENTH ST	UST	Higher	115, 0.022, NNW
A16	MOORES U-PAK-IT	2710 N 7TH ST	EDR Hist Auto	Higher	154, 0.029, North
A17	N 7TH STREET U PAK I	2710 N 7TH ST	UST	Higher	154, 0.029, North
B18	JUNIOR FOOD MART	2419 NORTH 7TH	EDR Hist Auto	Higher	155, 0.029, SSW
B19	JUNIOR FOOD MART	2419 N SEVENTH ST	UST	Higher	155, 0.029, SSW
A20	CMA PROPERTIES	2712-2718 N SEVENTH	AUL, VCP, REM	Higher	271, 0.051, North
A21	FASHION CLEANERS INC	2712 N 7TH	EDR Hist Cleaner	Higher	271, 0.051, North
A22	MODERN CLEANERS & LA	2712 N 7TH ST	RCRA-VSQG	Higher	271, 0.051, North
A23	MODERN CLNR	2716 N 7TH ST	DRYCLEANERS	Higher	348, 0.066, North
24	NORTH SEVENTH STREET	2407 N SEVENTH ST	UST	Higher	486, 0.092, SSW
C25	ECOLOGY SVCS	2801 N 7TH ST	RCRA NonGen / NLR	Higher	492, 0.093, North
C26	BENNETT WILLIAM E	2800 N 7TH ST	EDR Hist Auto	Higher	496, 0.094, North
27	JESSE F HEARD & SONS	503 OAKLAWN DR	HIST LUST, UST	Lower	545, 0.103, SE
28	C & D AUTOMOTIVE	103 POWELL	RCRA-VSQG	Lower	876, 0.166, SSE
D29	JOHNNY'S PIZZA HOUSE	2910 N SEVENTH	UST	Higher	957, 0.181, North
E30	LDOTD STATION #30+00	971 OLE HWY 15	AIRS, REM	Higher	1040, 0.197, NW
E31	GET N GO	946 OLE HWY 15	UST	Higher	1074, 0.203, NW
E32	MR. QUICK #1	946 ARKANSAS RD	HIST LUST	Higher	1074, 0.203, NW
D33	7 ELEVEN 2701-12828	2916 N SEVENTH ST	UST	Higher	1110, 0.210, North
34	WEST MONROE CITY OF	2305 N SEVENTH ST	SWF/LF	Lower	1175, 0.223, South
F35	REGISTER'S SERVICE S	2900 CYPRESS ST	LUST, HIST LUST, AUL, REM	Lower	1827, 0.346, South
F36	E. STEELE PROPERTY	2823 CYPRESS STREET	US BROWNFIELDS, FINDS	Lower	1977, 0.374, South
37	NORTHERN DIVISION EN	2901 CYPRESS ST	HIST LUST, DEL SHWS, SPILLS, REM	Lower	2369, 0.449, South

# TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

# **DATABASES WITH NO MAPPED SITES**

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

# STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list	
NPL	National Priority List
Proposed NPL	Proposed National Priority List Sites
NPL LIENS	Federal Superfund Liens
Federal Delisted NPL site lis	st
Delisted NPL	National Priority List Deletions
Federal CERCLIS list	
	E 1 1 E 22 O2 1 C 2 E 2
	Federal Facility Site Information listing Superfund Enterprise Management System
OLIVIO	. Superiuliu Enterprise Management System
Federal CERCLIS NFRAP si	te list
SEMS-ARCHIVE	Superfund Enterprise Management System Archive
Federal RCRA CORRACTS	facilities list
CORRACTS	Corrective Action Report
CORRACTO	Corrective Action Report
Federal RCRA non-CORRA	CTS TSD facilities list
RCRA-TSDF	RCRA - Treatment, Storage and Disposal
Federal RCRA generators li	st
•	
	RCRA - Large Quantity Generators RCRA - Small Quantity Generators
1.01.0.00	Trotal Ginal Garliny Contracts
Federal institutional control	s / engineering controls registries
LUCIS	Land Use Control Information System
	Engineering Controls Sites List
US INST CONTROL	Sites with Institutional Controls

Federal ERNS list	
ERNS	Emergency Response Notification System
State- and tribal - equiva	lent CERCLIS
SHWS	Potential and Confirmed Sites List
State and tribal landfill a	nd/or solid waste disposal site lists
	LDEQ Approved Debris Sites LDEQ Approved Debris Sites
State and tribal leaking s	torage tank lists
INDIAN LUST	Leaking Underground Storage Tanks on Indian Land
State and tribal registere	d storage tank lists
	Underground Storage Tank Listing Underground Storage Tanks on Indian Land
State and tribal voluntary	y cleanup sites
INDIAN VCP	Voluntary Cleanup Priority Listing
State and tribal Brownfie	elds sites
BROWNFIELDS	Brownfields Inventory
ADDITIONAL ENVIRONMEN	TAL RECORDS
Local Lists of Landfill / S	Solid Waste Disposal Sites
DEBRIS REGION 9	Report on the Status of Open Dumps on Indian Lands Torres Martinez Reservation Illegal Dump Site Locations Open Dump Inventory Open Dumps on Indian Land
Local Lists of Hazardous	s waste / Contaminated Sites
CDL	Delisted National Clandestine Laboratory Register Clandestine Drug Lab National Clandestine Laboratory Register
Local Land Records	
LIENS. LIENS 2	Environmental Liens CERCLA Lien Information
Records of Emergency F	Release Reports
HMIRS	Hazardous Materials Information Reporting System

SPILLS..... Emergency Response Section Incidents SPILLS 90 data from FirstSearch

#### Other Ascertainable Records

FUDS..... Formerly Used Defense Sites DOD..... Department of Defense Sites

SCRD DRYCLEANERS...... State Coalition for Remediation of Drycleaners Listing

US FIN ASSUR\_\_\_\_\_ Financial Assurance Information

EPA WATCH LIST..... EPA WATCH LIST

2020 COR ACTION........... 2020 Corrective Action Program List

TSCA..... Toxic Substances Control Act

TRIS...... Toxic Chemical Release Inventory System

SSTS..... Section 7 Tracking Systems ROD...... Records Of Decision RMP..... Risk Management Plans

RAATS...... RCRA Administrative Action Tracking System

PRP..... Potentially Responsible Parties PADS...... PCB Activity Database System

ICIS...... Integrated Compliance Information System

Act)/TSCA (Toxic Substances Control Act)

..... Material Licensing Tracking System COAL ASH DOE..... Steam-Electric Plant Operation Data

COAL ASH EPA..... Coal Combustion Residues Surface Impoundments List

PCB TRANSFORMER\_\_\_\_\_PCB Transformer Registration Database

RADINFO...... Radiation Information Database

HIST FTTS..... FIFRA/TSCA Tracking System Administrative Case Listing

DOT OPS..... Incident and Accident Data

CONSENT..... Superfund (CERCLA) Consent Decrees

INDIAN RESERV..... Indian Reservations

FUSRAP..... Formerly Utilized Sites Remedial Action Program

UMTRA..... Uranium Mill Tailings Sites

LEAD SMELTERS..... Lead Smelter Sites

US AIRS..... Aerometric Information Retrieval System Facility Subsystem

US MINES..... Mines Master Index File

ABANDONED MINES..... Abandoned Mines

FINDS...... Facility Index System/Facility Registry System DOCKET HWC...... Hazardous Waste Compliance Docket Listing UXO...... Unexploded Ordnance Sites

ECHO..... Enforcement & Compliance History Information

FUELS PROGRAM..... EPA Fuels Program Registered Listing

AIRS..... Air Permit List ASBESTOS..... Asbestos Projects List COAL ASH..... Coal Ash Disposal Sites Financial Assurance Information NPDES.......LPDES Permits Database
UIC.......Underground Injection Wells Listing

## **EDR HIGH RISK HISTORICAL RECORDS**

## **EDR Exclusive Records**

EDR MGP..... EDR Proprietary Manufactured Gas Plants

## **EDR RECOVERED GOVERNMENT ARCHIVES**

## Exclusive Recovered Govt. Archives

RGA HWS	Recovered Government Archive State Hazardous Waste Facilities List
RGA LF	Recovered Government Archive Solid Waste Facilities List
RGA LUST	Recovered Government Archive Leaking Underground Storage Tank

## **SURROUNDING SITES: SEARCH RESULTS**

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in **bold italics** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

### STANDARD ENVIRONMENTAL RECORDS

## Federal RCRA generators list

RCRA-VSQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-VSQG list, as provided by EDR, and dated 03/25/2019 has revealed that there are 2 RCRA-VSQG sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
MODERN CLEANERS & LA EPA ID:: LAD985192319	2712 N 7TH ST	N 0 - 1/8 (0.051 mi.)	A22	73
Lower Elevation	Address	Direction / Distance	Map ID	Page
C & D AUTOMOTIVE EPA ID:: LAD985191196	103 POWELL	SSE 1/8 - 1/4 (0.166 mi.)	28	86

### State and tribal landfill and/or solid waste disposal site lists

SWF/LF: The Solid Waste Facilities/Landfill Sites records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. The data come from the Department of Environmental Quality's Louisiana's Solid Waste Facilities list.

A review of the SWF/LF list, as provided by EDR, and dated 06/11/2019 has revealed that there is 1 SWF/LF site within approximately 0.5 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
WEST MONROE CITY OF Facility Id: 139154	2305 N SEVENTH ST	S 1/8 - 1/4 (0.223 mi.)	34	112

# State and tribal leaking storage tank lists

LUST: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the Department of Environmental Quality's list: LDEQ's Leaking UST Database.

A review of the LUST list, as provided by EDR, and dated 07/16/2019 has revealed that there are 2 LUST sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	<b>Direction / Distance</b>	Map ID	Page
CENTRAL OIL & SUPPLY Facility Id: 40984	2701 N SEVENTH ST	NNW 0 - 1/8 (0.017 mi.)	A7	27
Lower Elevation	Address	Direction / Distance	Map ID	Page
REGISTER'S SERVICE S Facility Id: 8354	2900 CYPRESS ST	S 1/4 - 1/2 (0.346 mi.)	F35	112

HIST LUST: Department of Environmental Quality's Underground Storage Tank Case History Incidents database.

A review of the HIST LUST list, as provided by EDR, and dated 11/01/1999 has revealed that there are 5 HIST LUST sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	<b>Direction / Distance</b>	Map ID	Page
HARDE MART #114 Facility Id: 37-003863	2701 N 7TH ST	NNW 0 - 1/8 (0.017 mi.)	A2	8
MR. QUICK #1 Facility Id: 37-001727	946 ARKANSAS RD	NW 1/8 - 1/4 (0.203 mi.)	E32	106
Lower Elevation	Address	Direction / Distance	Map ID	Page
JESSE F HEARD & SONS Facility Id: 37-005286	503 OAKLAWN DR	SE 0 - 1/8 (0.103 mi.)	27	82
REGISTER'S SERVICE S	2900 CYPRESS ST	S 1/4 - 1/2 (0.346 mi.)	F35	112

Facility Id: 37-010454

NORTHERN DIVISION EN 2901 CYPRESS ST S 1/4 - 1/2 (0.449 mi.) 37 118

Facility Id: 37-011952

# State and tribal registered storage tank lists

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Quality's Louisiana Underground Storage Tank Database.

A review of the UST list, as provided by EDR, and dated 07/15/2019 has revealed that there are 10 UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	<b>Direction / Distance</b>	Map ID	Page
CENTRAL OIL & SUPPLY Tank Status: Removed Tank Status: Active Master Agency Id: 40984	2701 N SEVENTH ST	NNW 0 - 1/8 (0.017 mi.)	A3	12
PIT STOP OIL CHANGE Tank Status: Removed Master Agency Id: 20815	2505 N SEVENTH ST	SW 0 - 1/8 (0.021 mi.)	B14	42
WESTGATE SHELL Tank Status: Removed Master Agency Id: 73168	2635 N SEVENTH ST	NNW 0 - 1/8 (0.022 mi.)	A15	45
N 7TH STREET U PAK I Tank Status: Removed Tank Status: Active Master Agency Id: 76002	2710 N 7TH ST	N 0 - 1/8 (0.029 mi.)	A17	53
JUNIOR FOOD MART Tank Status: Removed Master Agency Id: 75518	2419 N SEVENTH ST	SSW 0 - 1/8 (0.029 mi.)	B19	65
NORTH SEVENTH STREET Tank Status: Removed Master Agency Id: 68975	2407 N SEVENTH ST	SSW 0 - 1/8 (0.092 mi.)	24	77
JOHNNY'S PIZZA HOUSE Tank Status: Closed Master Agency Id: 20821	2910 N SEVENTH	N 1/8 - 1/4 (0.181 mi.)	D29	87
GET N GO Tank Status: Active Master Agency Id: 195602	946 OLE HWY 15	NW 1/8 - 1/4 (0.203 mi.)	E31	100
7 ELEVEN 2701-12828 Tank Status: Removed Master Agency Id: 66938	2916 N SEVENTH ST	N 1/8 - 1/4 (0.210 mi.)	D33	108
Lower Elevation	Address	Direction / Distance	Map ID	Page
JESSE F HEARD & SONS Tank Status: Closed	503 OAKLAWN DR	SE 0 - 1/8 (0.103 mi.)	27	82

Master Agency Id: 73252

### State and tribal institutional control / engineering control registries

AUL: A notice of contamination (nature and levels of contaminants) and restriction of property to non-residential use are placed in the conveyance records for the property.

A review of the AUL list, as provided by EDR, and dated 07/09/2019 has revealed that there are 4 AUL sites within approximately 0.5 miles of the target property.

<b>Equal/Higher Elevation</b>	Address	<b>Direction / Distance</b>	Map ID	Page
HARDE MART NO. 114 Facility Id: 37-003863	2701 NORTH SEVENTH S	NNW 0 - 1/8 (0.017 mi.)	A6	27
CENTRAL OIL & SUPPLY CMA PROPERTIES Facility Id: 13170	2701 N SEVENTH ST 2712-2718 N SEVENTH	NNW 0 - 1/8 (0.017 mi.) N 0 - 1/8 (0.051 mi.)	A7 A20	27 71
Lower Elevation	Address	Direction / Distance	Map ID	Page
REGISTER'S SERVICE S	2900 CYPRESS ST	S 1/4 - 1/2 (0.346 mi.)	F35	112

## State and tribal voluntary cleanup sites

VCP: Sites that have entered Department of Environmental Quality's Voluntary Remediation Program

A review of the VCP list, as provided by EDR, and dated 07/16/2019 has revealed that there is 1 VCP site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CMA PROPERTIES Status: COC DEQ AI #: 13170 Date Closed: 07/17/2007	2712-2718 N SEVENTH	N 0 - 1/8 (0.051 mi.)	A20	71

### ADDITIONAL ENVIRONMENTAL RECORDS

# Local Brownfield lists

US BROWNFIELDS: The EPA's listing of Brownfields properties from the Cleanups in My Community program, which provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

A review of the US BROWNFIELDS list, as provided by EDR, and dated 06/03/2019 has revealed that there

are 2 US BROWNFIELDS sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CMA PROPERTIES (FORM ACRES property ID: 14556	2712/14/16/18 NORTH	N 0 - 1/8 (0.018 mi.)	A8	30
Lower Elevation	Address	Direction / Distance	Map ID	Page
E. STEELE PROPERTY ACRES property ID: 81201	2823 CYPRESS STREET	S 1/4 - 1/2 (0.374 mi.)	F36	115

## Local Lists of Landfill / Solid Waste Disposal Sites

SWRCY: Recycling Directory of the Department of Environmental Quality.

A review of the SWRCY list, as provided by EDR, and dated 06/20/2019 has revealed that there is 1 SWRCY site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
PIT STOP OIL CHANGE	2505 N SEVENTH ST	SW 0 - 1/8 (0.021 mi.)	B14	42

### Local Lists of Hazardous waste / Contaminated Sites

DEL SHWS: A listing of sites removed from the Potential and Confirmed Listing.

A review of the DEL SHWS list, as provided by EDR, and dated 07/16/2019 has revealed that there is 1 DEL SHWS site within approximately 1 mile of the target property.

Lower Elevation Address		Direction / Distance	Map ID	Page	
NORTHERN DIVISION EN AI #: 1942	2901 CYPRESS ST	S 1/4 - 1/2 (0.449 mi.)	37	118	

#### Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 03/25/2019 has revealed that there is 1 RCRA NonGen / NLR site within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page	
ECOLOGY SVCS EPA ID:: LAD985201417	2801 N 7TH ST	N 0 - 1/8 (0.093 mi.)	C25	81	

DRYCLEANERS: Drycleaner Facility Listing.

A review of the DRYCLEANERS list, as provided by EDR, and dated 07/08/2019 has revealed that there are 3 DRYCLEANERS sites within approximately 0.25 miles of the target property.

<b>Equal/Higher Elevation</b>	Address	<b>Direction / Distance</b>	Map ID	Page
WEIL CLNR Facility Id: 39557	2503 N 7TH ST	SSW 0 - 1/8 (0.021 mi.)	B11	41
WEIL CLEANERS Facility Id: 39557	2503 N SEVENTH ST	SSW 0 - 1/8 (0.021 mi.)	B12	41
MODERN CLNR Facility Id: 13170	2716 N 7TH ST	N 0 - 1/8 (0.066 mi.)	A23	76

REM: Facilities or sites come to the Underground Storage Tank and Remediation Divison either through self notification or referral. These sites are designated for remediation via the following regulatory paths: Solid Waste (SW), Hazardous Waste (Haz Waste), Groundwater (Grwater), Inactive & Abandoned Sites (Confirmed or Potential), or Underground Storage Tanks (UST).

A review of the REM list, as provided by EDR, and dated 07/16/2019 has revealed that there are 5 REM sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page	
CENTRAL OIL & SUPPLY Al Num: 40984	2701 N SEVENTH ST	NNW 0 - 1/8 (0.017 mi.)	A5	26	
CMA PROPERTIES Al Num: 13170	2712-2718 N SEVENTH	N 0 - 1/8 (0.051 mi.)	A20	71	
<b>LDOTD STATION #30+00</b> Al Num: 75505	971 OLE HWY 15	NW 1/8 - 1/4 (0.197 mi.)	E30	99	
Lower Elevation	Address	Direction / Distance	Map ID	Page	
REGISTER'S SERVICE S Al Num: 8354	2900 CYPRESS ST	S 1/4 - 1/2 (0.346 mi.)	F35	112	
NORTHERN DIVISION EN Al Num: 1942	2901 CYPRESS ST	S 1/4 - 1/2 (0.449 mi.)	37	118	

# **EDR HIGH RISK HISTORICAL RECORDS**

#### **EDR Exclusive Records**

EDR Hist Auto: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past

sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Auto list, as provided by EDR, has revealed that there are 6 EDR Hist Auto sites within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
ALBRIGHT ASA I	2700 N 7TH	N 0 - 1/8 (0.015 mi.)	A1	8
ALBRIGHT ASA I	2701 N 7TH ST	NNW 0 - 1/8 (0.017 mi.)	A4	25
PIT STOP OIL CHNGE O	2505 N 7TH ST	SW 0 - 1/8 (0.021 mi.)	B13	42
MOORES U-PAK-IT	2710 N 7TH ST	N 0 - 1/8 (0.029 mi.)	A16	53
JUNIOR FOOD MART	2419 NORTH 7TH	SSW 0 - 1/8 (0.029 mi.)	B18	65
BENNETT WILLIAM E	2800 N 7TH ST	N 0 - 1/8 (0.094 mi.)	C26	82


EDR Hist Cleaner: EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Cleaner list, as provided by EDR, has revealed that there are 3 EDR Hist Cleaner sites within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
RICH SLAYTON ELMO	2707 N 7TH ST	NNW 0 - 1/8 (0.020 mi.)	A9	40
WEIL CLEANERS INC	2503 N 7TH ST	SSW 0 - 1/8 (0.021 mi.)	B10	41
FASHION CLEANERS INC	2712 N 7TH	N 0 - 1/8 (0.051 mi.)	A21	73

Due to poor of madequate address information, the following sites were not mapped. Count. Trecords.							
Site Name	Database(s)						
BOYTE ENTERPRISES INC	SWF/LF						

# **OVERVIEW MAP - 5828844.2S**




display and/or hide map information. The legend includes only those icons for the default map view.

CLIENT: Chenier Environment CONTACT: Aaron Bass SITE NAME: West End Golf Course Chenier Environmental Consulting ADDRESS: Highway 143 INQUIRY #: 5828844.2s

West Monroe LA 71291 October 14, 2019 9:13 am LAT/LONG: 32.525267 / 92.14685 DATE:

Copyright © 2019 EDR, Inc. © 2015 TomTom Rel. 2015.

# **DETAIL MAP - 5828844.2S**



SITE NAME: West End Golf Course

Highway 143

West Monroe LA 71291

32.525267 / 92.14685

ADDRESS:

LAT/LONG:

CLIENT: Chenier Environmental Consulting
CONTACT: Aaron Bass
INQUIRY #: 5828844.2s
DATE: October 14, 2019 9:15 am

default map view.

Copyright © 2019 EDR, Inc. © 2015 TomTom Rel. 2015.

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	>1	Total Plotted
STANDARD ENVIRONMEN	TAL RECORDS							
Federal NPL site list								
NPL Proposed NPL NPL LIENS	1.000 1.000 1.000		0 0 0	0 0 0	0 0 0	0 0 0	NR NR NR	0 0 0
Federal Delisted NPL sit	te list							
Delisted NPL	1.000		0	0	0	0	NR	0
Federal CERCLIS list								
FEDERAL FACILITY SEMS	0.500 0.500		0 0	0 0	0 0	NR NR	NR NR	0 0
Federal CERCLIS NFRA	P site list							
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
Federal RCRA CORRAC	TS facilities li	st						
CORRACTS	1.000		0	0	0	0	NR	0
Federal RCRA non-COR	RACTS TSD f	acilities list						
RCRA-TSDF	0.500		0	0	0	NR	NR	0
Federal RCRA generato	rs list							
RCRA-LQG RCRA-SQG RCRA-VSQG	0.250 0.250 0.250		0 0 1	0 0 1	NR NR NR	NR NR NR	NR NR NR	0 0 2
Federal institutional cor engineering controls re								
LUCIS US ENG CONTROLS US INST CONTROL	0.500 0.500 0.500		0 0 0	0 0 0	0 0 0	NR NR NR	NR NR NR	0 0 0
Federal ERNS list								
ERNS	TP		NR	NR	NR	NR	NR	0
State- and tribal - equiva	alent CERCLIS	3						
SHWS	1.000		0	0	0	0	NR	0
State and tribal landfill a solid waste disposal site								
SWF/LF DEBRIS HIST DEBRIS	0.500 0.500 0.500		0 0 0	1 0 0	0 0 0	NR NR NR	NR NR NR	1 0 0
State and tribal leaking	storage tank l	ists						
LUST INDIAN LUST	0.500 0.500		1 0	0 0	1 0	NR NR	NR NR	2 0

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
HIST LUST	0.500		2	1	2	NR	NR	5
State and tribal register	ed storage tar	ık lists						
FEMA UST UST INDIAN UST	0.250 0.250 0.250		0 7 0	0 3 0	NR NR NR	NR NR NR	NR NR NR	0 10 0
State and tribal institution		s						
AUL	0.500		3	0	1	NR	NR	4
State and tribal voluntal	ry cleanup site	es						
INDIAN VCP VCP	0.500 0.500		0 1	0 0	0 0	NR NR	NR NR	0 1
State and tribal Brownfi	elds sites							
BROWNFIELDS	0.500		0	0	0	NR	NR	0
ADDITIONAL ENVIRONME	NTAL RECORDS	<u>3</u>						
Local Brownfield lists								
US BROWNFIELDS	0.500		1	0	1	NR	NR	2
Local Lists of Landfill / Waste Disposal Sites	Solid							
SWRCY INDIAN ODI DEBRIS REGION 9 ODI IHS OPEN DUMPS	0.500 0.500 0.500 0.500 0.500		1 0 0 0	0 0 0 0	0 0 0 0	NR NR NR NR NR	NR NR NR NR NR	1 0 0 0 0
Local Lists of Hazardou Contaminated Sites	s waste /							
US HIST CDL CDL DEL SHWS US CDL	TP TP 1.000 TP		NR NR 0 NR	NR NR 0 NR	NR NR 1 NR	NR NR 0 NR	NR NR NR NR	0 0 1 0
Local Land Records								
LIENS LIENS 2	TP TP		NR NR	NR NR	NR NR	NR NR	NR NR	0 0
Records of Emergency	Release Repo	rts						
HMIRS SPILLS SPILLS 90	TP TP TP		NR NR NR	NR NR NR	NR NR NR	NR NR NR	NR NR NR	0 0 0
Other Ascertainable Re	cords							
RCRA NonGen / NLR FUDS	0.250 1.000		1 0	0 0	NR 0	NR 0	NR NR	1 0

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	<u>&gt; 1</u>	Total Plotted
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	Ö	Ö	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	Õ
TRIS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	Ö
ROD	1.000		0	0	0	0	NR	Ö
RMP	TP		NR	NR	NR	NR	NR	Õ
RAATS	TP		NR	NR	NR	NR	NR	Õ
PRP	TP		NR	NR	NR	NR	NR	Ö
PADS	TP		NR	NR	NR	NR	NR	Ö
ICIS	TP		NR	NR	NR	NR	NR	Ō
FTTS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
DOCKET HWC	TP		NR	NR	NR	NR	NR	0
UXO	1.000		0	0	0	0	NR	0
ECHO	TP		NR	NR	NR	NR	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
AIRS	TP		NR	NR	NR	NR	NR	0
ASBESTOS	TP		NR	NR	NR	NR	NR	0
COAL ASH	0.500		0	0	0	NR	NR	0
DRYCLEANERS	0.250		3	0	NR	NR	NR	3
Financial Assurance	TP		NR	NR	NR	NR	NR	0
NPDES	TP		NR	NR	NR	NR	NR	0
REM	0.500		2	1	2	NR	NR	5
UIC	TP		NR	NR	NR	NR	NR	0
EDR HIGH RISK HISTORICA	AL RECORDS							
EDR Exclusive Records								
EDR MGP	1.000		0	0	0	0	NR	0
EDR Hist Auto	0.125		6	NR	NR	NR	NR	6
EDR Hist Cleaner	0.125		3	NR	NR	NR	NR	3
	<del></del> -		•					•

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
EDR RECOVERED GO	OVERNMENT ARCHIV	<u>ES</u>						
Exclusive Recovere	ed Govt. Archives							
RGA HWS	TP		NR	NR	NR	NR	NR	0
RGA LF	TP		NR	NR	NR	NR	NR	0
RGA LUST	TP		NR	NR	NR	NR	NR	0
- Totals		0	32	7	8	0	0	47

# NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

MAP FINDINGS Map ID

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

Α1 **ALBRIGHT ASA I EDR Hist Auto** 1020329498 North

2700 N 7TH N/A

WEST MONROE, LA 71291 < 1/8

0.015 mi.

80 ft. Site 1 of 16 in cluster A

Relative: Higher

**EDR Hist Auto** 

Year: Name: Type: Actual:

1971 ALBRIGHT ASA I 95 ft.

Gasoline Service Stations 1972 ALBRIGHT ASA I Gasoline Service Stations 1973 ALBRIGHT ASA I Gasoline Service Stations 1974 ALBRIGHT ASA I **Gasoline Service Stations** 1975 ALBRIGHT ASA I Gasoline Service Stations 1976 ALBRIGHT ASA I **Gasoline Service Stations** 

**HARDE MART #114** A2 HIST LUST S106033561

NNW 2701 N 7TH ST N/A

< 1/8 WEST MONROE, LA 71291

0.017 mi.

90 ft. Site 2 of 16 in cluster A

HIST LUST: Relative:

Higher Facility ID: 37-003863 Facility Parish: **OUACHITA** Actual: Substance Name: **GASOLINE** 96 ft. Substance Name 2: Not reported

> UNKNOWN Quantity: Quantity 2: Not reported Date Confirmed: 07/22/1991 Not reported Date Confirmed 2: Incident Number: 91-8-0242 Incident Date: 07/22/1991

Type of Incident: **UST LEAK** Type of Incident No2: Not reported

Reported By: CHIEF DAVIS/ W. MONROE FIRE DEPT.

Reported By 2: Not reported 00099800 Owner ID:

Owner Name: FIELDS, THOMAS H. SR.

RT 2, BOX 300 Owner Address: Owner City,St,Zip: RAYVILLE, LA 71269 Assessment Pending Info: Assessment Request Date:

07/29/1991 Assessment Plan Due Date: 10/19/1991 Assessment Plan Received Date: 12/05/1991 Assessment Approved Date: 04/16/1993

Assessment Contractor: CAGLE BROTHERS C & J PUMP SERVICE INC.

Assess Date Add Info Due: Not reported Assess Date Add Info Recd: Not reported Not reported Assess Date Add Info Due2: Assess Date Add Info Recd: Not reported Assess Date Add Info Due3: Not reported Corrective Plan Due Date: Not reported 12/13/1993 Corrective Plan Received Date: Corrective Plan Approved Date: 01/05/1996 Corr Act Date Add Info Due: Not reported Corr Act Date Add Info Recd: Not reported Corr Act Date Add Info Due2: Not reported Corr Act Date Add Info Recd2: Not reported Corr Act Date Add Info Due3: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

## HARDE MART #114 (Continued)

S106033561

**EDR ID Number** 

Remediation Method: Not reported Remediation Date: Not reported Remediation Terminated Date: Not reported

#### LA HIST LUST INCIDENT:

Comments:

REC'D CA ALTERNATIVES EST COST REPORT ON 5-29-95. DEQ LETTER6-6-95 CONTINUE QT REPORTS. DEQ APPROVED FREE PRODUCT RECOVERY PLANON 5/1/96. REC'D LETTER FROM CONSULTANT THAT DEQ APPROVED POSTPONTMENTOF IMPLEMENTATION OF RECOVERY SYSTEM. QTLY REPORTS SUBMITTED. DEQINSPECTION 12/11/96 TO DISCUSS MW-4 AND ADDITIONAL

CONTAMINANTDELINEATION.

#### LA HIST LUST ASSESMENT:

Comments:

COMPLAINT INVESTIGATION DONE TO FIND SOURCE OF FREE-PHASE GASOLINEIN SOUTH CENTAL BELL MANHOLE. SUBSURFACE CONTAMINATION FOUND.SITE AKA HARDY MART # 7.

#### LA HIST LUST CORRECTIVE ACTION:

Comments:

RECEIVED REMEDIAL ALTERNATIVES PROPOSAL FROM BCM, INC. OCT7-93. RECEIVED QT GW REPORT SUBMITTED BY PERRY, PYRON ANDMCCOWN DATED MAR 94. DEQ LETTER DATED 6-8-94 REQUESTING THECONTINUATION OF QT REPORTS. QTLY REPORTS SUBMITTED. DEQ INSPECTION9/14/94 CONCERNING DOTD EXPANSION ON NORTH 7TH STREET. QTLY

REPORTSSUBMITTED.

Facility ID: 37-003863 Facility Parish: **OUACHITA** Substance Name: Not reported Substance Name 2: Not reported Quantity: Not reported Quantity 2: Not reported Date Confirmed: Not reported Date Confirmed 2: Not reported Incident Number: 91-8-0242 07/22/1991 Incident Date:

Type of Incident: Not reported Type of Incident No2: Not reported

Reported By: Not reported Reported By 2: Not reported Owner ID: 00099800

Owner Name: FIELDS, THOMAS H. SR.
Owner Address: RT 2, BOX 300
Owner City,St,Zip: RAYVILLE, LA 71269
Assessment Pending Info: No

 Assessment Request Date:
 07/29/1991

 Assessment Plan Due Date:
 10/19/1991

 Assessment Plan Received Date:
 12/05/1991

 Assessment Approved Date:
 04/16/1993

Assessment Contractor: CAGLE BROTHERS C & J PUMP SERVICE INC.

Assess Date Add Info Due: Not reported Assess Date Add Info Recd: Not reported Assess Date Add Info Due2: Not reported Not reported Assess Date Add Info Recd: Assess Date Add Info Due3: Not reported Corrective Plan Due Date: Not reported Corrective Plan Received Date: 12/13/1993 Corrective Plan Approved Date: 01/05/1996 Corr Act Date Add Info Due: Not reported Corr Act Date Add Info Recd: Not reported Corr Act Date Add Info Due2: Not reported Corr Act Date Add Info Recd2: Not reported Corr Act Date Add Info Due3: Not reported

MAP FINDINGS Map ID Direction

Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

## HARDE MART #114 (Continued)

S106033561

Remediation Method: Not reported Remediation Date: Not reported Remediation Terminated Date: Not reported

#### LA HIST LUST INCIDENT:

Comments:

REC'D CA ALTERNATIVES EST COST REPORT ON 5-29-95. DEQ LETTER6-6-95 CONTINUE QT REPORTS, DEQ APPROVED FREE PRODUCT RECOVERY PLANON 5/1/96, REC'D LETTER FROM CONSULTANT THAT DEQ APPROVED POSTPONTMENTOF IMPLEMENTATION OF RECOVERY SYSTEM. QTLY REPORTS SUBMITTED. DEQINSPECTION 12/11/96 TO DISCUSS MW-4 AND ADDITIONAL

CONTAMINANTDELINEATION.

#### LA HIST LUST ASSESMENT:

Comments:

COMPLAINT INVESTIGATION DONE TO FIND SOURCE OF FREE-PHASE GASOLINEIN SOUTH CENTAL BELL MANHOLE. SUBSURFACE CONTAMINATION FOUND.SITE AKA HARDY MART # 7.

#### LA HIST LUST CORRECTIVE ACTION:

Comments:

RECEIVED REMEDIAL ALTERNATIVES PROPOSAL FROM BCM, INC. OCT7-93. RECEIVED QT GW REPORT SUBMITTED BY PERRY, PYRON ANDMCCOWN DATED MAR 94. DEQ LETTER DATED 6-8-94 REQUESTING THECONTINUATION OF QT REPORTS, QTLY REPORTS SUBMITTED, DEQ. INSPECTION9/14/94 CONCERNING DOTD EXPANSION ON NORTH 7TH STREET. QTLY

REPORTSSUBMITTED.

Facility ID: 37-003863 **OUACHITA** Facility Parish: Substance Name: **GASOLINE** Substance Name 2: Not reported UNKNOWN Quantity: Quantity 2: Not reported Date Confirmed: 07/13/1994 Date Confirmed 2: Not reported Incident Number: 94-8-0129 07/12/1994 Incident Date:

Type of Incident: UNKNOWN Type of Incident No2: Not reported

Reported By: **TODD PERRY** Reported By 2: Not reported Owner ID: 00099800

Owner Name: FIELDS, THOMAS H. SR. Owner Address: RT 2, BOX 300 Owner City, St, Zip: RAYVILLE, LA 71269 Assessment Pending Info: No

Assessment Request Date: Not reported Assessment Plan Due Date: Not reported Assessment Plan Received Date: Not reported Assessment Approved Date: Not reported

PERRY, PYRON & McCOWN CONSULTANTS, INC. Assessment Contractor:

Assess Date Add Info Due: Not reported Assess Date Add Info Recd: Not reported Assess Date Add Info Due2: Not reported Not reported Assess Date Add Info Recd: Not reported Assess Date Add Info Due3: Corrective Plan Due Date: Not reported Not reported Corrective Plan Received Date: Corrective Plan Approved Date: Not reported Corr Act Date Add Info Due: Not reported Corr Act Date Add Info Recd: Not reported Corr Act Date Add Info Due2: Not reported Corr Act Date Add Info Recd2: Not reported Corr Act Date Add Info Due3: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

## HARDE MART #114 (Continued)

S106033561

**EDR ID Number** 

Remediation Method: Not reported Remediation Date: Not reported Remediation Terminated Date: Not reported

LA HIST LUST INCIDENT:

Comments: DEQ INSPECTION 1-12-96 TO SURVEY & DISCUSS LOCATION OF MW-2.DEQ LETTER 2-12-96

CONTINUE QT MONITORING. SEE 91-8-0242. QTLYREPORTS SUBMITTED. DEQ LETTER

11/26/96 CONTINUE QTLY REPORTS.

LA HIST LUST ASSESMENT:

Comments: FRESH PRODUCT WAS DISCOVERED IN MW-2 DURING ROUTING QTLY MONITORING.THE PRODUCT

LINES TESTED TIGHT ON 8/9/94. SOURCE OF FRESH PRODUCTPENDING. SITE AKA HARDE

MART #114.

LA HIST LUST CORRECTIVE ACTION:

Comments: DEQ INSPECTION9/14/94 CONCERNING DOTD EXPANSION OF NORTH 7TH STREET.DEQ LETTER

11/8/95 CONTINUE QTLY REPORTS. DEQ INSPECTION 1/26/96TO OBSERVE REMMOVAL OF 4

USTS.

Facility ID: 37-003863 Facility Parish: **OUACHITA** Substance Name: Not reported Substance Name 2: Not reported Quantity: Not reported Quantity 2: Not reported Date Confirmed: Not reported Not reported Date Confirmed 2: Incident Number: 94-8-0129 07/12/1994 Incident Date:

Type of Incident: Not reported Type of Incident No2: Not reported

Reported By: Not reported Reported By 2: Not reported Owner ID: 00099800

Owner Name: FIELDS, THOMAS H. SR.
Owner Address: RT 2, BOX 300
Owner City,St,Zip: RAYVILLE, LA 71269
Assessment Pending Info: No

Assessment Pending Info:

Assessment Request Date:

Assessment Plan Due Date:

Assessment Plan Received Date:

Not reported

Not reported

Not reported

Assessment Approved Date: Not reported
Assessment Contractor: PERRY,PYRON & McCOWN CONSULTANTS, INC.

Assess Date Add Info Due: Not reported Not reported Assess Date Add Info Recd: Assess Date Add Info Due2: Not reported Assess Date Add Info Recd: Not reported Not reported Assess Date Add Info Due3: Corrective Plan Due Date: Not reported Corrective Plan Received Date: Not reported Corrective Plan Approved Date: Not reported Corr Act Date Add Info Due: Not reported Corr Act Date Add Info Recd: Not reported Corr Act Date Add Info Due2: Not reported Corr Act Date Add Info Recd2: Not reported Corr Act Date Add Info Due3: Not reported Remediation Method: Not reported Remediation Date: Not reported Remediation Terminated Date: Not reported

MAP FINDINGS Map ID

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### HARDE MART #114 (Continued)

S106033561

LA HIST LUST INCIDENT:

DEQ INSPECTION 1-12-96 TO SURVEY & DISCUSS LOCATION OF MW-2.DEQ LETTER 2-12-96 Comments:

CONTINUE QT MONITORING. SEE 91-8-0242. QTLYREPORTS SUBMITTED. DEQ LETTER

11/26/96 CONTINUE QTLY REPORTS.

LA HIST LUST ASSESMENT:

FRESH PRODUCT WAS DISCOVERED IN MW-2 DURING ROUTING QTLY MONITORING.THE PRODUCT Comments:

LINES TESTED TIGHT ON 8/9/94. SOURCE OF FRESH PRODUCTPENDING. SITE AKA HARDE

MART #114.

LA HIST LUST CORRECTIVE ACTION:

DEQ INSPECTION9/14/94 CONCERNING DOTD EXPANSION OF NORTH 7TH STREET.DEQ LETTER Comments:

11/8/95 CONTINUE QTLY REPORTS. DEQ INSPECTION 1/26/96TO OBSERVE REMMOVAL OF 4

USTS.

**CENTRAL OIL & SUPPLY - HARDE MART 114** U004225950 **A3** NNW 2701 N SEVENTH ST N/A

10862

4000

Removed

04/12/1965

< 1/8 WEST MONROE, LA 71291 0.017 mi.

Site 3 of 16 in cluster A 90 ft.

Relative:

Higher Master Agency Id: 40984 Subject Item ID: Actual: 96 ft.

**UST Tank Num:** Tank Status: Install Date: Total Capacity: Number Of Compartments:

Gasoline: Yes Diesel: Not reported

Gasohol: Not reported Not reported Kerosene: Heating Oil: Not reported New Used Oil: Not reported MS Aviation Fuel: Not reported MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Unknown: Not reported Other Sub: Not reported Steel Tank Covered With Asphalt: Not reported Cathodically Protected: Not reported **Epoxy Coated Tank:** Not reported A Composite Of Different Materials: Not reported Fiberglass Or Plastic: Not reported Interior Line With Some Material: Not reported

Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Made Of Concrete: Not reported Liner Covering Excavation Hole: Not reported Other Material: Not reported

Pipe Method Description: Not reported Subject item desc: 10862-gasoline, removed

Service change date: Not reported Last service date: Not reported

Distance Elevation Site

Database(s)

## CENTRAL OIL & SUPPLY - HARDE MART 114 (Continued)

U004225950

**EDR ID Number** 

**EPA ID Number** 

Current status start date: 01/01/1996
Current status end date: Not reported
Emer gen fuel only flag: Not reported
Tank inert material desc: Not reported
Mct fibrgls plastic: Not reported
Mcp bare steel: Not reported
Mcp galvanized steel: V

Mcp bare steel: Not reported Mcp galvanized steel: Mcp part stl fbrgls lines: Not reported Mcp copper: Not reported Mcp double walled: Not reported Not reported Mcp secondary contain: Not reported Mcp unknown: Mcp other: Not reported Rdt manual gauging: Not reported Rdt tank tightness: Not reported Rdt invent control: Not reported Not reported Rdt auto guage: Rdt grndwtr monitor: Not reported Rdt intr mon dwall: Not reported Rdt intr mon secd: Not reported Not reported Rdt vapor monitor: Rdt other: Not reported Rdp line tightness: Not reported Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Not reported Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported Rdp other: Not reported Overfill prevent install date: Not reported Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrals plstc: Not reported Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported Not reported Cpt dielectric coat: Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported Pipe ext corr protect date: Not reported Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Cpp cathodic protect: Not reported Cpp other: Not reported Not reported Install certification date: Install alt certificate num: Not reported Install cert worker name: Not reported Install cert worker emp name: Not reported Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Install insp by dept flag: Not reported Install mfr chklst comp flag: Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

## CENTRAL OIL & SUPPLY - HARDE MART 114 (Continued)

U004225950

**EDR ID Number** 

Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Not reported Closure alt cert num: Closure cert worker name: Not reported Not reported Closure cert worker emp name: Not reported Active: Bankrupt: Not reported Closed: Not reported Deferred: Not reported Filled: Not reported Not reported Hold: Not reported Inactive: Removed: 01/01/1996 Sold: Not reported Temp out of service: Not reported

UST Tank Num: 10863

Tank Status:RemovedInstall Date:04/12/1965Total Capacity:4000Number Of Compartments:1Gasoline:Yes

Diesel: Not reported Gasohol: Not reported Kerosene: Not reported Heating Oil: Not reported New Used Oil: Not reported MS Aviation Fuel: Not reported Not reported MS Additive: MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Not reported Unknown: Not reported Other Sub: Steel Tank Covered With Asphalt: Not reported Cathodically Protected: Not reported **Epoxy Coated Tank:** Not reported A Composite Of Different Materials: Not reported Fiberglass Or Plastic: Not reported Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Not reported Made Of Concrete: Liner Covering Excavation Hole: Not reported Other Material: Not reported

Subject item desc: 10863-gasoline, removed

Not reported

Not reported Service change date: Last service date: Not reported Current status start date: 01/01/1996 Not reported Current status end date: Emer gen fuel only flag: Not reported Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported

Pipe Method Description:

Distance
Elevation Site Database(s)

## CENTRAL OIL & SUPPLY - HARDE MART 114 (Continued)

U004225950

**EDR ID Number** 

**EPA ID Number** 

Mcp galvanized steel: Mcp part stl fbrgls lines: Not reported Not reported Mcp copper: Not reported Mcp double walled: Mcp secondary contain: Not reported Mcp unknown: Not reported Mcp other: Not reported Rdt manual gauging: Not reported Rdt tank tightness: Not reported Rdt invent control: Not reported Rdt auto guage: Not reported Rdt grndwtr monitor: Not reported Rdt intr mon dwall: Not reported Rdt intr mon secd: Not reported Rdt vapor monitor: Not reported Rdt other: Not reported Not reported Rdp line tightness: Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Not reported Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported Rdp other: Not reported Overfill prevent install date: Not reported Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrals plstc: Not reported Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported Cpt dielectric coat: Not reported Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported Not reported Pipe ext corr protect date: Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Cpp cathodic protect: Not reported Cpp other: Not reported Install certification date: Not reported Install alt certificate num: Not reported Install cert worker name: Not reported Not reported Install cert worker emp name: Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Not reported Install insp by dept flag: Install mfr chklst comp flag: Not reported Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Closure alt cert num: Not reported Closure cert worker name: Not reported Closure cert worker emp name: Not reported

Direction Distance Elevation

tance EDR ID Number vation Site Database(s) EPA ID Number

## CENTRAL OIL & SUPPLY - HARDE MART 114 (Continued)

U004225950

Active: Not reported Bankrupt: Not reported Closed: Not reported Deferred: Not reported Filled: Not reported Not reported Hold: Not reported Inactive: 01/01/1996 Removed: Sold: Not reported Temp out of service: Not reported

 UST Tank Num:
 10864

 Tank Status:
 Removed

 Install Date:
 04/12/1965

 Total Capacity:
 4000

 Number Of Compartments:
 1

 Gasoline:
 Yes

Diesel: Not reported Gasohol: Not reported Kerosene: Not reported Heating Oil: Not reported New Used Oil: Not reported MS Aviation Fuel: Not reported MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Unknown: Not reported Not reported Other Sub: Steel Tank Covered With Asphalt: Not reported Cathodically Protected: Not reported **Epoxy Coated Tank:** Not reported A Composite Of Different Materials: Not reported Not reported Fiberglass Or Plastic: Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Made Of Concrete: Not reported Liner Covering Excavation Hole: Not reported Other Material: Not reported

Pipe Method Description: Not reported Subject item desc: 10864-gasoline, removed

Service change date: Not reported Not reported Last service date: 01/01/1996 Current status start date: Current status end date: Not reported Emer gen fuel only flag: Not reported Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported

Mcp galvanized steel:

Mcp part stl fbrgls lines:

Mcp copper:

Mcp double walled:

Mcp secondary contain:

Mcp unknown:

Y

Not reported

Not reported

Not reported

Not reported

Not reported

Distance
Elevation Site

Database(s) EPA ID Number

#### CENTRAL OIL & SUPPLY - HARDE MART 114 (Continued)

U004225950

**EDR ID Number** 

Mcp other: Not reported Rdt manual gauging: Not reported Rdt tank tightness: Not reported Rdt invent control: Not reported Rdt auto guage: Not reported Rdt grndwtr monitor: Not reported Not reported Rdt intr mon dwall: Rdt intr mon secd: Not reported Not reported Rdt vapor monitor: Rdt other: Not reported Rdp line tightness: Not reported Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Not reported Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported Rdp other: Not reported Not reported Overfill prevent install date: Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrgls plstc: Not reported Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported Cpt dielectric coat: Not reported Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported Not reported Pipe ext corr protect date: Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Not reported Cpp cathodic protect: Cpp other: Not reported Install certification date: Not reported Install alt certificate num: Not reported Install cert worker name: Not reported Install cert worker emp name: Not reported Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Install insp by dept flag: Not reported Install mfr chklst comp flag: Not reported Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Closure alt cert num: Not reported Not reported Closure cert worker name: Closure cert worker emp name: Not reported Active: Not reported Bankrupt: Not reported Closed: Not reported Deferred: Not reported Filled: Not reported Hold: Not reported

Direction Distance Elevation

ion Site Database(s) EPA ID Number

## CENTRAL OIL & SUPPLY - HARDE MART 114 (Continued)

U004225950

**EDR ID Number** 

Inactive:Not reportedRemoved:01/01/1996Sold:Not reportedTemp out of service:Not reported

**UST Tank Num:** 10865 Removed **Tank Status:** 04/12/1965 Install Date: **Total Capacity:** 6000 **Number Of Compartments:** Gasoline: Yes Diesel: Not reported Gasohol: Not reported Kerosene: Not reported Heating Oil: Not reported New Used Oil: Not reported MS Aviation Fuel: Not reported MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Unknown: Not reported Other Sub: Not reported Steel Tank Covered With Asphalt: Not reported Cathodically Protected: Not reported Epoxy Coated Tank: Not reported A Composite Of Different Materials: Not reported Fiberglass Or Plastic: Not reported Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported

Pipe Method Description: Not reported Subject item desc: 10865-gasoline, removed

Not reported

Not reported

Not reported Not reported

Service change date: Not reported Last service date: Not reported Current status start date: 01/01/1996 Current status end date: Not reported Not reported Emer gen fuel only flag: Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported

Mcp galvanized steel: Y

Outside Lined w/ Polyethylen Jacket:

Liner Covering Excavation Hole:

Made Of Concrete:

Other Material:

Mcp part stl fbrgls lines: Not reported Mcp copper: Not reported Mcp double walled: Not reported Not reported Mcp secondary contain: Mcp unknown: Not reported Mcp other: Not reported Not reported Rdt manual gauging: Rdt tank tightness: Not reported Rdt invent control: Not reported Not reported Rdt auto quage: Rdt grndwtr monitor: Not reported

Distance
Elevation Site

## CENTRAL OIL & SUPPLY - HARDE MART 114 (Continued)

U004225950

Database(s)

**EDR ID Number** 

**EPA ID Number** 

Rdt intr mon dwall: Not reported Rdt intr mon secd: Not reported Not reported Rdt vapor monitor: Rdt other: Not reported Rdp line tightness: Not reported Not reported Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported Rdp other: Not reported Overfill prevent install date: Not reported Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrgls plstc: Not reported Cpt stl fbr plastic: Not reported Not reported Cpt expert no leak: Cpt dielectric coat: Not reported Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported Pipe ext corr protect date: Not reported Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Cpp cathodic protect: Not reported Cpp other: Not reported Install certification date: Not reported Install alt certificate num: Not reported Install cert worker name: Not reported Not reported Install cert worker emp name: Not reported Install cert by mfr flag: Not reported Install insp by reg eng flag: Install insp by dept flag: Not reported Install mfr chklst comp flag: Not reported Not reported Install cert alt method flag: Install cert alt method desc: Not reported Closure certification date: Not reported Closure alt cert num: Not reported Not reported Closure cert worker name: Not reported Closure cert worker emp name: Active: Not reported Bankrupt: Not reported Closed: Not reported Deferred: Not reported Filled: Not reported Hold: Not reported Inactive: Not reported 01/01/1996 Removed: Not reported Sold: Temp out of service: Not reported

Distance
Elevation Site Database(s)

CENTRAL OIL & SUPPLY - HARDE MART 114 (Continued)

 UST Tank Num:
 46522

 Tank Status:
 Active

 Install Date:
 01/03/1996

 Total Capacity:
 12000

Number Of Compartments: 1
Gasoline: Yes

Diesel: Not reported Gasohol: Not reported Not reported Kerosene: Heating Oil: Not reported New Used Oil: Not reported MS Aviation Fuel: Not reported MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Not reported Unknown: Other Sub: Not reported Steel Tank Covered With Asphalt: Not reported

Cathodically Protected: Yes

Epoxy Coated Tank: Not reported A Composite Of Different Materials: Not reported

Fiberglass Or Plastic: Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Made Of Concrete: Not reported Liner Covering Excavation Hole: Not reported Other Material: Not reported Pipe Method Description: Pressure 46522-gasoline Subject item desc: Service change date: Not reported Last service date: 01/03/1996 Current status start date: 04/16/1996 Not reported Current status end date: Not reported Emer gen fuel only flag: Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported

Mcp copper: Not reported Mcp double walled: Y
Mcp secondary contain: Y

Mcp unknown:

Mcp other:

Rdt manual gauging:

Rdt tank tightness:

Rdt invent control:

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

Rdt auto guage:

Mcp galvanized steel:

Mcp part stl fbrgls lines:

Rdt grndwtr monitor:
Rdt intr mon dwall:
Not reported

Rdt other: Y

Rdp line tightness: Not reported Rdp grndwtr monitor: Not reported

U004225950

**EDR ID Number** 

**EPA ID Number** 

Direction Distance Elevation

nce EDR ID Number tition Site Database(s) EPA ID Number

## CENTRAL OIL & SUPPLY - HARDE MART 114 (Continued)

U004225950

Rdp intr mon dwall:
Rdp intr mon secd:
Y
Rdp vapor monitor:
Not reported
Rdp other:
Not reported
Overfill prevent install date:
Otype fill equip flag:
Alt spill overfill equip desc:
Not reported
Not reported
Not reported

Tank ext corr protect date:

Cpt fibrgls plstc:

Cpt stl fbr plastic:

Cpt expert no leak:

Not reported

Not reported

Not reported

Cpt dielectric coat: Y
Cpt impressed curr: Y

Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Not reported Cpt other: Pipe ext corr protect date: 07/08/2011 Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Cpp cathodic protect: Not reported Cpp other: Not reported Install certification date: 08/02/2011 Install alt certificate num: IR-0748

Install cert worker name: Chad Strickland Install cert worker emp name: Perry and Sons, LLc.

Install cert by mfr flag:
Install insp by reg eng flag:
Install insp by dept flag:
Not reported
Not reported
Not reported

Install mfr chklst comp flag: Y

Install cert alt method flag: Not reported Not reported Install cert alt method desc: Closure certification date: Not reported Not reported Closure alt cert num: Closure cert worker name: Not reported Closure cert worker emp name: Not reported Active: 04/16/1996 Bankrupt: Not reported Closed: Not reported Deferred: Not reported Not reported Filled: Hold: Not reported Inactive: Not reported Removed: Not reported Sold: Not reported Temp out of service: Not reported

UST Tank Num:

Tank Status:
Install Date:
O1/03/1996
Total Capacity:
Number Of Compartments:
Gasoline:

46523
Active
01/03/1996
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
12000
1200

Direction Distance Elevation

tion Site Database(s) EPA ID Number

## CENTRAL OIL & SUPPLY - HARDE MART 114 (Continued)

U004225950

**EDR ID Number** 

Diesel: Not reported Gasohol: Not reported Not reported Kerosene: Heating Oil: Not reported New Used Oil: Not reported MS Aviation Fuel: Not reported MS Additive: Not reported MS Antifreeze: Not reported Not reported MS Naptha: MS Varsol: Not reported Not reported Unknown: Other Sub: Not reported Steel Tank Covered With Asphalt: Not reported

Cathodically Protected: Yes

Epoxy Coated Tank: Not reported A Composite Of Different Materials: Not reported

Fiberglass Or Plastic: Y

Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Made Of Concrete: Not reported Liner Covering Excavation Hole: Not reported Other Material: Not reported Pipe Method Description: Pressure 46523-gasoline Subject item desc: Service change date: Not reported 01/03/1996 Last service date: Current status start date: 04/16/1996 Current status end date: Not reported Emer gen fuel only flag: Not reported Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported Mcp galvanized steel: Not reported Mcp part stl fbrgls lines: Not reported

Mcp double walled: Y
Mcp secondary contain: Y

Mcp copper:

Mcp unknown:Not reportedMcp other:Not reportedRdt manual gauging:Not reportedRdt tank tightness:Not reportedRdt invent control:Not reported

Not reported

Rdt auto guage:

Rdt grndwtr monitor:
Rdt intr mon dwall:
Rdt intr mon secd:
Rdt vapor monitor:
Rdt vapor monitor:
Rdt vapor monitor:
Rdt other:
Y

Rdp line tightness:
Rdp grndwtr monitor:
Not reported
Rdp intr mon dwall:
Not reported

Rdp intr mon secd:

Rdp vapor monitor:

Rdp other:

Overfill prevent install date:

Alt spill overfill equip flag:

Not reported

07/08/2011

Not reported

MAP FINDINGS Map ID Direction

Distance Elevation

Site Database(s) **EPA ID Number** 

## CENTRAL OIL & SUPPLY - HARDE MART 114 (Continued)

U004225950

**EDR ID Number** 

Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Not reported Cpt fibrgls plstc: Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported

Cpt dielectric coat: Cpt impressed curr: Υ

Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported 07/08/2011 Pipe ext corr protect date: Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Cpp cathodic protect: Not reported Cpp other: Not reported 08/02/2011 Install certification date: Install alt certificate num: IR-0748

Install cert worker name: Chad Strickland Perry and Sons, LLc. Install cert worker emp name:

Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Not reported Install insp by dept flag:

Install mfr chklst comp flag:

Install cert alt method flag: Not reported Install cert alt method desc: Not reported Not reported Closure certification date: Not reported Closure alt cert num: Closure cert worker name: Not reported Closure cert worker emp name: Not reported Active: 04/16/1996 Not reported Bankrupt: Not reported Closed: Deferred: Not reported Filled: Not reported Hold: Not reported Inactive: Not reported Removed: Not reported Sold: Not reported Temp out of service: Not reported

**UST Tank Num:** 46524 **Tank Status: Active** 01/03/1996 Install Date: Total Capacity: 12000 Number Of Compartments:

Gasoline: Not reported

Diesel: Yes

Gasohol: Not reported Kerosene: Not reported Heating Oil: Not reported New Used Oil: Not reported MS Aviation Fuel: Not reported

Distance Elevation

Site Database(s) EPA ID Number

## CENTRAL OIL & SUPPLY - HARDE MART 114 (Continued)

U004225950

**EDR ID Number** 

MS Additive:

MS Antifreeze:

MS Naptha:

MS Varsol:

Unknown:

Other Sub:

Steel Tank Covered With Asphalt:

Not reported

Cathodically Protected: Yes

Epoxy Coated Tank: Not reported A Composite Of Different Materials: Not reported

Fiberglass Or Plastic: Y

Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Made Of Concrete: Not reported Liner Covering Excavation Hole: Not reported Not reported Other Material: Pipe Method Description: Pressure Subject item desc: 46524-diesel Service change date: Not reported 01/03/1996 Last service date: Current status start date: 04/16/1996 Current status end date: Not reported Emer gen fuel only flag: Not reported Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported Mcp galvanized steel: Not reported Mcp part stl fbrgls lines: Not reported Mcp copper: Not reported

Mcp double walled: Y
Mcp secondary contain: Y

Mcp unknown:Not reportedMcp other:Not reportedRdt manual gauging:Not reportedRdt tank tightness:Not reportedRdt invent control:Not reported

Rdt auto guage:

Rdt grndwtr monitor:
Rdt intr mon dwall:
Rdt intr mon secd:
Rdt vapor monitor:
Not reported
Not reported
Not reported
Not reported

Rdt other: Y

Rdp line tightness: Not reported Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Not reported

Rdp intr mon secd:

Rdp vapor monitor: Not reported Rdp other: Not reported 07/08/2011 Overfill prevent install date: Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrgls plstc: Not reported Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported

Cpt dielectric coat:

MAP FINDINGS Map ID

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

## CENTRAL OIL & SUPPLY - HARDE MART 114 (Continued)

U004225950

Cpt impressed curr: Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported 07/08/2011 Pipe ext corr protect date: Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Not reported Cpp cathodic protect: Cpp other: Not reported Install certification date: 08/02/2011

Install alt certificate num: IR-0748 Chad Strickland Install cert worker name: Install cert worker emp name: Perry and Sons, LLC.

Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Install insp by dept flag: Not reported

Install mfr chklst comp flag:

Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Not reported Closure alt cert num: Closure cert worker name: Not reported Not reported Closure cert worker emp name: Active: 04/16/1996 Bankrupt: Not reported Closed: Not reported Deferred: Not reported Filled: Not reported Hold: Not reported Inactive: Not reported Not reported Removed: Not reported Sold:

**ALBRIGHT ASA I EDR Hist Auto** 1020273065

Type:

NNW 2701 N 7TH ST N/A

Not reported

< 1/8 WEST MONROE, LA 71291

0.017 mi.

Α4

90 ft. Site 4 of 16 in cluster A

**EDR Hist Auto** Relative:

Higher

Year: Name: Actual:

Temp out of service:

1969 ALBRIGHT ASA I Gasoline Service Stations 96 ft.

ALBRIGHT ASA I 1970 Gasoline Service Stations

Direction Distance

Elevation Site Database(s) EPA ID Number

A5 CENTRAL OIL & SUPPLY - HARDE MART 114 NPDES U003922667
NNW 2701 N SEVENTH ST REM N/A

NNW 2701 N SEVENTH ST < 1/8 WEST MONROE, LA 71291

0.017 mi.

90 ft. Site 5 of 16 in cluster A

Relative: NPDES:

Higher Name: CENTRAL OIL & SUPPLY CORP - HARDE MART #114

Actual: 96 ft. Address: 2701 N SEVENTH ST
City,State,Zip: WEST MONROE, LA 71211

Facility Id: 40984
Facility Phone: 318-388-2602
Issued Date: 05/07/1996

Title Description: Fiscal Migration: WG-040119
Permit Type Description: Gen-LAG94-GW Remediation

Program: Water
Activity Number: GEN19960001
Effective Date: Not reported
Expiration Date: Not reported
Permit Number: Not reported
Mailing Address: Not reported
Effective Flag: Not reported

Name: CENTRAL OIL & SUPPLY CORP - HARDE MART #114

Address: 2701 N SEVENTH ST
City,State,Zip: WEST MONROE, LA 71211

 Facility Id:
 40984

 Facility Phone:
 318-388-2602

 Issued Date:
 08/30/2000

 Title Description:
 LAG839006 Permit

Permit Type Description: Gen-LAG839-Petroleum UST(SW)

Program: Water
Activity Number: GEN20000001
Effective Date: Not reported
Expiration Date: Not reported
Permit Number: Not reported
Mailing Address: Not reported
Effective Flag: Not reported

Name: CENTRAL OIL & SUPPLY CORP - HARDE MART #114

Address: 2701 N SEVENTH ST
City,State,Zip: WEST MONROE, LA 71211

Facility Id: 40984
Facility Phone: 318-388-2602
Issued Date: 12/31/2002

Title Description: LAG839006 Reauthorization
Permit Type Description: Gen-LAG839-Petroleum UST(SW)

Program: Water

Activity Number: GEN20020001

Effective Date: Not reported
Expiration Date: Not reported
Permit Number: Not reported
Mailing Address: Not reported
Effective Flag: Not reported

REM:

Name: CENTRAL OIL & SUPPLY - HARDE MART 114

Address: 2701 N SEVENTH ST

Address 2: Not reported

**EDR ID Number** 

MAP FINDINGS Map ID

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

CENTRAL OIL & SUPPLY - HARDE MART 114 (Continued)

City, State, Zip: WEST MONROE, LA 71291

Al Num: 40984 **Evaluated And Closed:** 03/07/2011 Program: UST

EAC Type: Approve Completion NFA w/ BOD

EDMS ID 7866341. Comments:

CENTRAL OIL & SUPPLY - HARDE MART 114 Name:

Address: 2701 N SEVENTH ST

Address 2: Not reported

WEST MONROE, LA 71291 City,State,Zip:

Al Num: 40984 **Evaluated And Closed:** 08/18/2015 Program:

EAC Type: Approve Completion NFA w/ BOD

EDMS ID 9893155 Comments:

AUL S110445598

Α6 **HARDE MART NO. 114** 

NNW **2701 NORTH SEVENTH STREET** WEST MONROE, LA < 1/8

0.017 mi.

90 ft. Site 6 of 16 in cluster A

AUL: Relative:

Higher Facility ID: 37-003863 Not reported Type: Actual: Incident Number: Not reported 96 ft. Agency Interest Id: Not reported

PPM Project Number: Not reported Parish: Ouachita Parish Comments: Not reported Custom Tank Desc: Not reported Not reported Document ID: Document Type: Not reported Document Sub Type: Not reported Not reported Date: Description: Not reported PGS: Not reported

Α7 **CENTRAL OIL & SUPPLY - HARDE MART 114** LUST S110658890 NNW 2701 N SEVENTH ST AUL N/A

< 1/8 WEST MONROE, LA 71291 0.017 mi.

90 ft. Site 7 of 16 in cluster A

LUST: Relative:

Higher Name: CENTRAL OIL & SUPPLY - HARDE MART 114

Address: 2701 N SEVENTH ST Actual:

Facility ID: 40984 96 ft. Comments: UST

> CENTRAL OIL & SUPPLY - HARDE MART 114 Name:

Address: 2701 N SEVENTH ST

Facility ID: 40984 Comments: UST

**SPILLS** 

**AIRS** 

U003922667

N/A

Direction Distance Elevation

Site Database(s) EPA ID Number

#### CENTRAL OIL & SUPPLY - HARDE MART 114 (Continued)

S110658890

**EDR ID Number** 

AUL:

Facility ID: Not reported

Type: Underground Storage Tanks

Incident Number: Not reported Agency Interest Id: Not reported PPM Project Number: Not reported Parish: Ouachita

Comments: Underground Storage Tanks

Custom Tank Desc: Not reported
Document ID: Not reported
Document Type: Not reported
Document Sub Type: Not reported
Date: Not reported
Description: Not reported
PGS: Not reported

Facility ID: Not reported

Type: Underground Storage Tanks

Incident Number: Not reported Agency Interest Id: Not reported PPM Project Number: Not reported Parish: Ouachita

Comments: Underground Storage Tanks

Custom Tank Desc: Not reported Document ID: Not reported Document Type: Not reported Document Sub Type: Not reported Date: Not reported Description: Not reported PGS: Not reported

Facility ID: Not reported

Type: Underground Storage Tanks

Incident Number: Not reported Agency Interest Id: Not reported PPM Project Number: Not reported Parish: Ouachita

Comments: Underground Storage Tanks

Custom Tank Desc: Not reported Document ID: Not reported Document Type: Not reported Document Sub Type: Not reported Date: Not reported Description: Not reported PGS: Not reported

SPILLS:

Receive Date: 10/18/2010 Incident Date: 10/18/2010

 Quantity:
 0

 Units:
 0

 Parameter:
 0

 Incident ID:
 127117

 Other Description:
 0

 AI ID:
 40984

 Incident Status:
 Closed

Direction Distance

Elevation Site Database(s) EPA ID Number

## CENTRAL OIL & SUPPLY - HARDE MART 114 (Continued)

S110658890

**EDR ID Number** 

Media Desc: Soil

Location Description: Central Oil & Supply 700 Arkansas Rd West Monroe Incident Source Name: Central Oil & Supply Corp - Harde Mart #114

Start Date: 10/18/2010 Region: NE

Reporter Name: Not reported
Mailing Address: Not reported
Mailing City: Not reported
Mailing State: Not reported
Mailing Zip: Not reported
Not reported

Incident Desc: On 10/18/10, while in the process of removing a run of product lines

that had broken near the fitting of a dispencer (incident # T127049), the run of product line coming into the fitting from the other side broke as well. There was no product released to the environment.

Incident Type Desc: UST Release, Dispenser / Spill

Comments: On 10/18/10, while in the process of removing a run of product lines

that had broken near the fitting of a dispencer (incident # T127049), the run of product line coming into the fitting from the other side broke as well. There was no product released to the environment.

AIRS:

Name: CENTRAL OIL & SUPPLY - HARDE MART 114

Address: 2701 N SEVENTH ST

Address 2: Not reported Address 3: Not reported

City, State, Zip: WEST MONROE, LA 71291

Permit Number: 2160-00151-01

Permit Type Desc: Minor Source/Small Source Initial

AI No#: 40984 PER20110001 Activity No#: Region Code: Northeast Latitude: 32.528056 Longitude: -92.147222 Title Desc: **Entire Facility** Mailing Address: PO Drawer 4988 Mailing Address2: Not reported

Mailing City/State/Zip: Monroe, LA 712114988

 Issue Date:
 08/24/2011

 Expiration Date:
 11/20/2014

 Effective End Date:
 11/20/2014

 Effective Flag:
 N

Effective Flag: N Extended Flag: N

Primary SIC Code:
Primary NACIS Code:
Not reported
Owner Name:
Not reported
Reporting Year:
Parametter Description:
Not reported
Unit:

Name: CENTRAL OIL & SUPPLY - HARDE MART 114

Address: 2701 N SEVENTH ST

Address 2: Not reported Address 3: Not reported

City,State,Zip: WEST MONROE, LA 71291

Permit Number: 2160-00151-00

Permit Type Desc: Minor Source/Small Source Initial

MAP FINDINGS Map ID

Direction Distance

Elevation Site Database(s) **EPA ID Number** 

#### CENTRAL OIL & SUPPLY - HARDE MART 114 (Continued)

S110658890

**EDR ID Number** 

AI No#: 40984 PER20070001 Activity No#: Northeast Region Code: Latitude: 32.528056 Longitude: -92.147222

Title Desc: Permit - Entire Facility Mailing Address: PO Drawer 4988 Mailing Address2: Not reported

Mailing City/State/Zip: Monroe, LA 712114988

Issue Date: 07/27/2007 **Expiration Date:** 08/05/2010 Effective End Date: 08/05/2010

Effective Flag: Ν Extended Flag: Ν

Primary SIC Code: Not reported Primary NACIS Code: Not reported Owner Name: Not reported Reporting Year: Not reported Parametter Description: Not reported Total: Not reported Unit: Not reported

**CMA PROPERTIES (FORMER FASHION CLEANERS)** 

2712/14/16/18 NORTH SEVENTH ST

**US BROWNFIELDS** 1016352701

**FINDS** N/A

< 1/8 WEST MONROE, LA 71291

0.018 mi.

**A8** North

93 ft. Site 8 of 16 in cluster A

**US BROWNFIELDS:** Relative:

Higher CMA PROPERTIES (FORMER FASHION CLEANERS) Name:

Address: 2712/14/16/18 NORTH SEVENTH ST Actual:

City, State, Zip: WEST MONROE, LA 71291 95 ft.

> Recipient Name: West Monroe, City of Assessment Grant Type: Property Number: Not reported Parcel size: .23 Latitude: 32.528086

-92.147336 Longitude:

Address Matching-House Number HCM Label: Map Scale:

Not reported

Point of Reference: Entrance Point of a Facility or Station

Highlights: Not reported

Datum: World Geodetic System of 1984

Acres Property ID: 14556 IC Data Access: Not reported Start Date: Not reported Redev Completition Date: Not reported Completed Date: Not reported Acres Cleaned Up: Not reported Cleanup Funding: Not reported Cleanup Funding Source: Not reported Assessment Funding: Not reported Assessment Funding Source: Not reported Redevelopment Funding: Not reported Redev. Funding Source: Not reported Redev. Funding Entity Name: Not reported Redevelopment Start Date: Not reported Assessment Funding Entity: Not reported

Distance Elevation

n Site Database(s) EPA ID Number

#### CMA PROPERTIES (FORMER FASHION CLEANERS) (Continued)

1016352701

**EDR ID Number** 

Cleanup Funding Entity: Not reported Grant Type: Hazardous

Accomplishment Type: Phase I Environmental Assessment

Accomplishment Count:

Cooperative Agreement Number: 98666201

Start Date: 09/30/2001 00:00:00

Ownership Entity: Private

Completion Date: 09/30/2001 00:00:00
Current Owner: Chuck Adams

Did Owner Change:

Cleanup Required:

Video Available:

Photo Available:

Y
Institutional Controls Required:

Y

IC Category Proprietary Controls: Not reported

IC Cat. Info. Devices: Y
IC Cat. Gov. Controls: Y

IC Cat. Enforcement Permit Tools: Not reported

IC in place date: 02/19/2007 00:00:00

IC in place:

State/tribal program date: 09/11/2002 00:00:00

State/tribal program ID: 13170VRP

State/tribal NFA date: 07/17/2007 00:00:00

Air contaminated: Not reported Air cleaned: Not reported Asbestos found: Not reported Asbestos cleaned: Not reported Controled substance found: Not reported Controled substance cleaned: Not reported Not reported Drinking water affected: Not reported Drinking water cleaned:

Groundwater affected: Y
Groundwater cleaned: Y

Lead contaminant found:

Not reported
Lead cleaned up:

No media affected:

Unknown media affected:

Not reported
Not reported
Not reported

Other cleaned up:

Other metals found: Not reported Other metals cleaned: Not reported

Other contaminants found: Y

tetrachloroethene Other contams found description: PAHs found: Not reported PAHs cleaned up: Not reported Not reported PCBs found: PCBs cleaned up: Not reported Petro products found: Not reported Petro products cleaned: Not reported Sediments found: Not reported Sediments cleaned: Not reported

Soil affected: Y
Soil cleaned up: Y

Surface water cleaned: Not reported

VOCs found:

VOCs cleaned: Not reported Cleanup other description: TCE

Num. of cleanup and re-dev. jobs: Not reported

MAP FINDINGS Map ID Direction

Distance Elevation

Site Database(s) **EPA ID Number** 

#### CMA PROPERTIES (FORMER FASHION CLEANERS) (Continued)

1016352701

**EDR ID Number** 

Past use greenspace acreage: Not reported Past use residential acreage: Not reported Not reported Surface Water:

Past use commercial acreage: .23

Past use industrial acreage: Not reported Not reported Future use greenspace acreage: Not reported Future use residential acreage:

Future use commercial acreage: .23

Future use industrial acreage: Not reported Greenspace acreage and type: Not reported Superfund Fed. landowner flag: Not reported Arsenic cleaned up: Not reported Cadmium cleaned up: Not reported Chromium cleaned up: Not reported Copper cleaned up: Not reported Iron cleaned up: Not reported mercury cleaned up: Not reported Nickel Cleaned Up: Not reported No clean up: Not reported Pesticides cleaned up: Not reported Selenium cleaned up: Not reported SVOCs cleaned up: Not reported Unknown clean up: Not reported Arsenic contaminant found: Not reported Cadmium contaminant found: Not reported Not reported Chromium contaminant found: Copper contaminant found: Not reported Iron contaminant found: Not reported Mercury contaminant found: Not reported Not reported Nickel contaminant found: No contaminant found: Not reported Pesticides contaminant found: Not reported Selenium contaminant found: Not reported SVOCs contaminant found: Not reported Not reported Unknown contaminant found: Not reported Future Use: Multistory Media affected Bluiding Material: Not reported Media affected indoor air: Not reported Building material media cleaned up: Not reported Not reported Indoor air media cleaned up: Unknown media cleaned up: Not reported

Property Description: Polk City directories indicate that 2712 N. 7th St. has been occupied

> by a dry cleaners since 1956. 2716 & 2718 N. 7th St. have had various tenants since 1965 including cablevision, electronic stores, an

interior design store, and a radio station. (PPF - CMA Properties,

4/30/07)

Not reported

Below Poverty Number: 269 Below Poverty Percent: 15.1% Meidan Income: 6418 Meidan Income Number: 710 Meidan Income Percent: 39.9% Vacant Housing Number: 90 Vacant Housing Percent: 10.4% **Unemployed Number:** 28 **Unemployed Percent:** 1.6%

Past Use: Multistory

Direction Distance

Elevation Site Database(s) EPA ID Number

## CMA PROPERTIES (FORMER FASHION CLEANERS) (Continued)

1016352701

**EDR ID Number** 

Name: CMA PROPERTIES (FORMER FASHION CLEANERS)

Address: 2712/14/16/18 NORTH SEVENTH ST

City, State, Zip: WEST MONROE, LA 71291
Recipient Name: West Monroe, City of

Grant Type: Assessment
Property Number: Not reported
Parcel size: .23
Latitude: 32.528086
Longitude: -92.147336

HCM Label: Address Matching-House Number

Map Scale: Not reported

Point of Reference: Entrance Point of a Facility or Station

Highlights: Not reported

Datum: World Geodetic System of 1984

 Acres Property ID:
 14556

 IC Data Access:
 Not reported

 Start Date:
 02/08/2007 00:00:00

 Redev Completition Date:
 Not reported

 Completed Date:
 02/08/2007 00:00:00

Acres Cleaned Up: .12
Cleanup Funding: 5000

Cleanup Funding Source: Private/Other Funding

Assessment Funding: Not reported Assessment Funding Source: Not reported Redevelopment Funding: Not reported Redev. Funding Source: Not reported Redev. Funding Entity Name: Not reported Redevelopment Start Date: 02/20/2007 00:00:00 Assessment Funding Entity: Not reported Cleanup Funding Entity: Not reported

Grant Type: Hazardous
Accomplishment Type: Supplemental Assessment

Accomplishment Count:

Cooperative Agreement Number: 97699901

Start Date: 06/22/2004 00:00:00

Ownership Entity: Private

Completion Date: 06/22/2004 00:00:00
Current Owner: Chuck Adams

Did Owner Change: N
Cleanup Required: Y
Video Available: N
Photo Available: Y
Institutional Controls Required: Y

IC Category Proprietary Controls: Not reported

IC Cat. Info. Devices:

IC Cat. Gov. Controls: Y

IC Cat. Enforcement Permit Tools: Not reported

IC in place date: 02/19/2007 00:00:00
IC in place: Y

State/tribal program date: 09/11/2002 00:00:00

State/tribal program ID: 13170VRP State/tribal NFA date: 07/17/2007 00:00:00

Air contaminated:

Air cleaned:

Asbestos found:

Asbestos cleaned:

Controled substance found:

Not reported

Not reported

Not reported

Not reported

Not reported

Distance Elevation

Site Database(s) EPA ID Number

## CMA PROPERTIES (FORMER FASHION CLEANERS) (Continued)

1016352701

**EDR ID Number** 

Controled substance cleaned: Not reported Drinking water affected: Not reported Drinking water cleaned: Not reported

Groundwater affected: Y
Groundwater cleaned: Y

Lead contaminant found:

Lead cleaned up:

Not reported

Other cleaned up:

Other metals found: Not reported Other metals cleaned: Not reported

Other contaminants found: Y

Other contams found description: tetrachloroethene PAHs found: Not reported PAHs cleaned up: Not reported PCBs found: Not reported PCBs cleaned up: Not reported Petro products found: Not reported Petro products cleaned: Not reported Sediments found: Not reported Sediments cleaned: Not reported

Soil affected: Yes Soil cleaned up:

Surface water cleaned: Not reported

VOCs found:

VOCs cleaned: Not reported

Cleanup other description: TCE

Num. of cleanup and re-dev. jobs:

Past use greenspace acreage:

Past use residential acreage:

Not reported

Not reported

Not reported

Not reported

Not reported

Past use commercial acreage: .23

Past use industrial acreage:

Future use greenspace acreage:

Not reported

Not reported

Not reported

Not reported

Not reported

Future use commercial acreage: .23

Future use industrial acreage: Not reported Greenspace acreage and type: Not reported Superfund Fed. landowner flag: Not reported Arsenic cleaned up: Not reported Not reported Cadmium cleaned up: Chromium cleaned up: Not reported Copper cleaned up: Not reported Iron cleaned up: Not reported mercury cleaned up: Not reported Nickel Cleaned Up: Not reported No clean up: Not reported Pesticides cleaned up: Not reported Not reported Selenium cleaned up: SVOCs cleaned up: Not reported Unknown clean up: Not reported Not reported Arsenic contaminant found: Cadmium contaminant found: Not reported Chromium contaminant found: Not reported Not reported Copper contaminant found: Iron contaminant found: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

#### CMA PROPERTIES (FORMER FASHION CLEANERS) (Continued)

1016352701

**EDR ID Number** 

Mercury contaminant found: Not reported Not reported Nickel contaminant found: Not reported No contaminant found: Pesticides contaminant found: Not reported Selenium contaminant found: Not reported Not reported SVOCs contaminant found: Not reported Unknown contaminant found: Future Use: Multistory Not reported Media affected Bluiding Material: Not reported Media affected indoor air: Not reported Building material media cleaned up: Not reported Indoor air media cleaned up: Not reported Unknown media cleaned up: Not reported Past Use: Multistory Not reported

Property Description: Polk City directories indicate that 2712 N. 7th St. has been occupied

by a dry cleaners since 1956. 2716 & 2718 N. 7th St. have had various  $\,$ 

tenants since 1965 including cablevision, electronic stores, an interior design store, and a radio station. (PPF - CMA Properties,

4/30/07)

Below Poverty Number: 269 Below Poverty Percent: 15.1% Meidan Income: 6418 Meidan Income Number: 710 Meidan Income Percent: 39.9% Vacant Housing Number: 90 Vacant Housing Percent: 10.4% **Unemployed Number:** 28 **Unemployed Percent:** 1.6%

Name: CMA PROPERTIES (FORMER FASHION CLEANERS)

Address: 2712/14/16/18 NORTH SEVENTH ST

City,State,Zip: WEST MONROE, LA 71291
Recipient Name: West Monroe, City of
Grant Type: Assessment

Property Number: Not reported Parcel size: .23

Parcel size: .23
Latitude: .32.528086
Longitude: -92.147336

HCM Label: Address Matching-House Number

Map Scale: Not reported

Point of Reference: Entrance Point of a Facility or Station

Highlights: Not reported

Datum: World Geodetic System of 1984

 Acres Property ID:
 14556

 IC Data Access:
 Not reported

 Start Date:
 02/08/2007 00:00:00

Redev Completition Date: Not reported

Completed Date: 02/08/2007 00:00:00

Acres Cleaned Up: .12
Cleanup Funding: 5000

Cleanup Funding Source: Private/Other Funding

Assessment Funding:

Assessment Funding:

Redevelopment Funding:

Redev. Funding Source:

Redev. Funding Source:

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

Redevelopment Start Date: 02/20/2007 00:00:00

Distance Elevation

tion Site Database(s) EPA ID Number

## CMA PROPERTIES (FORMER FASHION CLEANERS) (Continued)

1016352701

**EDR ID Number** 

Assessment Funding Entity: Not reported Cleanup Funding Entity: Not reported Grant Type: Hazardous

Accomplishment Type: Phase I Environmental Assessment

Accomplishment Count: 0

Cooperative Agreement Number: 97699901

Start Date: 08/31/2001 00:00:00

Ownership Entity: Private

Completion Date: 08/31/2001 00:00:00
Current Owner: Chuck Adams

Did Owner Change:

Cleanup Required:

Y
Video Available:

Photo Available:

Y
Institutional Controls Required:

Y

IC Category Proprietary Controls: Not reported

IC Cat. Info. Devices: Y
IC Cat. Gov. Controls: Y

IC Cat. Enforcement Permit Tools: Not reported IC in place date: 02/19/2007 00:00:00

IC in place:

State/tribal program date: 09/11/2002 00:00:00

State/tribal program ID: 13170VRP

State/tribal NFA date: 07/17/2007 00:00:00

Air contaminated: Not reported Air cleaned: Not reported Asbestos found: Not reported Asbestos cleaned: Not reported Controled substance found: Not reported Not reported Controled substance cleaned: Not reported Drinking water affected: Drinking water cleaned: Not reported

Groundwater affected: Y
Groundwater cleaned: Y

Lead contaminant found:

Lead cleaned up:

Not reported

No media affected:

Unknown media affected:

Not reported

Not reported

Not reported

Other cleaned up:

Other metals found: Not reported Other metals cleaned: Not reported

Other contaminants found: Y

Other contams found description: tetrachloroethene PAHs found: Not reported PAHs cleaned up: Not reported PCBs found: Not reported PCBs cleaned up: Not reported Petro products found: Not reported Petro products cleaned: Not reported Sediments found: Not reported Sediments cleaned: Not reported

Soil affected: Y
Soil cleaned up: Y

Surface water cleaned: Not reported

VOCs found:

VOCs cleaned: Not reported

Cleanup other description: TCE

Distance Elevation

Site Database(s) EPA ID Number

#### CMA PROPERTIES (FORMER FASHION CLEANERS) (Continued)

1016352701

**EDR ID Number** 

Num. of cleanup and re-dev. jobs:

Past use greenspace acreage:

Past use residential acreage:

Not reported

23

Past use industrial acreage: Not reported Future use greenspace acreage: Not reported Future use residential acreage: Not reported

Future use commercial acreage: .23

Future use industrial acreage: Not reported Greenspace acreage and type: Not reported Superfund Fed. landowner flag: Not reported Arsenic cleaned up: Not reported Cadmium cleaned up: Not reported Chromium cleaned up: Not reported Copper cleaned up: Not reported Iron cleaned up: Not reported mercury cleaned up: Not reported Nickel Cleaned Up: Not reported No clean up: Not reported Pesticides cleaned up: Not reported Selenium cleaned up: Not reported SVOCs cleaned up: Not reported Unknown clean up: Not reported Arsenic contaminant found: Not reported Cadmium contaminant found: Not reported Chromium contaminant found: Not reported Copper contaminant found: Not reported Iron contaminant found: Not reported Not reported Mercury contaminant found: Nickel contaminant found: Not reported No contaminant found: Not reported Pesticides contaminant found: Not reported Selenium contaminant found: Not reported Not reported SVOCs contaminant found: Not reported Unknown contaminant found: Future Use: Multistory Not reported Media affected Bluiding Material: Not reported Media affected indoor air: Not reported Building material media cleaned up: Not reported Indoor air media cleaned up: Not reported Unknown media cleaned up: Not reported Past Use: Multistory Not reported

Property Description: Polk City directories indicate that 2712 N. 7th St. has been occupied

by a dry cleaners since 1956. 2716 & 2718 N. 7th St. have had various tenants since 1965 including cablevision, electronic stores, an interior design store, and a radio station. (PPF - CMA Properties,

4/30/07)

Below Poverty Number: 269 Below Poverty Percent: 15.1% Meidan Income: 6418 Meidan Income Number: 710 Meidan Income Percent: 39.9% Vacant Housing Number: 90 Vacant Housing Percent: 10.4% Unemployed Number: 28 **Unemployed Percent:** 1.6%

MAP FINDINGS Map ID Direction

Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

## CMA PROPERTIES (FORMER FASHION CLEANERS) (Continued)

1016352701

CMA PROPERTIES (FORMER FASHION CLEANERS) Name:

2712/14/16/18 NORTH SEVENTH ST Address:

City,State,Zip: WEST MONROE, LA 71291 Recipient Name: West Monroe, City of

Grant Type: Assessment Property Number: Not reported Parcel size: .23 Latitude: 32.528086 Longitude: -92.147336

HCM Label: Address Matching-House Number

Map Scale: Not reported

Entrance Point of a Facility or Station Point of Reference:

Highlights: Not reported

Datum: World Geodetic System of 1984

Acres Property ID: 14556 IC Data Access: Not reported 02/08/2007 00:00:00 Start Date: Redev Completition Date: Not reported Completed Date: 02/08/2007 00:00:00

Acres Cleaned Up: .12 Cleanup Funding: 5000

Cleanup Funding Source: Private/Other Funding

Assessment Funding: Not reported Assessment Funding Source: Not reported Redevelopment Funding: Not reported Redev. Funding Source: Not reported Redev. Funding Entity Name: Not reported Redevelopment Start Date: 02/20/2007 00:00:00 Assessment Funding Entity: Not reported Cleanup Funding Entity: Not reported Grant Type: Hazardous

Accomplishment Type: Phase II Environmental Assessment

Accomplishment Count:

Cooperative Agreement Number: 97699901

Start Date: 04/09/2003 00:00:00

Ownership Entity: Private

Completion Date: 04/09/2003 00:00:00 Current Owner: Chuck Adams

Did Owner Change: Ν Cleanup Required: Video Available: Ν Photo Available: Institutional Controls Required:

IC Category Proprietary Controls: Not reported

IC Cat. Info. Devices:

IC Cat. Gov. Controls:

IC Cat. Enforcement Permit Tools: Not reported

IC in place date: 02/19/2007 00:00:00 IC in place:

State/tribal program date: 09/11/2002 00:00:00

State/tribal program ID: 13170VRP State/tribal NFA date: 07/17/2007 00:00:00

Air contaminated: Not reported Air cleaned: Not reported Asbestos found: Not reported Not reported Asbestos cleaned: Controled substance found: Not reported

Distance Elevation Site

ite Database(s) EPA ID Number

#### CMA PROPERTIES (FORMER FASHION CLEANERS) (Continued)

1016352701

**EDR ID Number** 

Controled substance cleaned: Not reported Drinking water affected: Not reported Drinking water cleaned: Not reported

Groundwater affected: Y
Groundwater cleaned: Y

Lead contaminant found:

Lead cleaned up:

Not reported

Other cleaned up:

Other metals found: Not reported Other metals cleaned: Not reported

Other contaminants found: Y

Other contams found description: tetrachloroethene PAHs found: Not reported PAHs cleaned up: Not reported PCBs found: Not reported PCBs cleaned up: Not reported Petro products found: Not reported Petro products cleaned: Not reported Sediments found: Not reported Sediments cleaned: Not reported

Soil affected: Yes Soil cleaned up:

Surface water cleaned: Not reported

VOCs found:

VOCs cleaned: Not reported

Cleanup other description: TCE

Num. of cleanup and re-dev. jobs:

Past use greenspace acreage:

Past use residential acreage:

Not reported

Not reported

Not reported

Not reported

Not reported

Past use commercial acreage: .23

Past use industrial acreage:

Future use greenspace acreage:

Not reported

Not reported

Not reported

Not reported

Not reported

Future use commercial acreage: .23

Future use industrial acreage: Not reported Greenspace acreage and type: Not reported Superfund Fed. landowner flag: Not reported Not reported Arsenic cleaned up: Not reported Cadmium cleaned up: Chromium cleaned up: Not reported Copper cleaned up: Not reported Iron cleaned up: Not reported mercury cleaned up: Not reported Nickel Cleaned Up: Not reported No clean up: Not reported Pesticides cleaned up: Not reported Not reported Selenium cleaned up: SVOCs cleaned up: Not reported Unknown clean up: Not reported Arsenic contaminant found: Not reported Cadmium contaminant found: Not reported Chromium contaminant found: Not reported Not reported Copper contaminant found: Iron contaminant found: Not reported

MAP FINDINGS Map ID

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### CMA PROPERTIES (FORMER FASHION CLEANERS) (Continued)

1016352701

Mercury contaminant found: Not reported Not reported Nickel contaminant found: Not reported No contaminant found: Pesticides contaminant found: Not reported Selenium contaminant found: Not reported Not reported SVOCs contaminant found: Not reported Unknown contaminant found: Future Use: Multistory Not reported Media affected Bluiding Material: Not reported Media affected indoor air: Not reported Building material media cleaned up: Not reported Indoor air media cleaned up: Not reported Unknown media cleaned up: Not reported Past Use: Multistory Not reported

Property Description: Polk City directories indicate that 2712 N. 7th St. has been occupied by a dry cleaners since 1956. 2716 & 2718 N. 7th St. have had various

tenants since 1965 including cablevision, electronic stores, an

interior design store, and a radio station. (PPF - CMA Properties,

4/30/07)

Below Poverty Number: 269 Below Poverty Percent: 15.1% Meidan Income: 6418 Meidan Income Number: 710 Meidan Income Percent: 39.9% Vacant Housing Number: 90 10.4% Vacant Housing Percent: **Unemployed Number:** 28 **Unemployed Percent:** 1.6%

FINDS:

Registry ID: 110039556370

Environmental Interest/Information System

US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES) is an federal online database for Brownfields Grantees to

electronically submit data directly to EPA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Α9 **RICH SLAYTON ELMO** 

**EDR Hist Cleaner** 1020074267 NNW 2707 N 7TH ST N/A

< 1/8 WEST MONROE, LA 71291

0.020 mi.

Site 9 of 16 in cluster A 104 ft.

Relative: Higher

**EDR Hist Cleaner** 

Year: Name: Actual: RICH SLAYTON ELMO 1969 96 ft.

Drycleaning Plants, Except Rugs **RICH SLAYTON ELMO** 1970 Drycleaning Plants, Except Rugs

MAP FINDINGS Map ID

Direction Distance

**EDR ID Number** Elevation Site **EPA ID Number** Database(s)

**B10 WEIL CLEANERS INC EDR Hist Cleaner** 1020118478 SSW 2503 N 7TH ST

N/A

WEST MONROE, LA 71291 < 1/8

2000

0.021 mi.

111 ft. Site 1 of 7 in cluster B

Relative: Higher

**EDR Hist Cleaner** 

Actual: 97 ft.

Year: Name: 1991 WEIL CLEANERS WEIL CLEANERS 1992 1993 WEIL CLEANERS 1994 WEIL CLEANERS 1995 WEIL CLEANERS 1996 WEIL CLEANERS 1997 WEIL CLEANERS INC 1998 WEIL CLEANERS INC 1999 WEIL CLEANERS INC

WEIL CLEANERS INC

2009 WEIL CLEANERS INC 2010 WEIL CLEANERS INC 2011 WEIL CLEANERS INC 2012 WEIL CLEANERS INC 2013 WEIL CLEANERS INC 2014 WEIL CLEANERS INC Type:

Drycleaning Plants, Except Rugs, NEC Drycleaning Plants, Except Rugs, NEC

**WEIL CLNR** DRYCLEANERS S107446351 N/A

SSW 2503 N 7TH ST < 1/8 W MONROE, LA

0.021 mi.

B11

Site 2 of 7 in cluster B 111 ft. Relative: DRYCLEANERS:

Higher Facility ID:

Owner: **DONNIE WEIL & JON CARMER** Actual:

Owner Telephone: 318-325-3162 97 ft. Store Telephone: 318-396-1334

Mailing Address: Not reported Mailing City, St, Zip: Not reported DONNIE WEIL Contact:

39557

39557

Donnie Weil:

B12 **WEIL CLEANERS DRYCLEANERS** S113809565 2503 N SEVENTH ST SSW N/A

< 1/8 WEST MONROE, LA 71291

0.021 mi.

97 ft.

111 ft. Site 3 of 7 in cluster B

Relative: DRYCLEANERS: Higher Facility ID: Owner: Actual:

Owner Telephone: Not reported Store Telephone: Not reported Mailing Address: 2503 N Seventh St Mailing City, St, Zip: West Monroe, LA 71291

Contact: Not reported

TC5828844.2s Page 41

Direction Distance

**EDR ID Number** Elevation **EPA ID Number** Site Database(s)

**B13** PIT STOP OIL CHNGE OF OUACHITA **EDR Hist Auto** 1021217968 N/A

SW 2505 N 7TH ST

WEST MONROE, LA 71291 < 1/8

0.021 mi.

111 ft. Site 4 of 7 in cluster B

Relative: Higher

**EDR Hist Auto** 

Actual: 97 ft.

Year: Name: Type: 1986 PIT STOP OIL CHANGE Gasoline Service Stations

PIT STOP OIL CHANGE 1987 Gasoline Service Stations 1988 PIT STOP OIL CHANGE Gasoline Service Stations 1989 **Gasoline Service Stations** PIT STOP OIL CHANGE PIT STOP OIL CHANGE 1990 Gasoline Service Stations 1991 PIT STOP OIL CHANGE Gasoline Service Stations 1992 PIT STOP OIL CHNGE OF OUACHITA Gasoline Service Stations 1993 PIT STOP OIL CHNGE OF OUACHITA **Gasoline Service Stations** PIT STOP OIL CHNGE OF OUACHITA 1994 **Gasoline Service Stations** PIT STOP OIL CHNGE OF OUACHITA 1995 Gasoline Service Stations 1996 PIT STOP OIL CHNGE OF OUACHITA **Gasoline Service Stations** 1997 PIT STOP OIL CHNGE OF OUACHITA Gasoline Service Stations

1998 PIT STOP OIL CHNGE OF OUACHITA **Gasoline Service Stations** 1999 PIT STOP OIL CHNGE OF OUACHITA Gasoline Service Stations 1999 MIMS TOMMY R General Automotive Repair Shops

2000 MIMS TOMMY R

2000 PIT STOP OIL CHNGE OF OUACHITA Gasoline Service Stations 2001 MIMS TOMMY R General Automotive Repair Shops

General Automotive Repair Shops

2001 PIT STOP OIL CHNGE OF OUACHITA Gasoline Service Stations 2002 PIT STOP OIL CHNGE OF OUACHITA Gasoline Service Stations 2003 PIT STOP OIL CHNGE OF OUACHITA Gasoline Service Stations 2004 PIT STOP OIL CHNGE OF OUACHITA **Gasoline Service Stations** 

2005 PIT STOP OIL CHNGE OF OUACHITA Gasoline Service Stations 2006 PIT STOP OIL CHNGE OF OUACHITA Gasoline Service Stations 2006 M&M AUTO REPAIR General Automotive Repair Shops

2007 PIT STOP OIL CHNGE OF OUACHITA Gasoline Service Stations 2007 M&M AUTO REPAIR General Automotive Repair Shops 2008 M&M AUTO REPAIR General Automotive Repair Shops

PIT STOP OIL CHNGE OF OUACHITA 2008 **Gasoline Service Stations** PIT STOP OIL CHNGE OF OUACHITA Gasoline Service Stations 2009 2010 PIT STOP OIL CHNGE OF OUACHITA Gasoline Service Stations 2011 PIT STOP OIL CHNGE OF OUACHITA **Gasoline Service Stations** 2012 PIT STOP OIL CHNGE OF OUACHITA Gasoline Service Stations 2013 PIT STOP OIL CHNGE OF OUACHITA Gasoline Service Stations 2014 PIT STOP OIL CHNGE OF OUACHITA Gasoline Service Stations

**B14** PIT STOP OIL CHANGE OF OUACHITA

SW 2505 N SEVENTH ST < 1/8 WEST MONROE, LA 71291

0.021 mi.

111 ft. Site 5 of 7 in cluster B

Relative: UST:

Higher Master Agency Id: 20815 Subject Item ID: Actual:

97 ft.

**UST Tank Num:** 20047 Tank Status: Removed Install Date: 05/07/1985 1000 Total Capacity: **Number Of Compartments:** 1

U001895614

N/A

UST

**SWRCY** 

Distance Elevation Site

ite Database(s) EPA ID Number

## PIT STOP OIL CHANGE OF OUACHITA (Continued)

U001895614

**EDR ID Number** 

Gasoline: Not reported Diesel: Not reported Gasohol: Not reported Kerosene: Not reported Heating Oil: Not reported Yes

MS Aviation Fuel: Not reported MS Additive: Not reported Not reported MS Antifreeze: MS Naptha: Not reported Not reported MS Varsol: Not reported Unknown: Other Sub: Not reported Steel Tank Covered With Asphalt: Not reported Cathodically Protected: Not reported **Epoxy Coated Tank:** Not reported A Composite Of Different Materials: Not reported Fiberglass Or Plastic: Not reported Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Made Of Concrete: Not reported Not reported Liner Covering Excavation Hole: Other Material: Not reported

Pipe Method Description: Not reported
Subject item desc: 20047-new & used oil, removed

Service change date: Not reported Last service date: Not reported 07/05/2007 Current status start date: Not reported Current status end date: Emer gen fuel only flag: Not reported Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported

Mcp galvanized steel:

Mcp part stl fbrgls lines: Not reported Mcp copper: Not reported Mcp double walled: Not reported Mcp secondary contain: Not reported Mcp unknown: Not reported Mcp other: Not reported Rdt manual gauging: Not reported Rdt tank tightness: Not reported Rdt invent control: Not reported Rdt auto guage: Not reported Rdt grndwtr monitor: Not reported Rdt intr mon dwall: Not reported Rdt intr mon secd: Not reported Rdt vapor monitor: Not reported Rdt other: Not reported Rdp line tightness: Not reported Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Not reported Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported Rdp other: Not reported Overfill prevent install date: Not reported

Direction Distance Elevation

levation Site Database(s) EPA ID Number

## PIT STOP OIL CHANGE OF OUACHITA (Continued)

U001895614

**EDR ID Number** 

Alt spill overfill equip flag: Not reported Not reported Alt spill overfill equip desc: Tank ext corr protect date: Not reported Cpt fibrgls plstc: Not reported Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported Not reported Cpt dielectric coat: Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported Pipe ext corr protect date: Not reported Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Cpp cathodic protect: Not reported Cpp other: Not reported Install certification date: 07/19/1990 Install alt certificate num: Not reported Install cert worker name: Not reported Install cert worker emp name: Not reported Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Install insp by dept flag: Not reported Install mfr chklst comp flag: Not reported Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: 08/05/2007 Closure alt cert num: IRC-0031 Closure cert worker name: Steve Cagle

Closure cert worker emp name: Jones Brothers Co., Inc.

05/12/1986 Active: Not reported Bankrupt: Closed: Not reported Deferred: Not reported Filled: Not reported Hold: Not reported Inactive: Not reported 07/05/2007 Removed: Sold: Not reported Temp out of service: Not reported

# LA SWRCY:

Name: PIT STOP OIL CHANGE Address: 2505 N. 7TH STREET City, State, Zip: WEST MONROE, LA 71291

Mailing Address: Not reported Parish: Ouachita

Contact: Connie Mitchell/Joe Mitchell

Contact Phone: 318-396-0297
Contact Fax: 318-396-1884
Contact Email: Not reported
Material Accepted: Used Oil
Latitude: Not reported

MAP FINDINGS Map ID

Direction Distance

Elevation Site Database(s) **EPA ID Number** 

## PIT STOP OIL CHANGE OF OUACHITA (Continued)

U001895614

N/A

**EDR ID Number** 

Longitude: Not reported Region: Not reported Program: Not reported Al Number: Not reported Account Number: Not reported Not reported Permit Number: Not reported Description: 2nd Description: Not reported Start Date: Not reported End Date: Not reported Mailing City: Not reported Not reported Mailing State: Mailing Zip: Not reported SIC Code: Not reported

U001894877 A15 **WESTGATE SHELL** 

14885

NNW 2635 N SEVENTH ST WEST MONROE, LA 71291 < 1/8

0.022 mi.

115 ft. Site 10 of 16 in cluster A

Relative: UST:

Higher 73168 Master Agency Id: Subject Item ID: Actual:

**UST Tank Num:** 

96 ft.

**Tank Status:** Removed Install Date: 05/06/1966 8000 **Total Capacity: Number Of Compartments:** 1 Gasoline: Yes

Diesel: Not reported Gasohol: Not reported Kerosene: Not reported Heating Oil: Not reported New Used Oil: Not reported MS Aviation Fuel: Not reported MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Unknown: Not reported Other Sub: Not reported

Steel Tank Covered With Asphalt:

Yes Cathodically Protected: Not reported **Epoxy Coated Tank:** Not reported A Composite Of Different Materials: Not reported Fiberglass Or Plastic: Not reported Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Not reported Made Of Concrete: Liner Covering Excavation Hole: Not reported Other Material: Not reported Pipe Method Description: Not reported

Subject item desc: **Underground Storage Tank** 

Not reported Service change date: Not reported Last service date:

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

Not reported

**WESTGATE SHELL (Continued)** 

U001894877

Current status start date:

Current status end date:

Emer gen fuel only flag:

Tank inert material desc:

Mot reported

Mot fibrgls plastic:

Mot reported

Mop bare steel:

Mop galvanized steel:

Y

11/01/1995

Not reported

Not reported

Not reported

Not reported

Y

Mcp part stl fbrgls lines:

Mcp copper:

Mcp double walled:

Mcp secondary contain:

Mcp unknown:

Not reported

Rdt manual gauging: Y
Rdt tank tightness: Y
Rdt invent control: Y

Rdt auto guage:
Rdt grndwtr monitor:
Rdt intr mon dwall:
Rdt intr mon secd:
Rdt vapor monitor:
Rdt vapor monitor:
Rdt other:
Not reported
Not reported
Not reported
Not reported

Rdp line tightness:

Rdp grndwtr monitor:

Rdp intr mon dwall: Not reported Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported Rdp other: Not reported Overfill prevent install date: Not reported Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrals plstc: Not reported Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported Not reported Cpt dielectric coat: Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported

Pipe ext corr protect date: Not reported Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Cpp cathodic protect: Not reported Cpp other: Not reported Not reported Install certification date: Install alt certificate num: Not reported Install cert worker name: Not reported Install cert worker emp name: Not reported Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Install insp by dept flag: Not reported Install mfr chklst comp flag: Not reported

Direction Distance Elevation

vation Site Database(s) EPA ID Number

## **WESTGATE SHELL (Continued)**

U001894877

**EDR ID Number** 

Install cert alt method flag: Not reported Not reported Install cert alt method desc: Closure certification date: Not reported Closure alt cert num: Not reported Closure cert worker name: Not reported Not reported Closure cert worker emp name: Not reported Active: Bankrupt: Not reported Closed: Not reported Deferred: Not reported Filled: Not reported Not reported Hold: Not reported Inactive: Removed: 11/01/1995 Sold: Not reported Temp out of service: Not reported

 UST Tank Num:
 14886

 Tank Status:
 Removed

 Install Date:
 05/06/1983

 Total Capacity:
 8000

 Number Of Compartments:
 1

 Gasoline:
 Yes

Diesel: Not reported Gasohol: Not reported Kerosene: Not reported Heating Oil: Not reported New Used Oil: Not reported MS Aviation Fuel: Not reported MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Not reported Unknown: Not reported Other Sub:

Steel Tank Covered With Asphalt: Yes

Cathodically Protected: Not reported **Epoxy Coated Tank:** Not reported A Composite Of Different Materials: Not reported Fiberglass Or Plastic: Not reported Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Not reported Made Of Concrete: Liner Covering Excavation Hole: Not reported Other Material: Not reported Pipe Method Description: Not reported

Subject item desc: Underground Storage Tank

Not reported Service change date: Not reported Last service date: Current status start date: 11/01/1995 Not reported Current status end date: Emer gen fuel only flag: Not reported Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported

Distance Elevation Site

Database(s)

## **WESTGATE SHELL (Continued)**

U001894877

**EDR ID Number** 

**EPA ID Number** 

Mcp galvanized steel:

Mcp part stl fbrgls lines:

Mcp copper:

Mcp double walled:

Mcp secondary contain:

Mcp unknown:

Mcp other:

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

Rdt manual gauging: Y
Rdt tank tightness: Y
Rdt invent control: Y

Rdt auto guage:
Rdt grndwtr monitor:
Rdt intr mon dwall:
Rdt intr mon secd:
Rdt vapor monitor:
Rdt vapor mon

Rdp line tightness:

Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Not reported Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported Rdp other: Not reported Overfill prevent install date: Not reported Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrals plstc: Not reported Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported Cpt dielectric coat: Not reported Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported Not reported Pipe ext corr protect date: Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Cpp cathodic protect: Not reported Cpp other: Not reported Install certification date: Not reported Install alt certificate num: Not reported Install cert worker name: Not reported Not reported Install cert worker emp name: Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Not reported Install insp by dept flag: Install mfr chklst comp flag: Not reported Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Closure alt cert num: Not reported Closure cert worker name: Not reported Closure cert worker emp name: Not reported

Direction Distance Elevation

on Site Database(s) EPA ID Number

## **WESTGATE SHELL (Continued)**

U001894877

**EDR ID Number** 

Active: Not reported Not reported Bankrupt: Closed: Not reported Deferred: Not reported Filled: Not reported Not reported Hold: Not reported Inactive: 11/01/1995 Removed: Sold: Not reported Temp out of service: Not reported

 UST Tank Num:
 14887

 Tank Status:
 Removed

 Install Date:
 05/06/1966

 Total Capacity:
 6000

 Number Of Compartments:
 1

 Gasoline:
 Yes

Diesel: Not reported Gasohol: Not reported Kerosene: Not reported Heating Oil: Not reported New Used Oil: Not reported MS Aviation Fuel: Not reported MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Unknown: Not reported Other Sub: Not reported

Steel Tank Covered With Asphalt: Yes
Cathodically Protected: Not

Cathodically Protected: Not reported **Epoxy Coated Tank:** Not reported A Composite Of Different Materials: Not reported Not reported Fiberglass Or Plastic: Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Made Of Concrete: Not reported Liner Covering Excavation Hole: Not reported Other Material: Not reported Pipe Method Description: Not reported

Subject item desc: Underground Storage Tank

Service change date: Not reported Not reported Last service date: 11/01/1995 Current status start date: Current status end date: Not reported Emer gen fuel only flag: Not reported Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported

Mcp galvanized steel:

Mcp part stl fbrgls lines:

Mcp copper:

Mcp double walled:

Mcp secondary contain:

Mcp unknown:

Y

Not reported

Not reported

Not reported

Not reported

Not reported

Distance Elevation Site

Database(s)

**WESTGATE SHELL (Continued)** 

U001894877

**EDR ID Number** 

**EPA ID Number** 

Mcp other: Not reported Rdt manual gauging: Y

Rdt tank tightness: Y
Rdt invent control: Y

Rdt auto guage:
Rdt grndwtr monitor:
Rdt grndwtr monitor:
Rdt intr mon dwall:
Rdt intr mon secd:
Rdt intr mon secd:
Rdt vapor monitor:
Rdt vapor monitor:
Rdt other:
Not reported
Not reported
Not reported

Rdp line tightness: Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Not reported Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported Rdp other: Not reported Not reported Overfill prevent install date: Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrgls plstc: Not reported Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported Cpt dielectric coat: Not reported Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported Pipe ext corr protect date: Not reported Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Not reported Cpp cathodic protect: Cpp other: Not reported Install certification date: Not reported Install alt certificate num: Not reported Install cert worker name: Not reported Install cert worker emp name: Not reported Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Install insp by dept flag: Not reported Install mfr chklst comp flag: Not reported Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Closure alt cert num: Not reported Not reported Closure cert worker name: Closure cert worker emp name: Not reported Active: Not reported Bankrupt: Not reported Closed: Not reported Deferred: Not reported Filled: Not reported

Not reported

Hold:

Elevation Site

Distance

te Database(s) EPA ID Number

**WESTGATE SHELL (Continued)** 

U001894877

**EDR ID Number** 

Inactive:Not reportedRemoved:11/01/1995Sold:Not reportedTemp out of service:Not reported

 UST Tank Num:
 45210

 Tank Status:
 Removed

 Install Date:
 05/01/1966

 Total Capacity:
 500

 Number Of Compartments:
 1

Gasoline: Not reported Diesel: Not reported Gasohol: Not reported Kerosene: Not reported Heating Oil: Not reported New Used Oil: Yes

MS Aviation Fuel: Not reported MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Unknown: Not reported Other Sub: Not reported Steel Tank Covered With Asphalt: Not reported Cathodically Protected: Not reported Epoxy Coated Tank: Not reported A Composite Of Different Materials: Not reported Fiberglass Or Plastic: Not reported Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Made Of Concrete: Not reported Liner Covering Excavation Hole: Not reported Not reported Other Material:

Pipe Method Description:

Subject item desc:

Not reported

Underground Storage Tank

Service change date: Not reported Last service date: Not reported Current status start date: 12/01/1996 Current status end date: Not reported Not reported Emer gen fuel only flag: Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported Mcp galvanized steel: Not reported Mcp part stl fbrgls lines: Not reported Mcp copper: Not reported Mcp double walled: Not reported Not reported Mcp secondary contain: Mcp unknown:

Mcp other:

Not reported
Rdt manual gauging:

Not reported
Rdt tank tightness:

Not reported
Rdt invent control:

Not reported
Rdt auto guage:

Not reported
Not reported
Not reported
Not reported
Rdt grndwtr monitor:

**WESTGATE SHELL (Continued)** 

Distance
Elevation Site

Rdt intr mon dwall: Not reported Rdt intr mon secd: Not reported Not reported Rdt vapor monitor: Rdt other: Not reported Rdp line tightness: Not reported Not reported Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported Rdp other: Not reported Overfill prevent install date: Not reported Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrgls plstc: Not reported Cpt stl fbr plastic: Not reported Not reported Cpt expert no leak: Cpt dielectric coat: Not reported Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported Pipe ext corr protect date: Not reported Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Cpp cathodic protect: Not reported Cpp other: Not reported Install certification date: Not reported Install alt certificate num: Not reported Install cert worker name: Not reported Not reported Install cert worker emp name: Not reported Install cert by mfr flag: Not reported Install insp by reg eng flag: Install insp by dept flag: Not reported Install mfr chklst comp flag: Not reported Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Closure alt cert num: Not reported Not reported Closure cert worker name: Not reported Closure cert worker emp name: Active: Not reported Bankrupt: Not reported Closed: Not reported Deferred: Not reported Filled: Not reported Hold: Not reported Inactive: Not reported 12/01/1996 Removed: Not reported Sold: Temp out of service: Not reported **EDR ID Number** 

**EPA ID Number** 

U001894877

Database(s)

Direction Distance

Distance EDR ID Number Elevation Site EDR ID Number Database(s) EPA ID Number

A16 MOORES U-PAK-IT EDR Hist Auto 1020837524
North 2710 N 7TH ST N/A

< 1/8 WEST MONROE, LA 71291

0.029 mi.

154 ft. Site 11 of 16 in cluster A

Relative: Higher EDR Hist Auto

Actual: 95 ft.

Year: Name: Type:

1985 MOORES U-PAK-IT Gasoline Service Stations Gasoline Service Stations 1986 MOORES U-PAK-IT 1987 MOORES U-PAK-IT **Gasoline Service Stations** 1988 **MOORES U-PAK-IT Gasoline Service Stations MOORES U-PAK-IT** 1989 Gasoline Service Stations, NEC 1990 MOORES U-PAK-IT Gasoline Service Stations, NEC 1991 MOORES U-PAK-IT Gasoline Service Stations, NEC 1994 MOORES U-PAK-IT

Gasoline Service Stations, NEC 1995 MOORES U-PAK-IT Gasoline Service Stations, NEC Gasoline Service Stations, NEC 1996 MOORES U-PAK-IT 1997 NORTH 7TH STREET U-PAK-IT Gasoline Service Stations, NEC 1998 NORTH 7TH STREET U-PAK-IT Gasoline Service Stations, NEC 1999 NORTH 7TH STREET U-PAK-IT Gasoline Service Stations, NEC 2000 NORTH 7TH STREET U-PAK-IT Gasoline Service Stations, NEC 2001 NORTH 7TH STREET U-PAK-IT Gasoline Service Stations, NEC Gasoline Service Stations, NEC 2002 NORTH 7TH STREET U-PAK-IT 2003 NORTH 7TH STREET U-PAK-IT Gasoline Service Stations, NEC 2004 NORTH 7TH STREET U-PAK-IT Gasoline Service Stations, NEC 2005 NORTH 7TH STREET U-PAK-IT Gasoline Service Stations, NEC Gasoline Service Stations, NEC 2006 NORTH 7TH STREET U PAK IT 2007 NORTH 7TH STREET U PAK IT Gasoline Service Stations, NEC

2008 NORTH 7TH STREET U PAK IT Gasoline Service Stations, NEC 2009 NORTH 7TH STREET U PAK IT Gasoline Service Stations, NEC 2010 Gasoline Service Stations, NEC NORTH 7TH STREET U PAK IT 2011 NORTH 7TH STREET U PAK IT Gasoline Service Stations, NEC 2012 NORTH 7TH STREET U PAK IT Gasoline Service Stations, NEC 2013 NORTH 7TH STREET U PAK IT Gasoline Service Stations, NEC 2014 NORTH 7TH STREET U PAK IT Gasoline Service Stations, NEC

A17 N 7TH STREET U PAK IT

North 2710 N 7TH ST

< 1/8 WEST MONROE, LA 71291

0.029 mi.

154 ft. Site 12 of 16 in cluster A

Relative: UST:

HigherMaster Agency Id:76002Actual:Subject Item ID:1

95 ft.

UST Tank Num: 1597 **Tank Status: Removed**Install Date: 05/06/1972

Total Capacity: 8000
Number Of Compartments: 1
Gasoline: Yes

Diesel: Not reported
Gasohol: Not reported
Kerosene: Not reported
Heating Oil: Not reported
New Used Oil: Not reported
MS Aviation Fuel: Not reported

UST

U004271864

N/A

MAP FINDINGS Map ID

Direction Distance Elevation

Site Database(s) **EPA ID Number** 

## N 7TH STREET U PAK IT (Continued)

U004271864

**EDR ID Number** 

MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Unknown: Not reported Other Sub: Not reported Steel Tank Covered With Asphalt: Yes

Cathodically Protected: Not reported **Epoxy Coated Tank:** Not reported A Composite Of Different Materials: Not reported Fiberglass Or Plastic: Not reported Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Made Of Concrete: Not reported Liner Covering Excavation Hole: Not reported Other Material: Not reported Pipe Method Description: Not reported

Subject item desc: 1597-gasoline; removed

Service change date: Not reported Not reported Last service date: Current status start date: 01/01/1996 Current status end date: Not reported Emer gen fuel only flag: Not reported Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported

Mcp galvanized steel:

Mcp part stl fbrgls lines: Not reported Mcp copper: Not reported Mcp double walled: Not reported Mcp secondary contain: Not reported Mcp unknown: Not reported Mcp other: Not reported Rdt manual gauging: Not reported Rdt tank tightness: Not reported

Rdt invent control:

Rdt auto guage: Not reported

Rdt grndwtr monitor:

Rdt intr mon dwall: Not reported Rdt intr mon secd: Not reported Rdt vapor monitor: Not reported

Rdt other: Rdp line tightness: Υ

Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Not reported Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported Rdp other:

Overfill prevent install date: Not reported Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrgls plstc: Not reported Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported Cpt dielectric coat: Not reported

Direction Distance Elevation

tion Site Database(s) EPA ID Number

## N 7TH STREET U PAK IT (Continued)

U004271864

**EDR ID Number** 

Cpt impressed curr: Not reported Not reported Cpt cathodic protect: Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported Pipe ext corr protect date: Not reported Not reported Cpp fibrgls plastic: Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Not reported Cpp cathodic protect: Cpp other: Not reported Install certification date: 07/19/1990 Install alt certificate num: Not reported Install cert worker name: Not reported Install cert worker emp name: Not reported Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Install insp by dept flag: Not reported Install mfr chklst comp flag: Not reported Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Not reported Closure alt cert num: Closure cert worker name: Not reported Closure cert worker emp name: Not reported Active: Not reported Bankrupt: Not reported Closed: Not reported Not reported Deferred: Filled: Not reported Hold: Not reported Inactive: Not reported 01/01/1996 Removed: Not reported Sold: Temp out of service: Not reported

UST Tank Num: 1598

Tank Status: Removed
Install Date: 05/06/1972
Total Capacity: 6000

Number Of Compartments: 1
Gasoline: Yes

Diesel: Not reported Gasohol: Not reported Kerosene: Not reported Heating Oil: Not reported New Used Oil: Not reported MS Aviation Fuel: Not reported MS Additive: Not reported Not reported MS Antifreeze: MS Naptha: Not reported MS Varsol: Not reported Not reported Unknown: Other Sub: Not reported

Distance Elevation

Site Database(s) EPA ID Number

## N 7TH STREET U PAK IT (Continued)

Pipe Method Description:

U004271864

**EDR ID Number** 

Steel Tank Covered With Asphalt: Yes

Cathodically Protected: Not reported **Epoxy Coated Tank:** Not reported A Composite Of Different Materials: Not reported Fiberglass Or Plastic: Not reported Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Made Of Concrete: Not reported Liner Covering Excavation Hole: Not reported Other Material: Not reported

Subject item desc: 1598-gasoline; removed

Not reported

Service change date: Not reported Last service date: Not reported 01/01/1996 Current status start date: Not reported Current status end date: Emer gen fuel only flag: Not reported Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported

Mcp galvanized steel:

Mcp part stl fbrgls lines: Not reported Mcp copper: Not reported Mcp double walled: Not reported Mcp secondary contain: Not reported Mcp unknown: Not reported Mcp other: Not reported Rdt manual gauging: Not reported Rdt tank tightness: Not reported

Rdt invent control:

Rdt auto guage: Not reported

Rdt grndwtr monitor:

Rdt intr mon dwall:
Rdt intr mon secd:
Rdt vapor monitor:
Not reported
Not reported
Not reported

Rdt other: Y
Rdp line tightness: Y

Rdp grndwtr monitor:

Rdp intr mon dwall:

Rdp intr mon secd:

Rdp intr mon secd:

Not reported

Not reported

Not reported

Not reported

Not reported

Rdp other: Y

Overfill prevent install date: Not reported Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrgls plstc: Not reported Cpt stl fbr plastic: Not reported Not reported Cpt expert no leak: Cpt dielectric coat: Not reported Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Not reported Cpt interior lining: Cpt lined cathod prot: Not reported Cpt other: Not reported Pipe ext corr protect date: Not reported

Direction Distance Elevation

tion Site Database(s) EPA ID Number

## N 7TH STREET U PAK IT (Continued)

U004271864

**EDR ID Number** 

Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Not reported Cpp cathodic protect: Not reported Cpp other: 07/19/1990 Install certification date: Install alt certificate num: Not reported Install cert worker name: Not reported Install cert worker emp name: Not reported Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Install insp by dept flag: Not reported Install mfr chklst comp flag: Not reported Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Closure alt cert num: Not reported Closure cert worker name: Not reported Closure cert worker emp name: Not reported Active: Not reported Not reported Bankrupt: Closed: Not reported Deferred: Not reported Filled: Not reported Hold: Not reported Inactive: Not reported 01/01/1996 Removed: Sold: Not reported Temp out of service: Not reported

 UST Tank Num:
 1599

 Tank Status:
 Removed

 Install Date:
 05/06/1972

 Total Capacity:
 6000

 Number Of Compartments:
 1

 Gasoline:
 Yes

Diesel: Not reported Gasohol: Not reported Not reported Kerosene: Heating Oil: Not reported New Used Oil: Not reported Not reported MS Aviation Fuel: MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Not reported Unknown: Other Sub: Not reported

Steel Tank Covered With Asphalt:

Cathodically Protected:

Epoxy Coated Tank:

A Composite Of Different Materials:

Fiberglass Or Plastic:

Interior Line With Some Material:

Not reported

Not reported

Not reported

Not reported

Yes

Distance Elevation Site

Database(s)

#### N 7TH STREET U PAK IT (Continued)

U004271864

**EDR ID Number** 

**EPA ID Number** 

Double Wall As Opposed To Single Wall:
Outside Lined w/ Polyethylen Jacket:
Made Of Concrete:
Liner Covering Excavation Hole:
Other Material:
Pipe Method Description:
Not reported
Not reported
Not reported
Not reported

Subject item desc: 1599-gasoline; removed

Service change date: Not reported Last service date: Not reported Current status start date: 01/01/1996 Not reported Current status end date: Not reported Emer gen fuel only flag: Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported

Mcp galvanized steel:

Mcp part stl fbrgls lines: Not reported Mcp copper: Not reported Mcp double walled: Not reported Mcp secondary contain: Not reported Mcp unknown: Not reported Mcp other: Not reported Rdt manual gauging: Not reported Rdt tank tightness: Not reported Rdt invent control:

Rdt auto guage: Not reported

Rdt grndwtr monitor:

Rdt intr mon dwall:
Rdt intr mon secd:
Not reported
Not reported
Not reported
Not reported

Rdt other: Y
Rdp line tightness: Y

Rdp grndwtr monitor:

Rdp intr mon dwall:

Not reported

Rdp other: Y

Overfill prevent install date: Not reported Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Not reported Cpt fibrgls plstc: Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported Cpt dielectric coat: Not reported Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Not reported Cpt other: Pipe ext corr protect date: Not reported Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Cpp cathodic protect: Not reported

Direction
Distance
Elevation

EDR ID Number
Site Database(s) EPA ID Number

## N 7TH STREET U PAK IT (Continued)

U004271864

Cpp other: Not reported 07/19/1990 Install certification date: Install alt certificate num: Not reported Install cert worker name: Not reported Install cert worker emp name: Not reported Not reported Install cert by mfr flag: Not reported Install insp by reg eng flag: Install insp by dept flag: Not reported Install mfr chklst comp flag: Not reported Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Closure alt cert num: Not reported Closure cert worker name: Not reported Closure cert worker emp name: Not reported Active: Not reported Not reported Bankrupt: Closed: Not reported Deferred: Not reported Filled: Not reported Hold: Not reported Inactive: Not reported Removed: 01/01/1996 Sold: Not reported Temp out of service: Not reported

 UST Tank Num:
 40072

 Tank Status:
 Removed

 Install Date:
 01/01/1980

 Total Capacity:
 500

 Number Of Compartments:
 1

Gasoline: Not reported Diesel: Not reported Gasohol: Not reported Kerosene: Not reported Heating Oil: Not reported New Used Oil: Yes

MS Aviation Fuel:

MS Additive:

MS Antifreeze:

MS Naptha:

MS Varsol:

Unknown:

Other Sub:

Not reported

Steel Tank Covered With Asphalt: Yes Cathodically Protected: Not reported **Epoxy Coated Tank:** Not reported A Composite Of Different Materials: Not reported Fiberglass Or Plastic: Not reported Not reported Interior Line With Some Material: Double Wall As Opposed To Single Wall: Not reported Not reported Outside Lined w/ Polyethylen Jacket: Made Of Concrete: Not reported Liner Covering Excavation Hole: Not reported Not reported Other Material: Pipe Method Description: **Gravity Feed** 

Distance
Elevation Site Database(s)

N 7TH STREET U PAK IT (Continued)

U004271864

**EDR ID Number** 

**EPA ID Number** 

Subject item desc: Underground Storage Tank

Service change date: Not reported Not reported Last service date: 01/01/1996 Current status start date: Current status end date: Not reported Emer gen fuel only flag: Not reported Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported

Mcp galvanized steel:

Mcp part stl fbrgls lines:

Mcp copper:

Mcp double walled:

Mcp secondary contain:

Mcp unknown:

Mcp other:

Not reported

Rdt manual gauging: Y
Rdt tank tightness: Y

Rdt invent control: Not reported Rdt auto guage: Not reported Rdt grndwtr monitor: Not reported Rdt intr mon dwall: Not reported Rdt intr mon secd: Not reported Rdt vapor monitor: Not reported Rdt other: Not reported Rdp line tightness: Not reported Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Not reported Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported Rdp other: Not reported Overfill prevent install date: Not reported Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Not reported Cpt fibrgls plstc: Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported Cpt dielectric coat: Not reported Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported Pipe ext corr protect date: Not reported Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Not reported Cpp impressed curr: Cpp cathodic protect: Not reported Cpp other: Not reported Install certification date: Not reported Install alt certificate num: Not reported Install cert worker name: Not reported Install cert worker emp name: Not reported

Not reported

Install cert by mfr flag:

Direction
Distance
Elevation

ance EDR ID Number vation Site Database(s) EPA ID Number

#### N 7TH STREET U PAK IT (Continued)

U004271864

Install insp by reg eng flag: Not reported Not reported Install insp by dept flag: Install mfr chklst comp flag: Not reported Install cert alt method flag: Not reported Install cert alt method desc: Not reported Not reported Closure certification date: Not reported Closure alt cert num: Closure cert worker name: Not reported Not reported Closure cert worker emp name: Active: Not reported Bankrupt: Not reported Closed: Not reported Deferred: Not reported Filled: Not reported Hold: Not reported Not reported Inactive: Removed: 01/01/1996 Sold: Not reported Temp out of service: Not reported

 UST Tank Num:
 50260

 Tank Status:
 Active

 Install Date:
 09/01/1996

 Total Capacity:
 12000

 Number Of Compartments:
 1

 Gasoline:
 Yes

Diesel: Not reported Gasohol: Not reported Not reported Kerosene: Not reported Heating Oil: New Used Oil: Not reported MS Aviation Fuel: Not reported MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Unknown: Not reported Other Sub: Not reported Steel Tank Covered With Asphalt: Not reported Cathodically Protected: Not reported **Epoxy Coated Tank:** Not reported A Composite Of Different Materials: Yes

Fiberglass Or Plastic:
Interior Line With Some Material:
Double Wall As Opposed To Single Wall:
Not reported
Not reported

Outside Lined w/ Polyethylen Jacket:

Made Of Concrete:

Liner Covering Excavation Hole:

Other Material:

Pipe Method Description:

Subject item desc:

Not reported

Not reported

Pressure

50260-gasoline

Service change date:

Last service date:

Current status start date:

Current status end date:

Emer gen fuel only flag:

Not reported

Not reported

Not reported

Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

## N 7TH STREET U PAK IT (Continued)

U004271864

**EDR ID Number** 

Tank inert material desc:

Mot reported
Mct fibrgls plastic:

Mop bare steel:

Mcp galvanized steel:

Mcp part stl fbrgls lines:

Mcp copper:

Mcp double walled:

Not reported
Not reported
Y

Mcp secondary contain: Not reported Mcp unknown: Not reported Mcp other: Not reported Rdt manual gauging: Not reported Rdt tank tightness: Not reported Rdt invent control: Not reported Rdt auto guage: Not reported Rdt grndwtr monitor: Not reported Rdt intr mon dwall: Not reported Rdt intr mon secd: Not reported Rdt vapor monitor: Not reported

Rdt other: Y

Rdp line tightness:
Rdp grndwtr monitor:
Rdp intr mon dwall:
Rdp intr mon secd:
Rdp vapor monitor:
Not reported
Not reported
Not reported
Rdp vapor monitor:
Not reported

Rdp other:

Overfill prevent install date: Not reported

Alt spill overfill equip flag:

Alt spill overfill equip desc:

Tank ext corr protect date:

O5/01/1996

Cpt fibrgls plstc:

Not reported

Not reported

Cpt stl fbr plastic:

Cpt expert no leak: Not reported Cpt dielectric coat: Not reported Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Not reported Cpt interior lining: Cpt lined cathod prot: Not reported Cpt other: Not reported Pipe ext corr protect date: 05/01/1996 Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Cpp cathodic protect: Not reported Cpp other:

Install certification date: 09/30/1996
Install alt certificate num: IRC-0069

Install cert worker name: MARVIN FLEMING
Install cert worker emp name: EVANS OIL CO.

Install cert by mfr flag: Y
Install insp by reg eng flag: N
Install insp by dept flag: N
Install mfr chklst comp flag: N
Install cert alt method flag: N

Install cert alt method desc: Not reported Closure certification date: Not reported

Direction
Distance
Elevation

vation Site Database(s) EPA ID Number

#### N 7TH STREET U PAK IT (Continued)

U004271864

**EDR ID Number** 

Closure alt cert num: Not reported Closure cert worker name: Not reported Not reported Closure cert worker emp name: 10/14/1996 Active: Bankrupt: Not reported Closed: Not reported Deferred: Not reported Filled: Not reported Hold: Not reported Inactive: Not reported Removed: Not reported Not reported Sold: Temp out of service: Not reported

 UST Tank Num:
 50261

 Tank Status:
 Active

 Install Date:
 09/01/1996

 Total Capacity:
 6000

 Number Of Compartments:
 1

 Gasoline:
 Yes

Not reported Diesel: Gasohol: Not reported Kerosene: Not reported Heating Oil: Not reported New Used Oil: Not reported MS Aviation Fuel: Not reported MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Unknown: Not reported Other Sub: Not reported Steel Tank Covered With Asphalt: Not reported Cathodically Protected: Not reported **Epoxy Coated Tank:** Not reported

A Composite Of Different Materials: Yes

Fiberglass Or Plastic: Not reported Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Not reported Made Of Concrete: Liner Covering Excavation Hole: Not reported Other Material: Not reported Pressure Pipe Method Description: Subject item desc: 50261-gasoline Service change date: Not reported Last service date: Not reported Current status start date: 10/14/1996 Not reported Current status end date: Emer gen fuel only flag: Not reported Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported Mcp galvanized steel: Not reported Not reported Mcp part stl fbrgls lines: Mcp copper: Not reported

Distance Elevation Site

ite Database(s) EPA ID Number

#### N 7TH STREET U PAK IT (Continued)

U004271864

**EDR ID Number** 

Mcp double walled:

Not reported Mcp secondary contain: Not reported Mcp unknown: Mcp other: Not reported Rdt manual gauging: Not reported Not reported Rdt tank tightness: Not reported Rdt invent control: Rdt auto guage: Not reported Rdt grndwtr monitor: Not reported Rdt intr mon dwall: Not reported Not reported Rdt intr mon secd: Not reported Rdt vapor monitor:

Rdt other: Y

Rdp line tightness:
Rdp grndwtr monitor:
Rdp grndwtr monitor:
Rdp intr mon dwall:
Rdp intr mon secd:
Rdp intr mon secd:
Rdp vapor monitor:
Not reported
Not reported
Not reported

Rdp other:

Overfill prevent install date: 09/08/1996

Alt spill overfill equip flag: N

Alt spill overfill equip desc:

Tank ext corr protect date:

O5/01/1996
Cpt fibrgls plstc:

Not reported
Not reported

Cpt stl fbr plastic:

Cpt expert no leak: Not reported Cpt dielectric coat: Not reported Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Cpt other: Not reported Pipe ext corr protect date: 05/01/1996 Cpp fibrgls plastic: Not reported Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Cpp cathodic protect: Not reported

Cpp other: Y

Install certification date: 09/30/1996
Install alt certificate num: IRC-0069

Install cert worker name: MARVIN FLEMING Install cert worker emp name: EVAN OIL CO.

Install cert by mfr flag: Y
Install insp by reg eng flag: N
Install insp by dept flag: N
Install mfr chklst comp flag: N
Install cert alt method flag: N

Install cert alt method desc: Not reported Closure certification date: Not reported Closure alt cert num: Not reported Not reported Closure cert worker name: Not reported Closure cert worker emp name: Active: 10/14/1996 Not reported Bankrupt: Closed: Not reported

MAP FINDINGS Map ID

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

N 7TH STREET U PAK IT (Continued)

U004271864

N/A

Deferred: Not reported Filled: Not reported Hold: Not reported Inactive: Not reported Removed: Not reported Not reported Sold: Temp out of service: Not reported

JUNIOR FOOD MART 1022001989 **B18 EDR Hist Auto** 

Type:

**Grocery Stores** 

SSW **2419 NORTH 7TH** WEST MONROE, LA 71291 < 1/8

0.029 mi.

155 ft. Site 6 of 7 in cluster B

Relative: Higher

**EDR Hist Auto** 

1987

Year: Name: Actual:

1978 JUNIOR FOOD MART **Grocery Stores** 97 ft. 1979 JUNIOR FOOD MART **Grocery Stores** 1980 JUNIOR FOOD MART **Grocery Stores Grocery Stores** 1982 JUNIOR FOOD MART 1983 JUNIOR FOOD MART **Grocery Stores Grocery Stores** 1985 JUNIOR FOOD MART **Grocery Stores** 1986 JUNIOR FOOD MART

JUNIOR FOOD MART

5398

B19 UST U003925385 JUNIOR FOOD MART SSW 2419 N SEVENTH ST N/A

< 1/8 0.029 mi.

155 ft. Site 7 of 7 in cluster B

UST: Relative:

Higher Master Agency Id: 75518 Subject Item ID: Actual:

WEST MONROE, LA 71294

UST Tank Num:

97 ft.

Tank Status: Removed Install Date: 04/09/1970 Total Capacity: 10000 **Number Of Compartments:** Gasoline: Yes

Diesel: Not reported Gasohol: Not reported Kerosene: Not reported Heating Oil: Not reported New Used Oil: Not reported Not reported MS Aviation Fuel: MS Additive: Not reported Not reported MS Antifreeze: MS Naptha: Not reported MS Varsol: Not reported Unknown: Not reported Other Sub: Not reported

Steel Tank Covered With Asphalt: Yes

Cathodically Protected: Not reported

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

Not reported

Not reported

Not reported

**JUNIOR FOOD MART (Continued)** 

Pipe Method Description:

Cpp fibrgls plastic:

Cpp part stl fbrgls:

U003925385

**Epoxy Coated Tank:** Not reported A Composite Of Different Materials: Not reported Fiberglass Or Plastic: Not reported Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Made Of Concrete: Not reported Liner Covering Excavation Hole: Not reported Other Material: Not reported

Subject item desc: Underground Storage Tank

Not reported Service change date: Last service date: Not reported Current status start date: 06/01/1990 Current status end date: Not reported Emer gen fuel only flag: Not reported Not reported Tank inert material desc: Mct fibrgls plastic: Not reported Mcp bare steel: Not reported

Mcp galvanized steel:

Mcp part stl fbrgls lines: Not reported Mcp copper: Not reported Mcp double walled: Not reported Mcp secondary contain: Not reported Mcp unknown: Not reported Mcp other: Not reported Rdt manual gauging: Not reported Rdt tank tightness: Not reported Rdt invent control: Not reported Rdt auto guage: Not reported Rdt grndwtr monitor: Not reported Rdt intr mon dwall: Not reported Not reported Rdt intr mon secd: Rdt vapor monitor: Not reported Rdt other: Not reported Not reported Rdp line tightness: Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Not reported Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported Rdp other: Not reported Overfill prevent install date: Not reported Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrgls plstc: Not reported Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported Cpt dielectric coat: Not reported Not reported Cpt impressed curr: Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Not reported Cpt other: Pipe ext corr protect date: Not reported

MAP FINDINGS Map ID Direction

Distance Elevation

Site Database(s) **EPA ID Number** 

## **JUNIOR FOOD MART (Continued)**

U003925385

**EDR ID Number** 

Cpp expert no leak: Not reported Not reported Cpp dielectric coat: Cpp impressed curr: Not reported Cpp cathodic protect: Not reported Cpp other: Not reported Install certification date: Not reported Not reported Install alt certificate num: Install cert worker name: Not reported Install cert worker emp name: Not reported Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Install insp by dept flag: Not reported Install mfr chklst comp flag: Not reported Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Not reported Closure alt cert num: Closure cert worker name: Not reported Closure cert worker emp name: Not reported Active: Not reported Bankrupt: Not reported Closed: Not reported Deferred: Not reported Filled: Not reported Not reported Hold: Inactive: Not reported 06/01/1990 Removed: Sold: Not reported Temp out of service: Not reported

**UST Tank Num:** 5399 **Tank Status:** Removed Install Date: 04/09/1970 10000 Total Capacity: Number Of Compartments: Yes Gasoline:

Diesel: Not reported Gasohol: Not reported Kerosene: Not reported Heating Oil: Not reported New Used Oil: Not reported MS Aviation Fuel: Not reported Not reported MS Additive: MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Unknown: Not reported Other Sub: Not reported Yes

Steel Tank Covered With Asphalt:

Cathodically Protected: Not reported **Epoxy Coated Tank:** Not reported A Composite Of Different Materials: Not reported Fiberglass Or Plastic: Not reported Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported

MAP FINDINGS Map ID Direction

Distance Elevation Site

Database(s) **EPA ID Number** 

## **JUNIOR FOOD MART (Continued)**

U003925385

**EDR ID Number** 

Made Of Concrete: Not reported Liner Covering Excavation Hole: Not reported Other Material: Not reported Pipe Method Description: Not reported

Subject item desc: **Underground Storage Tank** 

Service change date: Not reported Not reported Last service date: 06/01/1990 Current status start date: Not reported Current status end date: Emer gen fuel only flag: Not reported Tank inert material desc: Not reported Not reported Mct fibrgls plastic: Mcp bare steel: Not reported

Mcp galvanized steel:

Mcp part stl fbrgls lines: Not reported Mcp copper: Not reported Not reported Mcp double walled: Mcp secondary contain: Not reported Mcp unknown: Not reported Mcp other: Not reported Rdt manual gauging: Not reported Rdt tank tightness: Not reported Rdt invent control: Not reported Rdt auto guage: Not reported Rdt grndwtr monitor: Not reported Rdt intr mon dwall: Not reported Rdt intr mon secd: Not reported Rdt vapor monitor: Not reported Rdt other: Not reported Not reported Rdp line tightness: Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Not reported Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported Rdp other: Not reported Not reported Overfill prevent install date: Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrgls plstc: Not reported Cpt stl fbr plastic: Not reported Not reported Cpt expert no leak: Cpt dielectric coat: Not reported Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported Pipe ext corr protect date: Not reported Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Cpp cathodic protect: Not reported Cpp other: Not reported

Not reported

Install certification date:

Direction Distance Elevation

Site Database(s) EPA ID Number

### **JUNIOR FOOD MART (Continued)**

U003925385

**EDR ID Number** 

Install alt certificate num: Not reported Not reported Install cert worker name: Not reported Install cert worker emp name: Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Install insp by dept flag: Not reported Not reported Install mfr chklst comp flag: Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Closure alt cert num: Not reported Not reported Closure cert worker name: Closure cert worker emp name: Not reported Active: Not reported Bankrupt: Not reported Closed: Not reported Deferred: Not reported Filled: Not reported Hold: Not reported Inactive: Not reported Removed: 06/01/1990 Sold: Not reported Temp out of service: Not reported

 UST Tank Num:
 5400

 Tank Status:
 Removed

 Install Date:
 04/09/1970

 Total Capacity:
 10000

 Number Of Compartments:
 1

 Gasoline:
 Yes

Diesel: Not reported Gasohol: Not reported Kerosene: Not reported Not reported Heating Oil: New Used Oil: Not reported MS Aviation Fuel: Not reported MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Not reported Unknown: Other Sub: Not reported

Steel Tank Covered With Asphalt: Yes Cathodically Protected: Not reported Epoxy Coated Tank: Not reported A Composite Of Different Materials: Not reported Fiberglass Or Plastic: Not reported Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Made Of Concrete: Not reported Not reported Liner Covering Excavation Hole: Other Material: Not reported

Subject item desc: Underground Storage Tank

Not reported

Service change date: Not reported

Pipe Method Description:

Distance Elevation Site

ite Database(s)

U003925385

**EDR ID Number** 

**EPA ID Number** 

#### JUNIOR FOOD MART (Continued)

Last service date:

Current status start date:

Current status end date:

Emer gen fuel only flag:

Tank inert material desc:

Mot reported

Mot fibrgls plastic:

Mot reported

Not reported

Not reported

Not reported

Not reported

Not reported

Mcp bare steel: Not reported Mcp galvanized steel: Mcp part stl fbrgls lines: Not reported Mcp copper: Not reported Mcp double walled: Not reported Not reported Mcp secondary contain: Mcp unknown: Not reported Mcp other: Not reported Rdt manual gauging: Not reported Rdt tank tightness: Not reported Rdt invent control: Not reported Rdt auto quage: Not reported Rdt grndwtr monitor: Not reported Rdt intr mon dwall: Not reported Rdt intr mon secd: Not reported Rdt vapor monitor: Not reported Rdt other: Not reported Rdp line tightness: Not reported Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Not reported Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported Rdp other: Not reported Overfill prevent install date: Not reported Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrgls plstc: Not reported Not reported Cpt stl fbr plastic: Not reported Cpt expert no leak: Cpt dielectric coat: Not reported Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported Pipe ext corr protect date: Not reported Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Cpp cathodic protect: Not reported Cpp other: Not reported Install certification date: Not reported Install alt certificate num: Not reported Install cert worker name: Not reported Install cert worker emp name: Not reported Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Install insp by dept flag: Not reported

MAP FINDINGS Map ID

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

# **JUNIOR FOOD MART (Continued)**

U003925385

Install mfr chklst comp flag: Not reported Not reported Install cert alt method flag: Install cert alt method desc: Not reported Closure certification date: Not reported Closure alt cert num: Not reported Not reported Closure cert worker name: Not reported Closure cert worker emp name: Active: Not reported Bankrupt: Not reported Closed: Not reported Deferred: Not reported Filled: Not reported Not reported Hold: Inactive: Not reported 06/01/1990 Removed: Sold: Not reported Not reported Temp out of service:

A20 **CMA PROPERTIES** AUL S112658496 VCP North 2712-2718 N SEVENTH ST N/A WEST MONROE, LA 71291 **REM** 

< 1/8 0.051 mi. 271 ft.

Site 13 of 16 in cluster A

Relative: AUL: Higher

Actual:

Facility ID: Not reported Type: Remediation Services

96 ft. Incident Number: Not reported Not reported Agency Interest Id:

PPM Project Number: Not reported Parish: Ouachita

Comments: Inactive & Abandoned Sites

Custom Tank Desc: Not reported Not reported Document ID: Not reported Document Type: Document Sub Type: Not reported Date: Not reported Description: Not reported PGS: Not reported

Facility ID: Not reported

Type: Remediation Services

Incident Number: Not reported Agency Interest Id: Not reported PPM Project Number: Not reported Parish: Ouachita

Inactive & Abandoned Sites Comments:

Custom Tank Desc: Not reported Document ID: Not reported Document Type: Not reported Document Sub Type: Not reported Not reported Date: Description: Not reported PGS: Not reported

13170 Facility ID:

Type: Remediation Services

Incident Number: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

## CMA PROPERTIES (Continued)

S112658496

**EDR ID Number** 

Agency Interest Id: Not reported PPM Project Number: Not reported Parish: Ouachita

Comments: Inactive & Abandoned Sites

Custom Tank Desc: Not reported
Document ID: 7620346
Document Type: Reports
Document Sub Type: Not reported
Date: 02/26/2007

Description: Conveyance notice & voluntary remedial action report

PGS: 31

VCP:

Name: CMA PROPERTIES
Address: 2712-2718 N SEVENTH ST
City, State, Zip: WEST MONROE, LA

DEQ AI #: 13170
Date Closed: 07/17/2007
Site Also Known As: Not reported
Facility Parish: Ouachita
Acres: 0.44

Applicant name: Chuck Adams
DEQ Contact: David Mcqueen
Date of Applicantion: 04/21/2003

Remedial Investigaton/Action Phase: Action Phase - Partial

Status: COC Unrestricted Use: No

Investigation Approval Date: Not reported

Use Restrictions/Institutional Controls A: A - Conveyance Notice

Use Restrictions/Institutional Controls B: Not reported
Use Restrictions/Institutional Controls C: Not reported

Use Restrictions/Institutional Controls D: D - Excavation Restriction
Use Restrictions/Institutional Controls E: E - Groundwater Use Restriction

Use Restrictions/Institutional Controls F: Not reported

Use Restrictions/Institutional Controls G: G - Cap/Surface Soil Barrier Construction and Maintenance

Use Restrictions/Institutional Controls H: Not reported

Use Restrictions/Institutional Controls I: I - Future Right of Access to LDEQ

 Latitude:
 32.528333

 Longitude:
 -92.141389

REM:

Name: CMA PROPERTIES Address: 2712-2718 N SEVENTH ST

Address 2: Not reported

City, State, Zip: WEST MONROE, LA 712910000

Al Num: 13170
Evaluated And Closed: 07/17/2007
Program: VRP

EAC Type: Granted VRP Completion Certificate

Comments: EDMS ID 5830991.

Direction Distance

**EDR ID Number** Elevation Site **EPA ID Number** Database(s)

A21 **FASHION CLEANERS INC EDR Hist Cleaner** 1018807162 North

2712 N 7TH N/A

WEST MONROE, LA 71291 < 1/8

0.051 mi.

271 ft. Site 14 of 16 in cluster A

Relative: Higher

96 ft.

**EDR Hist Cleaner** 

Year: Name: Actual: 1969 HAWTHORNE NILE H SAM

> 1970 HAWTHORNE NILE H SAM 1971 HAWTHORNE NILE H SAM 1972 HAWTHORNE NILE H SAM 1973 HAWTHORNE NILE H SAM 1974 HAWTHORNE NILE H SAM 1975 HAWTHORNE NILE H SAM

1976 HAWTHORNE NILE H SAM HAWTHORNE NILE H SAM 1977 1978 ALC INC 1979 ALC INC

1980 ALC INC **FASHION CLEANERS INC** 1983 FASHION CLEANERS INC 1985 1986 **FASHION CLEANERS INC** 1987

**FASHION CLEANERS INC** 1988 **FASHION CLEANERS INC** 1989 **FASHION CLEANERS INC** 1990 **FASHION CLEANERS INC** 1991 **FASHION CLEANERS INC** 1992 **FASHION CLEANERS INC** 1993 **FASHION CLEANERS INC** 

1994 **FASHION CLEANERS INC** 1995 **FASHION CLEANERS INC** 1996 **FASHION CLEANERS INC FASHION CLEANERS INC** 1997

Type:

Drycleaning Plants, Except Rugs Drycleaning Plants, Except Rugs

Drycleaning Plants, Except Rugs Drycleaning Plants, Except Rugs Drycleaning Plants, Except Rugs Drycleaning Plants, Except Rugs Drycleaning Plants, Except Rugs, NEC Drycleaning Plants, Except Rugs, NEC

**RCRA-VSQG** 

A22 **MODERN CLEANERS & LAUNDRY INC** 

North 2712 N 7TH ST < 1/8 **W MONROE, LA 71291** 

0.051 mi.

271 ft. Site 15 of 16 in cluster A

Relative: RCRA-VSQG:

Higher Date form received by agency: 02/25/1991

Facility name: **MODERN CLEANERS & LAUNDRY INC** Actual:

Facility address: 2712 N 7TH ST 96 ft. W MONROE, LA 71291

LAD985192319

EPA ID: Mailing address: N 7TH ST

W MONROE, LA 71291 Contact: JOHN OBED

Contact address: 2712 N 7TH ST W MONROE, LA 71291

Contact country: US

Contact telephone: 318-388-3500 Contact email: Not reported EPA Region: 06 Land type: Private

Conditionally Exempt Small Quantity Generator Classification:

Description: Handler: generates 100 kg or less of hazardous waste per calendar 1000469198

LAD985192319

Direction Distance Elevation

Site Database(s) EPA ID Number

#### **MODERN CLEANERS & LAUNDRY INC (Continued)**

1000469198

**EDR ID Number** 

month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: JOHN OBED
Owner/operator address: 2712 N 7TH ST

WEST MONROE, LA 71291

Owner/operator country: Not reported Owner/operator telephone: 318-388-3500 Owner/operator email: Not reported Owner/operator fax: Not reported Owner/operator extension: Not reported Legal status: Private Owner/Operator Type: Owner Owner/Op start date: Not reported Owner/Op end date: Not reported

#### Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: Nο Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No No Used oil transporter:

# Hazardous Waste Summary:

Waste code: D001

. Waste name: IGNITABLE WASTE

Waste code: D039

. Waste name: TETRACHLOROETHYLENE

Facility Has Received Notices of Violations:

Regulation violated: SR - LAC33V1117; 1115

Direction Distance

Elevation Site Database(s) EPA ID Number

### MODERN CLEANERS & LAUNDRY INC (Continued)

1000469198

**EDR ID Number** 

Area of violation: Generators - General

Date violation determined: 03/17/1994
Date achieved compliance: 05/01/1996
Violation lead agency: State

Enforcement action: FINAL 3008(A) COMPLIANCE ORDER

Enforcement action date: 08/26/1994
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - LAC33V2111B2 2111B3/ 1119

Area of violation: Generators - General

Date violation determined: 03/17/1994
Date achieved compliance: 05/01/1996
Violation lead agency: State

Enforcement action: FINAL 3008(A) COMPLIANCE ORDER

Enforcement action date: 08/26/1994
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - LAC33V1103 Area of violation: Generators - General

Date violation determined: 03/17/1994
Date achieved compliance: 05/01/1996
Violation lead agency: State

Enforcement action: FINAL 3008(A) COMPLIANCE ORDER

Enforcement action date: 08/26/1994
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - LAC33V1111B
Area of violation: Generators - General

Date violation determined: 03/17/1994
Date achieved compliance: 09/27/1994
Violation lead agency: State

Enforcement action: FINAL 3008(A) COMPLIANCE ORDER

Enforcement action date: 08/26/1994
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - LAC33V11090E1d; 2107A

Area of violation: Generators - General

Direction Distance

Elevation Site Database(s) EPA ID Number

## MODERN CLEANERS & LAUNDRY INC (Continued)

1000469198

**EDR ID Number** 

Date violation determined: 03/17/1994
Date achieved compliance: 05/01/1996
Violation lead agency: State

Enforcement action: FINAL 3008(A) COMPLIANCE ORDER

Enforcement action date: 08/26/1994
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - LAC33V1109E1d; 2109B

Area of violation: Generators - General

Date violation determined: 03/17/1994
Date achieved compliance: 05/01/1996
Violation lead agency: State

Enforcement action: FINAL 3008(A) COMPLIANCE ORDER

Enforcement action date: 08/26/1994
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State

Proposed penalty amount: Not reported Final penalty amount: Not reported Paid penalty amount: Not reported

**Evaluation Action Summary:** 

Evaluation date: 03/17/1994

Evaluation: FOCUSED COMPLIANCE INSPECTION

Area of violation: Generators - General

Date achieved compliance: 05/01/1996 Evaluation lead agency: State

Evaluation date: 03/17/1994

Evaluation: FOCUSED COMPLIANCE INSPECTION

Area of violation: Generators - General

Date achieved compliance: 09/27/1994 Evaluation lead agency: State

A23 MODERN CLNR DRYCLEANERS S107446155
North 2716 N 7TH ST N/A

North 2716 N 7TH ST < 1/8 W MONROE, LA

0.066 mi.

348 ft. Site 16 of 16 in cluster A

Relative: DRYCLEANERS: Higher Facility ID:

Higher Facility ID: 13170

Actual: Owner: KEN ADAMS
95 ft. Owner Telephone: Not reported
Store Telephone: 318-388-3501

Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

24 NORTH SEVENTH STREET U-PUMP-IT UST U001897767
SSW 2407 N SEVENTH ST N/A

36567

< 1/8 WEST MONROE, LA 71291 0.092 mi. 486 ft.

Relative: UST:

HigherMaster Agency Id:68975Actual:Subject Item ID:1

**UST Tank Num:** 

94 ft.

Tank Status:RemovedInstall Date:01/01/1980Total Capacity:8000Number Of Compartments:1Gasoline:Yes

Diesel: Not reported Gasohol: Not reported Not reported Kerosene: Heating Oil: Not reported New Used Oil: Not reported MS Aviation Fuel: Not reported MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Unknown: Not reported Other Sub: Not reported

Steel Tank Covered With Asphalt: Yes

Cathodically Protected: Not reported **Epoxy Coated Tank:** Not reported A Composite Of Different Materials: Not reported Not reported Fiberglass Or Plastic: Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Not reported Made Of Concrete: Liner Covering Excavation Hole: Not reported Not reported Other Material:

Pipe Method Description: Not reported

Subject item desc: Underground Storage Tank

Service change date: Not reported Last service date: Not reported 06/01/1997 Current status start date: Current status end date: Not reported Emer gen fuel only flag: Not reported Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported Mcp galvanized steel: Mcp part stl fbrgls lines: Not reported Not reported Mcp copper: Not reported

Mcp double walled:
Mcp secondary contain:
Mcp unknown:
Mcp unknown:
Mcp other:
Rdt manual gauging:
Rdt tank tightness:
Rdt invent control:
Not reported
Not reported
Not reported
Not reported
Not reported

**EDR ID Number** 

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

## NORTH SEVENTH STREET U-PUMP-IT (Continued)

U001897767

Rdt auto guage: Not reported Not reported Rdt grndwtr monitor: Rdt intr mon dwall: Not reported Rdt intr mon secd: Not reported Rdt vapor monitor: Not reported Not reported Rdt other: Not reported Rdp line tightness: Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Not reported Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported Rdp other: Not reported Overfill prevent install date: Not reported Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrgls plstc: Not reported Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported Cpt dielectric coat: Not reported Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported Pipe ext corr protect date: Not reported Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Cpp cathodic protect: Not reported Cpp other: Not reported Install certification date: Not reported Not reported Install alt certificate num: Not reported Install cert worker name: Not reported Install cert worker emp name: Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Install insp by dept flag: Not reported Install mfr chklst comp flag: Not reported Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Closure alt cert num: Not reported Closure cert worker name: Not reported Closure cert worker emp name: Not reported Active: Not reported Bankrupt: Not reported Not reported Closed: Deferred: Not reported Filled: Not reported Not reported Hold: Inactive: Not reported Removed: 06/01/1997 Not reported Sold: Temp out of service: Not reported

MAP FINDINGS Map ID Direction

Distance Elevation

Site Database(s) **EPA ID Number** 

## NORTH SEVENTH STREET U-PUMP-IT (Continued)

U001897767

**EDR ID Number** 

**UST Tank Num:** 36568 Tank Status: Removed 01/01/1980 Install Date: 8000 **Total Capacity: Number Of Compartments:** Gasoline: Yes

Not reported Diesel: Gasohol: Not reported Not reported Kerosene: Heating Oil: Not reported New Used Oil: Not reported MS Aviation Fuel: Not reported MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Not reported Unknown: Other Sub: Not reported

Steel Tank Covered With Asphalt: Yes

Cathodically Protected: Not reported **Epoxy Coated Tank:** Not reported A Composite Of Different Materials: Not reported Fiberglass Or Plastic: Not reported Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Made Of Concrete: Not reported Liner Covering Excavation Hole: Not reported Other Material: Not reported Pipe Method Description: Not reported

Underground Storage Tank Subject item desc:

Service change date: Not reported Last service date: Not reported Current status start date: 06/01/1997 Not reported Current status end date: Not reported Emer gen fuel only flag: Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported

Mcp galvanized steel:

Mcp part stl fbrgls lines: Not reported Not reported Mcp copper: Mcp double walled: Not reported Mcp secondary contain: Not reported Mcp unknown: Not reported Mcp other: Not reported Rdt manual gauging: Not reported Rdt tank tightness: Not reported Rdt invent control: Not reported Not reported Rdt auto guage: Rdt grndwtr monitor: Not reported Rdt intr mon dwall: Not reported Rdt intr mon secd: Not reported Rdt vapor monitor: Not reported Rdt other: Not reported Rdp line tightness: Not reported Rdp grndwtr monitor: Not reported

MAP FINDINGS Map ID Direction

Distance Elevation Site

Database(s)

Not reported

Not reported

Not reported

Not reported

U001897767

**EDR ID Number** 

**EPA ID Number** 

#### **NORTH SEVENTH STREET U-PUMP-IT (Continued)**

Rdp intr mon dwall: Not reported Not reported Rdp intr mon secd: Rdp vapor monitor: Not reported Rdp other: Not reported Overfill prevent install date: Not reported Alt spill overfill equip flag: Not reported Not reported Alt spill overfill equip desc: Tank ext corr protect date: Not reported Cpt fibrgls plstc: Not reported Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported Cpt dielectric coat: Not reported Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Cpt interior lining: Not reported

Cpt lined cathod prot: Not reported Not reported Cpt other: Pipe ext corr protect date: Not reported Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Not reported Cpp impressed curr: Cpp cathodic protect: Not reported Cpp other: Not reported Install certification date: Not reported

Install alt certificate num:

Install cert worker name:

Closure cert worker name:

Closure cert worker emp name:

Install cert worker emp name: Not reported Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Install insp by dept flag: Not reported Install mfr chklst comp flag: Not reported Install cert alt method flag: Not reported Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Closure alt cert num:

Active: Not reported Bankrupt: Not reported Closed: Not reported Deferred: Not reported Filled: Not reported Hold: Not reported Not reported Inactive: Removed: 06/01/1997

Sold: Not reported Temp out of service: Not reported

MAP FINDINGS Map ID

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

C25 **ECOLOGY SVCS RCRA NonGen / NLR** 1000704370 North 2801 N 7TH ST LAD985201417

W MONROE, LA 71291 < 1/8

0.093 mi.

492 ft. Site 1 of 2 in cluster C Relative: RCRA NonGen / NLR:

Higher Date form received by agency: 06/26/1991 **ECOLOGY SVCS** Facility name: Actual: Facility address: 2801 N 7TH ST 98 ft.

W MONROE, LA 71291

EPA ID: LAD985201417 Mailing address: PO BOX 950

W MONROE, LA 71294

Contact: RALPH GREER Contact address: PO BOX 950

W MONROE, LA 71294

Contact country: US

Contact telephone: 318-396-1938 Contact email: Not reported EPA Region: 06 Land type: Private

Classification: Non-Generator

Handler: Non-Generators do not presently generate hazardous waste Description:

Owner/Operator Summary:

Owner/operator name: RALPH GREER Owner/operator address: 2801 N SEVENTH ST

W MONROE, LA 71291

Owner/operator country: Not reported Owner/operator telephone: 318-396-1938 Owner/operator email: Not reported Owner/operator fax: Not reported Owner/operator extension: Not reported Legal status: Private Owner/Operator Type: Owner

Owner/Op start date: Not reported Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: Yes Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Violation Status: No violations found

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

**ECOLOGY SVCS (Continued)** 

1000704370

**Evaluation Action Summary:** 

Evaluation date: 08/16/2017

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE

Area of violation: Not reported Date achieved compliance: Not reported Evaluation lead agency: State

C26 **BENNETT WILLIAM E EDR Hist Auto** 1022048372

N/A

U000214969

N/A

HIST LUST

UST

North 2800 N 7TH ST < 1/8 WEST MONROE, LA 71291

0.094 mi.

496 ft.

Site 2 of 2 in cluster C

Relative: Higher

**EDR Hist Auto** 

Name: Actual: Year: Type:

BENNETT WILLIAM E 1970 **Gasoline Service Stations** 97 ft.

1971 BENNETT WILLIAM E Gasoline Service Stations 1972 BENNETT WILLIAM E **Gasoline Service Stations** 1973 BENNETT WILLIAM E **Gasoline Service Stations** 1974 BENNETT WILLIAM E **Gasoline Service Stations** 1975 Gasoline Service Stations BENNETT WILLIAM E 1976 BENNETT WILLIAM E Gasoline Service Stations

27 **JESSE F HEARD & SONS INC** 

SE **503 OAKLAWN DR** < 1/8 WEST MONROE, LA 71291

0.103 mi. 545 ft.

80 ft.

Relative: HIST LUST:

Lower 37-005286 Facility ID: Facility Parish: **OUACHITA** Actual: **GASOLINE** Substance Name:

Substance Name 2: Not reported Quantity: UKNOWN Quantity 2: Not reported 08/10/1990 Date Confirmed: Date Confirmed 2: Not reported Incident Number: 90-8-0160 Incident Date: 08/10/1990

Type of Incident: **UST LEAK** Not reported Type of Incident No2: MIKE PERRY/ PERRY & SONS Reported By:

Reported By 2: Not reported 00150300 Owner ID:

Owner Name: JESSE F. HEARD & SONS, INC.

Owner Address: 503 OAKLAWN DR. WEST MONROE, LA 71291 Owner City, St, Zip:

Assessment Pending Info: Yes

Assessment Request Date: Not reported Assessment Plan Due Date: Not reported Assessment Plan Received Date: Not reported Assessment Approved Date: Not reported Assessment Contractor: Not reported Assess Date Add Info Due: Not reported Assess Date Add Info Recd: Not reported

MAP FINDINGS Map ID

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

## JESSE F HEARD & SONS INC (Continued)

U000214969

Assess Date Add Info Due2: Not reported Assess Date Add Info Recd: Not reported Assess Date Add Info Due3: Not reported Corrective Plan Due Date: Not reported Corrective Plan Received Date: Not reported 09/25/1990 Corrective Plan Approved Date: Not reported Corr Act Date Add Info Due: Corr Act Date Add Info Recd: Not reported Corr Act Date Add Info Due2: Not reported Corr Act Date Add Info Recd2: Not reported Corr Act Date Add Info Due3: Not reported Remediation Method: Not reported Remediation Date: Not reported Remediation Terminated Date: Not reported

LA HIST LUST INCIDENT:

Not reported Comments:

LA HIST LUST ASSESMENT:

Comments: DURING UST CLOSURE, PRODUCT WAS SPILLED IN EXCAVATION SITE. GROUNDWATER WAS

ENCOUNTERED. SOIL SAMPLES REVEALED BTEX CONCENTRATIONDEQ INSPECTION 8/15/90: A SHEEN WAS NOTED ON THE WATER TABLE.CORROSION HOLES FOUND IN TANK. THE REMAINING

WATER WAS REMOVED.CLOSURE WAS REQUESTED AND ACCEPTED.

LA HIST LUST CORRECTIVE ACTION:

Comments: Not reported

Facility ID: 37-005286 Facility Parish: **OUACHITA** Substance Name: Not reported Substance Name 2: Not reported Not reported Quantity: Quantity 2: Not reported Date Confirmed: Not reported Date Confirmed 2: Not reported 90-8-0160 Incident Number: 08/10/1990 Incident Date:

Type of Incident: Not reported Type of Incident No2: Not reported

Reported By: Not reported Reported By 2: Not reported Owner ID: 00150300

JESSE F. HEARD & SONS, INC. Owner Name:

Owner Address: 503 OAKLAWN DR. Owner City, St, Zip: WEST MONROE, LA 71291

Assessment Pending Info: Yes

Assessment Request Date: Not reported Assessment Plan Due Date: Not reported Assessment Plan Received Date: Not reported Not reported Assessment Approved Date: Assessment Contractor: Not reported Assess Date Add Info Due: Not reported Not reported Assess Date Add Info Recd: Assess Date Add Info Due2: Not reported Assess Date Add Info Recd: Not reported Assess Date Add Info Due3: Not reported Corrective Plan Due Date: Not reported Corrective Plan Received Date: Not reported 09/25/1990 Corrective Plan Approved Date:

MAP FINDINGS Map ID Direction

Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

## **JESSE F HEARD & SONS INC (Continued)**

U000214969

Corr Act Date Add Info Due: Not reported Not reported Corr Act Date Add Info Recd: Corr Act Date Add Info Due2: Not reported Corr Act Date Add Info Recd2: Not reported Corr Act Date Add Info Due3: Not reported Not reported Remediation Method: Remediation Date: Not reported Remediation Terminated Date: Not reported

LA HIST LUST INCIDENT:

Comments: Not reported

LA HIST LUST ASSESMENT:

DURING UST CLOSURE, PRODUCT WAS SPILLED IN EXCAVATION SITE. GROUNDWATER WAS Comments:

ENCOUNTERED. SOIL SAMPLES REVEALED BTEX CONCENTRATIONDEQ INSPECTION 8/15/90: A SHEEN WAS NOTED ON THE WATER TABLE.CORROSION HOLES FOUND IN TANK. THE REMAINING

WATER WAS REMOVED.CLOSURE WAS REQUESTED AND ACCEPTED.

LA HIST LUST CORRECTIVE ACTION:

Comments: Not reported

UST:

Master Agency Id: 73252 Subject Item ID:

14681 UST Tank Num: Tank Status: Closed Install Date: 04/25/1971 Total Capacity: 1000

Number Of Compartments: Not reported Gasoline: Diesel: Not reported Gasohol: Not reported Kerosene: Not reported Heating Oil: Not reported Not reported New Used Oil: MS Aviation Fuel: Not reported MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Unknown: Not reported Other Sub: Not reported Steel Tank Covered With Asphalt: Not reported Cathodically Protected: Not reported Epoxy Coated Tank: Not reported A Composite Of Different Materials: Not reported Fiberglass Or Plastic: Not reported

Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Made Of Concrete: Not reported Liner Covering Excavation Hole: Not reported

Not reported Other Material: Pipe Method Description: Not reported

Subject item desc: **Underground Storage Tank** 

Service change date: Not reported Last service date: Not reported

Distance Elevation Site

Site Database(s) EPA ID Number

01/01/1980

Not reported

#### **JESSE F HEARD & SONS INC (Continued)**

Current status start date:

U000214969

**EDR ID Number** 

Current status end date: Not reported Emer gen fuel only flag: Not reported Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported Mcp galvanized steel: Mcp part stl fbrgls lines: Not reported Mcp copper: Not reported Mcp double walled: Not reported Not reported Mcp secondary contain: Not reported Mcp unknown: Mcp other: Not reported Rdt manual gauging: Not reported Rdt tank tightness: Not reported Rdt invent control: Not reported Not reported Rdt auto guage: Rdt grndwtr monitor: Not reported Rdt intr mon dwall: Not reported Rdt intr mon secd: Not reported Not reported Rdt vapor monitor: Rdt other: Not reported Rdp line tightness: Not reported Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Not reported Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported Rdp other: Not reported Overfill prevent install date: Not reported Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrals plstc: Not reported Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported Not reported Cpt dielectric coat: Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported Pipe ext corr protect date: Not reported Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Cpp cathodic protect: Not reported Cpp other: Not reported Not reported Install certification date: Install alt certificate num: Not reported Install cert worker name: Not reported Install cert worker emp name: Not reported Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Install insp by dept flag: Not reported

Install mfr chklst comp flag:

Direction Distance

Elevation Site Database(s) EPA ID Number

JESSE F HEARD & SONS INC (Continued)

U000214969

1004710433

LAD985191196

**RCRA-VSQG** 

**EDR ID Number** 

Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Not reported Closure alt cert num: Closure cert worker name: Not reported Not reported Closure cert worker emp name: Not reported Active: Bankrupt: Not reported Closed: 01/01/1980 Deferred: Not reported Filled: Not reported Hold: Not reported Inactive: Not reported Removed: Not reported Sold: Not reported Temp out of service: Not reported

\_\_\_\_\_

28 C & D AUTOMOTIVE SSE 103 POWELL 1/8-1/4 W MONROE, LA 71291

0.166 mi. 876 ft.

Relative: RCRA-VSQG:

**Lower** Date form received by agency: 01/09/1991

Actual: Facility name: C & D AUTOMOTIVE 81 ft. Facility address: 103 POWELL

W MONROE, LA 71291

EPA ID: LAD985191196

Mailing address: POWELL

W MONROE, LA 71291
Contact: CURTIS RAMSEY
Contact address: 103 POWELL

W MONROE, LA 71291

Contact country: US

Contact telephone: 318-388-2704 Contact email: Not reported

EPA Region: 06

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time;

month, and accumulates 1000 kg or less of hazardous waste at any time or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from

the cleanup of a spill, into or on any land or water, of acutely

hazardous waste

Owner/Operator Summary:

Owner/operator name: CURTIS RAMSEY
Owner/operator address: 1001 N 3RD

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

#### C & D AUTOMOTIVE (Continued)

1004710433

W MONROE, LA 71291

Owner/operator country: Not reported Owner/operator telephone: 318-387-1100 Owner/operator email: Not reported Owner/operator fax: Not reported Owner/operator extension: Not reported Legal status: Private Owner/Operator Type: Owner Owner/Op start date: Not reported Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: Nο Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

### Hazardous Waste Summary:

Waste code: D001

**IGNITABLE WASTE** Waste name:

F001 Waste code:

THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: Waste name:

TETRACHLOROETHYLENE, TRICHLORETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED

FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE

SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

**D29** JOHNNY'S PIZZA HOUSE INC

North 2910 N SEVENTH 1/8-1/4 WEST MONROE, LA 71291

0.181 mi.

957 ft. Site 1 of 2 in cluster D

Relative: UST:

Higher 20821 Master Agency Id: Subject Item ID: Actual: 1 100 ft.

> 38867 **UST Tank Num:** Tank Status: Closed Install Date: 01/01/1980

U003969884

N/A

UST

Direction Distance Elevation

Site Database(s) EPA ID Number

## JOHNNY'S PIZZA HOUSE INC (Continued)

U003969884

**EDR ID Number** 

Total Capacity: Not reported

Number Of Compartments: 1
Gasoline: Yes

Diesel: Not reported Gasohol: Not reported Not reported Kerosene: Heating Oil: Not reported New Used Oil: Not reported MS Aviation Fuel: Not reported MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Unknown: Not reported Other Sub: Not reported

Steel Tank Covered With Asphalt: Yes

Cathodically Protected: Not reported **Epoxy Coated Tank:** Not reported A Composite Of Different Materials: Not reported Fiberglass Or Plastic: Not reported Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Made Of Concrete: Not reported Liner Covering Excavation Hole: Not reported Other Material: Not reported

Pipe Method Description: Suction: Without Release Detection

Subject item desc: Underground Storage Tank

Service change date: Not reported Not reported Last service date: 01/01/1980 Current status start date: Current status end date: Not reported Emer gen fuel only flag: Not reported Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported

Mcp galvanized steel: Y

Mcp part stl fbrgls lines: Not reported Mcp copper: Not reported Mcp double walled: Not reported Mcp secondary contain: Not reported Not reported Mcp unknown: Mcp other: Not reported Rdt manual gauging: Not reported Rdt tank tightness: Not reported Rdt invent control: Not reported Rdt auto guage: Not reported Rdt grndwtr monitor: Not reported Rdt intr mon dwall: Not reported Rdt intr mon secd: Not reported Rdt vapor monitor: Not reported Rdt other: Not reported Rdp line tightness: Not reported Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Not reported Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported

Direction
Distance
Elevation

ion Site Database(s) EPA ID Number

#### JOHNNY'S PIZZA HOUSE INC (Continued)

U003969884

**EDR ID Number** 

Rdp other: Not reported Overfill prevent install date: Not reported Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Not reported Cpt fibrgls plstc: Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported Cpt dielectric coat: Not reported Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported Pipe ext corr protect date: Not reported Cpp fibrgls plastic: Not reported Not reported Cpp part stl fbrgls: Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Cpp cathodic protect: Not reported Cpp other: Not reported Install certification date: Not reported Install alt certificate num: Not reported Install cert worker name: Not reported Install cert worker emp name: Not reported Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Install insp by dept flag: Not reported Install mfr chklst comp flag: Not reported Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Closure alt cert num: Not reported Not reported Closure cert worker name: Not reported Closure cert worker emp name: Not reported Active: Bankrupt: Not reported Closed: 01/01/1980 Deferred: Not reported Filled: Not reported Hold: Not reported Inactive: Not reported Not reported Removed: Not reported Sold: Temp out of service: Not reported

UST Tank Num: 38868
Tank Status: Closed
Install Date: 01/01/1980
Total Capacity: Not reported

Number Of Compartments: 1
Gasoline: Yes

Diesel: Not reported Gasohol: Not reported Kerosene: Not reported

MAP FINDINGS Map ID Direction

Distance Elevation Site

Database(s) **EPA ID Number** 

#### JOHNNY'S PIZZA HOUSE INC (Continued)

U003969884

**EDR ID Number** 

Heating Oil: Not reported New Used Oil: Not reported MS Aviation Fuel: Not reported MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Unknown: Not reported Not reported Other Sub: Steel Tank Covered With Asphalt: Yes

Not reported Cathodically Protected: Epoxy Coated Tank: Not reported A Composite Of Different Materials: Not reported Fiberglass Or Plastic: Not reported Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Made Of Concrete: Not reported Liner Covering Excavation Hole: Not reported Other Material: Not reported

Pipe Method Description: Suction: Without Release Detection

Subject item desc: **Underground Storage Tank** 

Service change date: Not reported Last service date: Not reported 01/01/1980 Current status start date: Not reported Current status end date: Emer gen fuel only flag: Not reported Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported

Mcp galvanized steel:

Mcp part stl fbrgls lines: Not reported Mcp copper: Not reported Mcp double walled: Not reported Mcp secondary contain: Not reported Not reported Mcp unknown: Mcp other: Not reported Rdt manual gauging: Not reported Rdt tank tightness: Not reported Rdt invent control: Not reported Not reported Rdt auto guage: Rdt grndwtr monitor: Not reported Rdt intr mon dwall: Not reported Rdt intr mon secd: Not reported Rdt vapor monitor: Not reported Rdt other: Not reported Rdp line tightness: Not reported Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Not reported Not reported Rdp intr mon secd: Rdp vapor monitor: Not reported Rdp other: Not reported Overfill prevent install date: Not reported Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrgls plstc: Not reported

Distance Elevation

Site Database(s) EPA ID Number

## JOHNNY'S PIZZA HOUSE INC (Continued)

U003969884

**EDR ID Number** 

Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported Cpt dielectric coat: Not reported Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported Pipe ext corr protect date: Not reported Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Cpp cathodic protect: Not reported Cpp other: Not reported Install certification date: Not reported Install alt certificate num: Not reported Install cert worker name: Not reported Install cert worker emp name: Not reported Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Install insp by dept flag: Not reported Install mfr chklst comp flag: Not reported Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Closure alt cert num: Not reported Closure cert worker name: Not reported Not reported Closure cert worker emp name: Not reported Active: Bankrupt: Not reported Closed: 01/01/1980 Deferred: Not reported Filled: Not reported Hold: Not reported Inactive: Not reported Removed: Not reported Sold: Not reported Temp out of service: Not reported

 UST Tank Num:
 38869

 Tank Status:
 Closed

 Install Date:
 01/01/1980

 Total Capacity:
 Not reported

Number Of Compartments: 1
Gasoline: Yes

Diesel: Not reported Gasohol: Not reported Kerosene: Not reported Heating Oil: Not reported Not reported New Used Oil: MS Aviation Fuel: Not reported MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

## JOHNNY'S PIZZA HOUSE INC (Continued)

U003969884

**EDR ID Number** 

MS Varsol:
Unknown:
Other Sub:
Steel Tank Covered With Asphalt:
Cathodically Protected:
Not reported
Yes
Not reported
Yes
Not reported

**Epoxy Coated Tank:** Not reported A Composite Of Different Materials: Not reported Fiberglass Or Plastic: Not reported Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Not reported Made Of Concrete: Liner Covering Excavation Hole: Not reported Other Material: Not reported

Pipe Method Description: Suction: Without Release Detection

Subject item desc: Underground Storage Tank

Not reported Service change date: Last service date: Not reported Current status start date: 01/01/1980 Current status end date: Not reported Not reported Emer gen fuel only flag: Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported

Mcp galvanized steel: Mcp part stl fbrgls lines: Not reported Mcp copper: Not reported Mcp double walled: Not reported Mcp secondary contain: Not reported Mcp unknown: Not reported Mcp other: Not reported Rdt manual gauging: Not reported Rdt tank tightness: Not reported Rdt invent control: Not reported Rdt auto guage: Not reported Not reported Rdt grndwtr monitor: Rdt intr mon dwall: Not reported Rdt intr mon secd: Not reported Rdt vapor monitor: Not reported Rdt other: Not reported Rdp line tightness: Not reported Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Not reported Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported Rdp other: Not reported Overfill prevent install date: Not reported Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Not reported Tank ext corr protect date: Cpt fibrals plstc: Not reported Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported

Not reported

Not reported

Not reported

Not reported

Cpt dielectric coat:

Cpt impressed curr:

Cpt cathodic protect:

Cpt interior lining:

MAP FINDINGS Map ID

Direction Distance Elevation

Site Database(s) **EPA ID Number** 

## JOHNNY'S PIZZA HOUSE INC (Continued)

U003969884

**EDR ID Number** 

Cpt lined cathod prot: Not reported Cpt other: Not reported Not reported Pipe ext corr protect date: Not reported Cpp fibrgls plastic: Cpp part stl fbrgls: Not reported Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Cpp impressed curr: Not reported Cpp cathodic protect: Not reported Cpp other: Not reported Install certification date: Not reported Install alt certificate num: Not reported Install cert worker name: Not reported Install cert worker emp name: Not reported Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Install insp by dept flag: Not reported Install mfr chklst comp flag: Not reported Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Closure alt cert num: Not reported Not reported Closure cert worker name: Closure cert worker emp name: Not reported Active: Not reported Bankrupt: Not reported 01/01/1980 Closed: Deferred: Not reported Filled: Not reported Hold: Not reported Not reported Inactive: Removed: Not reported Not reported Sold: Temp out of service: Not reported

**UST Tank Num:** 38870 Tank Status: Closed 01/01/1980 Install Date: **Total Capacity:** Not reported

**Number Of Compartments:** Gasoline: Yes

Diesel: Not reported Gasohol: Not reported Not reported Kerosene: Heating Oil: Not reported New Used Oil: Not reported MS Aviation Fuel: Not reported MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Unknown: Not reported Other Sub: Not reported Yes

Steel Tank Covered With Asphalt:

Cathodically Protected: Not reported **Epoxy Coated Tank:** Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

## JOHNNY'S PIZZA HOUSE INC (Continued)

U003969884

**EDR ID Number** 

A Composite Of Different Materials: Not reported Fiberglass Or Plastic: Not reported Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Made Of Concrete: Not reported Liner Covering Excavation Hole: Not reported Other Material: Not reported

Pipe Method Description: Suction: Without Release Detection

Subject item desc: Underground Storage Tank

Service change date: Not reported Last service date: Not reported 01/01/1980 Current status start date: Current status end date: Not reported Emer gen fuel only flag: Not reported Tank inert material desc: Not reported Not reported Mct fibrgls plastic: Mcp bare steel: Not reported

Mcp galvanized steel:

Not reported Mcp part stl fbrgls lines: Not reported Mcp copper: Mcp double walled: Not reported Mcp secondary contain: Not reported Mcp unknown: Not reported Mcp other: Not reported Rdt manual gauging: Not reported Rdt tank tightness: Not reported Rdt invent control: Not reported Rdt auto guage: Not reported Rdt grndwtr monitor: Not reported Rdt intr mon dwall: Not reported Rdt intr mon secd: Not reported Rdt vapor monitor: Not reported Rdt other: Not reported Rdp line tightness: Not reported Not reported Rdp grndwtr monitor: Rdp intr mon dwall: Not reported Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported Rdp other: Not reported Overfill prevent install date: Not reported Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrgls plstc: Not reported Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported Cpt dielectric coat: Not reported Cpt impressed curr: Not reported Not reported Cpt cathodic protect: Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported Pipe ext corr protect date: Not reported

Not reported

Not reported

Not reported

Cpp fibrgls plastic:

Cpp part stl fbrgls:

Cpp expert no leak:

Direction Distance Elevation

n Site Database(s) EPA ID Number

#### JOHNNY'S PIZZA HOUSE INC (Continued)

U003969884

**EDR ID Number** 

Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Not reported Cpp cathodic protect: Cpp other: Not reported Install certification date: Not reported Not reported Install alt certificate num: Not reported Install cert worker name: Install cert worker emp name: Not reported Not reported Install cert by mfr flag: Install insp by reg eng flag: Not reported Install insp by dept flag: Not reported Install mfr chklst comp flag: Not reported Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Closure alt cert num: Not reported Not reported Closure cert worker name: Closure cert worker emp name: Not reported Active: Not reported Bankrupt: Not reported Closed: 01/01/1980 Deferred: Not reported Filled: Not reported Hold: Not reported Inactive: Not reported Removed: Not reported Sold: Not reported Temp out of service: Not reported

UST Tank Num: 38872

Tank Status: Closed
Install Date: 01/01/1980
Total Capacity: Not reported

Number Of Compartments: 1
Gasoline: Yes

Diesel: Not reported Gasohol: Not reported Kerosene: Not reported Heating Oil: Not reported New Used Oil: Not reported MS Aviation Fuel: Not reported MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Unknown: Not reported Other Sub: Not reported Steel Tank Covered With Asphalt: Yes

Steel Tank Covered With Asphalt: Yes
Cathodically Protected: Not reported

Epoxy Coated Tank:
A Composite Of Different Materials:
Not reported

Made Of Concrete: Not reported

Distance
Elevation Site

JOHNNY'S PIZZA HOUSE INC (Continued)

U003969884

Database(s)

**EDR ID Number** 

**EPA ID Number** 

Liner Covering Excavation Hole: Not reported Other Material: Not reported

Pipe Method Description: Suction: Without Release Detection

Subject item desc: Underground Storage Tank

Service change date: Not reported Last service date: Not reported 01/01/1980 Current status start date: Current status end date: Not reported Not reported Emer gen fuel only flag: Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported

Mcp galvanized steel: Mcp part stl fbrgls lines: Not reported Mcp copper: Not reported Mcp double walled: Not reported Not reported Mcp secondary contain: Mcp unknown: Not reported Mcp other: Not reported Rdt manual gauging: Not reported Rdt tank tightness: Not reported Rdt invent control: Not reported Rdt auto guage: Not reported Rdt grndwtr monitor: Not reported Rdt intr mon dwall: Not reported Rdt intr mon secd: Not reported Rdt vapor monitor: Not reported Rdt other: Not reported Rdp line tightness: Not reported Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Not reported Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported Rdp other: Not reported Overfill prevent install date: Not reported Not reported Alt spill overfill equip flag: Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrgls plstc: Not reported Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported Cpt dielectric coat: Not reported Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported Pipe ext corr protect date: Not reported Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Cpp cathodic protect: Not reported

Not reported

Not reported

Not reported

Cpp other:

Install certification date:

Install alt certificate num:

Direction Distance Elevation

on Site Database(s) EPA ID Number

# JOHNNY'S PIZZA HOUSE INC (Continued)

U003969884

**EDR ID Number** 

Install cert worker name: Not reported Install cert worker emp name: Not reported Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Install insp by dept flag: Not reported Not reported Install mfr chklst comp flag: Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Closure alt cert num: Not reported Closure cert worker name: Not reported Not reported Closure cert worker emp name: Active: Not reported Bankrupt: Not reported 01/01/1980 Closed: Deferred: Not reported Filled: Not reported Hold: Not reported Inactive: Not reported Removed: Not reported Not reported Sold: Temp out of service: Not reported

UST Tank Num: 38873

Tank Status: Closed
Install Date: 01/01/1980
Total Capacity: Not reported

Number Of Compartments: 1

Gasoline: Not reported Diesel: Not reported Gasohol: Not reported Kerosene: Not reported Heating Oil: Not reported

New Used Oil: Yes

MS Aviation Fuel:

MS Additive:

MS Antifreeze:

MS Naptha:

MS Varsol:

Unknown:

Other Sub:

Not reported

Steel Tank Covered With Asphalt: Yes

Cathodically Protected: Not reported Epoxy Coated Tank: Not reported A Composite Of Different Materials: Not reported Fiberglass Or Plastic: Not reported Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Made Of Concrete: Not reported Liner Covering Excavation Hole: Not reported Other Material: Not reported

Pipe Method Description: Suction: Without Release Detection

Subject item desc: Underground Storage Tank

Service change date: Not reported Last service date: Not reported

Distance Elevation Site

Site Database(s) EPA ID Number

01/01/1980

Not reported

# JOHNNY'S PIZZA HOUSE INC (Continued)

Current status start date:

Current status end date:

Install alt certificate num:

Install cert worker name:

Install cert by mfr flag:

Install insp by dept flag:

Install cert worker emp name:

Install insp by reg eng flag:

Install mfr chklst comp flag:

U003969884

**EDR ID Number** 

Emer gen fuel only flag: Not reported Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported Mcp galvanized steel: Mcp part stl fbrgls lines: Not reported Mcp copper: Not reported Mcp double walled: Not reported Not reported Mcp secondary contain: Not reported Mcp unknown: Mcp other: Not reported Rdt manual gauging: Not reported Rdt tank tightness: Not reported Rdt invent control: Not reported Not reported Rdt auto guage: Rdt grndwtr monitor: Not reported Rdt intr mon dwall: Not reported Rdt intr mon secd: Not reported Not reported Rdt vapor monitor: Rdt other: Not reported Rdp line tightness: Not reported Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Not reported Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported Rdp other: Not reported Overfill prevent install date: Not reported Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrals plstc: Not reported Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported Not reported Cpt dielectric coat: Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported Pipe ext corr protect date: Not reported Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Cpp cathodic protect: Not reported Cpp other: Not reported Not reported Install certification date:

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

# JOHNNY'S PIZZA HOUSE INC (Continued)

U003969884

Install cert alt method flag: Not reported Not reported Install cert alt method desc: Closure certification date: Not reported Not reported Closure alt cert num: Closure cert worker name: Not reported Not reported Closure cert worker emp name: Not reported Active: Not reported Bankrupt: Closed: 01/01/1980 Deferred: Not reported Filled: Not reported Hold: Not reported Inactive: Not reported Removed: Not reported Sold: Not reported Temp out of service: Not reported

E30 **LDOTD STATION #30+00 AIRS** S118246666 NW 971 OLE HWY 15 **REM** N/A

1/8-1/4 WEST MONROE, LA 71291

0.197 mi.

1040 ft. Site 1 of 3 in cluster E

AIRS: Relative: Higher Name: LDOTD STATION #30+00 Address: 971 OLE HWY 15 Actual: 101 ft.

Address 2: Not reported Address 3: Not reported

WEST MONROE, LA 71291 City,State,Zip:

Permit Number: 2160-00165-00

Permit Type Desc: Minor Source/Small Source Initial

Al No#: 75505 Activity No#: PER20110001 Region Code: Northeast Latitude: 32.528778 Longitude: -92.150583 Title Desc: **Entire Facility** Mailing Address: PO Box 4988 Mailing Address2: Not reported

Mailing City/State/Zip: Monroe, LA 712114988

Issue Date: 02/28/2012 **Expiration Date:** 07/30/2012 Effective End Date: 07/30/2012

Effective Flag: Ν Extended Flag: Ν

Primary SIC Code: Not reported Primary NACIS Code: Not reported Not reported Owner Name: Reporting Year: Not reported Parametter Description: Not reported Total: Not reported Not reported Unit:

LDOTD STATION #30+00 Name: Address: 971 OLE HWY 15

Address 2: Not reported Address 3: Not reported

City,State,Zip: WEST MONROE, LA 71291

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

### LDOTD STATION #30+00 (Continued)

S118246666

Permit Number: 2160-00171-00

Permit Type Desc: Minor Source/Small Source Admin Amendmt

Al No#: 75505 Activity No#: PER20120001 Region Code: Northeast Latitude: 32.528778 Longitude: -92.150583 Title Desc: Amend permit no Mailing Address: PO Box 4988 Mailing Address2: Not reported

Mailing City/State/Zip: Monroe, LA 712114988

Issue Date: 07/30/2012 **Expiration Date:** 07/10/2018 Effective End Date: 07/10/2018

Effective Flag: Ν Extended Flag: Ν

Primary SIC Code: Not reported Primary NACIS Code: Not reported Owner Name: Not reported Not reported Reporting Year: Parametter Description: Not reported Total: Not reported Unit: Not reported

REM:

Name: LDOTD STATION #30+00

Address: 971 OLE HWY 15 Address 2: Not reported

City, State, Zip: WEST MONROE, LA 71291

AI Num: 75505 **Evaluated And Closed:** Not reported Program: UST

EAC Type: Not reported Not reported Comments:

U003925377 E31 **GET N GO** UST NW 946 OLE HWY 15 N/A

WEST MONROE, LA 71291 1/8-1/4

0.203 mi.

1074 ft. Site 2 of 3 in cluster E

Relative: UST:

Higher 195602 Master Agency Id: Subject Item ID: Actual: 101 ft.

UST Tank Num: 50306 Tank Status: Active Install Date: 11/01/1996 Total Capacity: 12000 **Number Of Compartments:** Gasoline: Yes

Diesel: Not reported Gasohol: Not reported Kerosene: Not reported Heating Oil: Not reported New Used Oil: Not reported MS Aviation Fuel: Not reported

Distance Elevation

Site Database(s) EPA ID Number

GET N GO (Continued) U003925377

MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Unknown: Not reported Other Sub: Not reported Steel Tank Covered With Asphalt: Not reported Cathodically Protected: Not reported **Epoxy Coated Tank:** Not reported

A Composite Of Different Materials: Yes

Fiberglass Or Plastic: Not reported Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Made Of Concrete: Not reported Liner Covering Excavation Hole: Not reported Other Material: Not reported Pipe Method Description: Not reported Subject item desc: 50306-gasoline Service change date: Not reported Not reported Last service date: Current status start date: 11/13/1996 Current status end date: Not reported Emer gen fuel only flag: Not reported Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported Mcp galvanized steel: Not reported Mcp part stl fbrgls lines: Not reported Mcp copper: Not reported

Mcp double walled: Y
Mcp secondary contain: Y

Mcp unknown:Not reportedMcp other:Not reportedRdt manual gauging:Not reportedRdt tank tightness:Not reported

Rdt invent control: Y
Rdt auto guage: Y

Rdt grndwtr monitor: Not reported Rdt intr mon dwall: Not reported Rdt intr mon secd: Not reported Rdt vapor monitor: Not reported Rdt other: Not reported Rdp line tightness: Not reported Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Not reported Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported Rdp other: Not reported 01/01/1980 Overfill prevent install date: Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrgls plstc: Not reported Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported Cpt dielectric coat: Not reported **EDR ID Number** 

Direction Distance Elevation

Site Database(s)

GET N GO (Continued) U003925377

Cpt impressed curr: Not reported Not reported Cpt cathodic protect: Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported Pipe ext corr protect date: Not reported Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Not reported Cpp cathodic protect: Cpp other: Not reported Install certification date: 11/01/1996 IRC-0089 Install alt certificate num: Install cert worker name: William Guyton Install cert worker emp name: Jones Brothers Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Install insp by dept flag: Not reported Install mfr chklst comp flag: Not reported Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Not reported Closure alt cert num: Closure cert worker name: Not reported Not reported Closure cert worker emp name: Active: 11/13/1996 Bankrupt: Not reported Closed: Not reported Deferred: Not reported Filled: Not reported Hold: Not reported Inactive: Not reported Not reported Removed: Not reported Sold: Temp out of service: Not reported

 UST Tank Num:
 50307

 Tank Status:
 Active

 Install Date:
 11/01/1996

 Total Capacity:
 10000

 Number Of Compartments:
 1

 Gasoline:
 Yes

Diesel: Not reported Gasohol: Not reported Kerosene: Not reported Heating Oil: Not reported New Used Oil: Not reported Not reported MS Aviation Fuel: MS Additive: Not reported Not reported MS Antifreeze: MS Naptha: Not reported MS Varsol: Not reported Not reported Unknown: Other Sub: Not reported **EDR ID Number** 

**EPA ID Number** 

Direction Distance Elevation

on Site Database(s) EPA ID Number

GET N GO (Continued) U003925377

Not reported

Not reported

Steel Tank Covered With Asphalt:
Cathodically Protected:
Not reported
Epoxy Coated Tank:
Not reported

A Composite Of Different Materials: Yes

Fiberglass Or Plastic: Not reported Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Made Of Concrete: Not reported Liner Covering Excavation Hole: Not reported Other Material: Not reported Pipe Method Description: Not reported Subject item desc: 50307-gasoline Service change date: Not reported Last service date: Not reported 11/13/1996 Current status start date: Not reported Current status end date: Emer gen fuel only flag: Not reported Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported Mcp galvanized steel: Not reported

Mcp double walled: Y
Mcp secondary contain: Y

Mcp part stl fbrgls lines:

Mcp copper:

Mcp unknown:Not reportedMcp other:Not reportedRdt manual gauging:Not reportedRdt tank tightness:Not reported

Rdt invent control: Y
Rdt auto guage: Y

Rdt grndwtr monitor: Not reported Rdt intr mon dwall: Not reported Not reported Rdt intr mon secd: Rdt vapor monitor: Not reported Rdt other: Not reported Rdp line tightness: Not reported Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Not reported Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported Rdp other: Not reported 01/01/1980 Overfill prevent install date: Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrgls plstc: Not reported Cpt stl fbr plastic: Not reported Not reported Cpt expert no leak: Cpt dielectric coat: Not reported Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Not reported Cpt interior lining: Cpt lined cathod prot: Not reported Cpt other: Not reported Pipe ext corr protect date: Not reported **EDR ID Number** 

Direction Distance Elevation

Site Database(s) **EPA ID Number** 

**GET N GO (Continued)** U003925377

Cpp fibrgls plastic: Not reported Not reported Cpp part stl fbrgls: Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Not reported Cpp cathodic protect: Not reported Cpp other: 11/01/1996 Install certification date: Install alt certificate num: IRC-0089 Install cert worker name: William Guyton Install cert worker emp name: Jones Brothers Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Install insp by dept flag: Not reported Install mfr chklst comp flag: Not reported Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Closure alt cert num: Not reported Closure cert worker name: Not reported Closure cert worker emp name: Not reported Active: 11/13/1996 Not reported Bankrupt: Closed: Not reported Deferred: Not reported Filled: Not reported Hold: Not reported Inactive: Not reported Removed: Not reported Sold: Not reported Temp out of service: Not reported

**UST Tank Num:** 50308 Active Tank Status: 11/01/1996 Install Date: Total Capacity: 10000 **Number Of Compartments:** 

Gasoline: Not reported

Diesel: Yes

Not reported Gasohol: Kerosene: Not reported Heating Oil: Not reported New Used Oil: Not reported Not reported MS Aviation Fuel: MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Not reported Unknown: Other Sub: Not reported Steel Tank Covered With Asphalt: Not reported Cathodically Protected: Not reported **Epoxy Coated Tank:** Not reported Yes

A Composite Of Different Materials:

Fiberglass Or Plastic: Not reported Interior Line With Some Material: Not reported **EDR ID Number** 

Distance Elevation Site

Database(s)

GET N GO (Continued) U003925377

Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Not reported Made Of Concrete: Liner Covering Excavation Hole: Not reported Other Material: Not reported Not reported Pipe Method Description: 50308-diesel Subject item desc: Service change date: Not reported Last service date: Not reported Current status start date: 11/13/1996 Not reported Current status end date: Not reported Emer gen fuel only flag: Tank inert material desc: Not reported Mct fibrgls plastic: Not reported Mcp bare steel: Not reported Mcp galvanized steel: Not reported Not reported Mcp part stl fbrgls lines: Mcp copper: Not reported

Mcp double walled: Y
Mcp secondary contain: Y

Mcp unknown:Not reportedMcp other:Not reportedRdt manual gauging:Not reportedRdt tank tightness:Not reported

Rdt invent control: Y
Rdt auto guage: Y

Not reported Rdt grndwtr monitor: Rdt intr mon dwall: Not reported Rdt intr mon secd: Not reported Rdt vapor monitor: Not reported Rdt other: Not reported Rdp line tightness: Not reported Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Not reported Rdp intr mon secd: Not reported Not reported Rdp vapor monitor: Not reported Rdp other: Overfill prevent install date: 01/01/1980 Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrgls plstc: Not reported Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported Cpt dielectric coat: Not reported Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Not reported Cpt other: Pipe ext corr protect date: Not reported Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported

Not reported

Cpp cathodic protect:

**EDR ID Number** 

**EPA ID Number** 

Direction Distance

Elevation Site Database(s) **EPA ID Number** 

**GET N GO (Continued)** U003925377

Cpp other: Not reported 11/01/1996 Install certification date: Install alt certificate num: IRC-0089 Install cert worker name: William Guyton Install cert worker emp name: Jones Brothers Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Install insp by dept flag: Not reported Install mfr chklst comp flag: Not reported Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Closure alt cert num: Not reported Closure cert worker name: Not reported Not reported Closure cert worker emp name: 11/13/1996 Active: Not reported Bankrupt: Closed: Not reported Deferred: Not reported Filled: Not reported Hold: Not reported Inactive: Not reported Removed: Not reported Sold: Not reported Temp out of service: Not reported

MR. QUICK #1 NW 946 ARKANSAS RD 1/8-1/4 WEST MONROE, LA 71291

HIST LUST:

0.203 mi.

Relative:

E32

1074 ft. Site 3 of 3 in cluster E

Higher 37-001727 Facility ID: Facility Parish: **OUACHITA** Actual: 101 ft. Substance Name: **GASOLINE** Substance Name 2: Not reported **UNKNOWN** Quantity:

Quantity 2: Not reported Date Confirmed: 04/18/1997 Date Confirmed 2: Not reported Incident Number: 97-8-0027 Incident Date: 04/18/1997

**UNKNOWN** Type of Incident: Type of Incident No2: Not reported

Reported By: BARNEY BARGER/JONES BROTHERS

Reported By 2: Not reported Owner ID: 00057500 Owner Name:

**CENTRAL OIL & SUPPLY** Owner Address: 2300 BOOTH STREET Owner City, St, Zip: MONROE, LA 71203 Assessment Pending Info: No Assessment Request Date: 04/18/1997 Assessment Plan Due Date: 07/08/1997 Assessment Plan Received Date: 03/10/1999 Assessment Approved Date: Not reported

Assessment Contractor: JONES BROTHERS/JONES ENVIRONMENTAL

Assess Date Add Info Due: Not reported HIST LUST \$106033560

N/A

**EDR ID Number** 

Distance Elevation Site

Site Database(s) EPA ID Number

# MR. QUICK #1 (Continued)

S106033560

**EDR ID Number** 

Assess Date Add Info Recd: Not reported Not reported Assess Date Add Info Due2: Assess Date Add Info Recd: Not reported Assess Date Add Info Due3: Not reported Corrective Plan Due Date: Not reported Not reported Corrective Plan Received Date: Not reported Corrective Plan Approved Date: Corr Act Date Add Info Due: Not reported Corr Act Date Add Info Recd: Not reported Corr Act Date Add Info Due2: Not reported Not reported Corr Act Date Add Info Recd2: Not reported Corr Act Date Add Info Due3: Remediation Method: Not reported Remediation Date: Not reported Remediation Terminated Date: Not reported

# LA HIST LUST INCIDENT:

Comments: FREE PRODUCT ENCOUNTERED ON GW TABLE DURING OVEREXCAVATION OF FORMERTANK HOLD

AREA. DEQ INSPECT. 4/18/97 TO OBSERVE EXCAVATION ACTIVITIES.REC'D SCOPE OF WORK/COST EST:\$30,750.00 FOR COMPLETE SITE ASSESS.DATED 1/26/98. SITE AKA PLAQUEMINE/LDOTD. DEQ LETTER 3/25/98 APPROVEDSITE ASSESS. PROPOSAL. DEQ INSPECTION 6/22/98 TO OBSERVE ADVANCINGDIRECT PUSH BORINGS TO DELINEATE THE VERTICAL AND HORIZONTAL EXTENT OFTHE IMPACT FROM THE FORMER UST SYSTEM. DEQ INSPECTION 8/21/98 TOOBSERVE INSTALLATION OF MW-4 WITHIN DOTD RIGHT OF WAY.

# LA HIST LUST ASSESMENT:

Comments: Not reported

### LA HIST LUST CORRECTIVE ACTION:

Comments: Not reported

Facility ID: 37-001727 Facility Parish: **OUACHITA** Substance Name: Not reported Substance Name 2: Not reported Quantity: Not reported Quantity 2: Not reported Date Confirmed: Not reported Date Confirmed 2: Not reported Incident Number: 97-8-0027 Incident Date: 04/18/1997

Type of Incident: Not reported Type of Incident No2: Not reported

Reported By: Not reported Reported By 2: Not reported Owner ID: 00057500

Owner Name: CENTRAL OIL & SUPPLY
Owner Address: 2300 BOOTH STREET
Owner City,St,Zip: MONROE, LA 71203
Assessment Pending Info: No

Assessment Request Date: 04/18/1997
Assessment Plan Due Date: 07/08/1997
Assessment Plan Received Date: 03/10/1999
Assessment Approved Date: Not reported

Assessment Contractor: JONES BROTHERS/JONES ENVIRONMENTAL

Assess Date Add Info Due:

Assess Date Add Info Recd:
Assess Date Add Info Due2:

Assess Date Add Info Recd:

Not reported
Not reported
Not reported
Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

MR. QUICK #1 (Continued)

S106033560

Assess Date Add Info Due3: Not reported Not reported Corrective Plan Due Date: Corrective Plan Received Date: Not reported Corrective Plan Approved Date: Not reported Corr Act Date Add Info Due: Not reported Corr Act Date Add Info Recd: Not reported Corr Act Date Add Info Due2: Not reported Corr Act Date Add Info Recd2: Not reported Corr Act Date Add Info Due3: Not reported Remediation Method: Not reported Remediation Date: Not reported Not reported Remediation Terminated Date:

LA HIST LUST INCIDENT:

FREE PRODUCT ENCOUNTERED ON GW TABLE DURING OVEREXCAVATION OF FORMERTANK HOLD Comments:

> AREA. DEQ INSPECT. 4/18/97 TO OBSERVE EXCAVATION ACTIVITIES.REC'D SCOPE OF WORK/COST EST:\$30,750.00 FOR COMPLETE SITE ASSESS.DATED 1/26/98. SITE AKA PLAQUEMINE/LDOTD. DEQ LETTER 3/25/98 APPROVEDSITE ASSESS. PROPOSAL. DEQ INSPECTION 6/22/98 TO OBSERVE ADVANCINGDIRECT PUSH BORINGS TO DELINEATE THE VERTICAL AND HORIZONTAL EXTENT OF THE IMPACT FROM THE FORMER UST SYSTEM. DEQ. INSPECTION 8/21/98 TOOBSERVE INSTALLATION OF MW-4 WITHIN DOTD RIGHT OF WAY.

LA HIST LUST ASSESMENT: Comments: Not reported LA HIST LUST CORRECTIVE ACTION: Not reported Comments:

UST U003923124 D33 7 ELEVEN 2701-12828 North 2916 N SEVENTH ST N/A

66938

1/8-1/4 0.210 mi.

1110 ft. Site 2 of 2 in cluster D

WEST MONROE, LA 71291

UST: Relative:

Higher Master Agency Id: Subject Item ID:

Actual: 99 ft.

**UST Tank Num:** 23913 Tank Status: Removed Install Date: 07/18/1977 Total Capacity: 8084 **Number Of Compartments:** Gasoline: Yes

Not reported Diesel: Gasohol: Not reported Kerosene: Not reported Heating Oil: Not reported New Used Oil: Not reported MS Aviation Fuel: Not reported MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Unknown: Not reported Not reported Other Sub:

Steel Tank Covered With Asphalt:

Yes Cathodically Protected: Not reported **Epoxy Coated Tank:** Not reported

MAP FINDINGS Map ID Direction

Distance Elevation

Site Database(s) **EPA ID Number** 

### 7 ELEVEN 2701-12828 (Continued)

U003923124

**EDR ID Number** 

A Composite Of Different Materials: Not reported Fiberglass Or Plastic: Not reported Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Made Of Concrete: Not reported Liner Covering Excavation Hole: Not reported Other Material: Not reported Pipe Method Description: Not reported

Subject item desc: Underground Storage Tank

Service change date: Not reported Last service date: Not reported 05/01/1988 Current status start date: Current status end date: Not reported Emer gen fuel only flag: Not reported Tank inert material desc: Not reported Not reported Mct fibrgls plastic:

Mcp bare steel:

Mcp galvanized steel: Not reported Mcp part stl fbrgls lines: Not reported Not reported Mcp copper: Mcp double walled: Not reported Mcp secondary contain: Not reported Mcp unknown: Not reported Mcp other: Not reported Rdt manual gauging: Not reported Rdt tank tightness: Not reported Rdt invent control: Not reported Rdt auto guage: Not reported Rdt grndwtr monitor: Not reported Rdt intr mon dwall: Not reported Rdt intr mon secd: Not reported Rdt vapor monitor: Not reported Rdt other: Not reported Rdp line tightness: Not reported Not reported Rdp grndwtr monitor: Rdp intr mon dwall: Not reported Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported Rdp other: Not reported Overfill prevent install date: Not reported Alt spill overfill equip flag: Not reported Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrgls plstc: Not reported Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported Cpt dielectric coat: Not reported Cpt impressed curr: Not reported Not reported Cpt cathodic protect: Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported Pipe ext corr protect date: Not reported

Not reported

Not reported

Not reported

Cpp fibrgls plastic:

Cpp part stl fbrgls:

Cpp expert no leak:

Direction Distance Elevation

Site Database(s) EPA ID Number

### 7 ELEVEN 2701-12828 (Continued)

U003923124

**EDR ID Number** 

Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Not reported Cpp cathodic protect: Cpp other: Not reported Install certification date: Not reported Not reported Install alt certificate num: Not reported Install cert worker name: Install cert worker emp name: Not reported Not reported Install cert by mfr flag: Install insp by reg eng flag: Not reported Install insp by dept flag: Not reported Install mfr chklst comp flag: Not reported Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Closure alt cert num: Not reported Not reported Closure cert worker name: Closure cert worker emp name: Not reported Active: Not reported Bankrupt: Not reported Closed: Not reported Deferred: Not reported Filled: Not reported Hold: Not reported Not reported Inactive: Removed: 05/01/1988 Sold: Not reported Temp out of service: Not reported

**UST Tank Num:** 23914 **Tank Status:** Removed Install Date: 07/18/1977 Total Capacity: 8084 Number Of Compartments: Gasoline: Yes Diesel: Not reported Gasohol: Not reported Kerosene: Not reported Heating Oil: Not reported New Used Oil: Not reported MS Aviation Fuel: Not reported MS Additive: Not reported MS Antifreeze: Not reported MS Naptha: Not reported MS Varsol: Not reported Unknown: Not reported Other Sub: Not reported Steel Tank Covered With Asphalt: Yes Cathodically Protected: Not reported **Epoxy Coated Tank:** Not reported A Composite Of Different Materials: Not reported Not reported Fiberglass Or Plastic: Interior Line With Some Material: Not reported Double Wall As Opposed To Single Wall: Not reported Outside Lined w/ Polyethylen Jacket: Not reported Made Of Concrete: Not reported

MAP FINDINGS Map ID Direction

Distance Elevation

Site Database(s) **EPA ID Number** 

## 7 ELEVEN 2701-12828 (Continued)

U003923124

**EDR ID Number** 

Liner Covering Excavation Hole: Not reported Other Material: Not reported Pipe Method Description: Not reported

Underground Storage Tank Subject item desc:

Service change date: Not reported Last service date: Not reported 05/01/1988 Current status start date: Current status end date: Not reported Not reported Emer gen fuel only flag: Tank inert material desc: Not reported Mct fibrgls plastic: Not reported

Mcp bare steel:

Mcp galvanized steel: Not reported Mcp part stl fbrgls lines: Not reported Mcp copper: Not reported Mcp double walled: Not reported Not reported Mcp secondary contain: Mcp unknown: Not reported Mcp other: Not reported Rdt manual gauging: Not reported Rdt tank tightness: Not reported Rdt invent control: Not reported Not reported Rdt auto guage: Rdt grndwtr monitor: Not reported Rdt intr mon dwall: Not reported Rdt intr mon secd: Not reported Rdt vapor monitor: Not reported Rdt other: Not reported Rdp line tightness: Not reported Rdp grndwtr monitor: Not reported Rdp intr mon dwall: Not reported Rdp intr mon secd: Not reported Rdp vapor monitor: Not reported Rdp other: Not reported Not reported Overfill prevent install date: Not reported Alt spill overfill equip flag: Alt spill overfill equip desc: Not reported Tank ext corr protect date: Not reported Cpt fibrgls plstc: Not reported Cpt stl fbr plastic: Not reported Cpt expert no leak: Not reported Cpt dielectric coat: Not reported Cpt impressed curr: Not reported Cpt cathodic protect: Not reported Cpt interior lining: Not reported Cpt lined cathod prot: Not reported Cpt other: Not reported Pipe ext corr protect date: Not reported Cpp fibrgls plastic: Not reported Cpp part stl fbrgls: Not reported Cpp expert no leak: Not reported Cpp dielectric coat: Not reported Cpp impressed curr: Not reported Cpp cathodic protect: Not reported Cpp other: Not reported

Not reported

Not reported

Install certification date:

Install alt certificate num:

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

7 ELEVEN 2701-12828 (Continued)

U003923124

Install cert worker name: Not reported Install cert worker emp name: Not reported Install cert by mfr flag: Not reported Install insp by reg eng flag: Not reported Install insp by dept flag: Not reported Install mfr chklst comp flag: Not reported Install cert alt method flag: Not reported Install cert alt method desc: Not reported Closure certification date: Not reported Closure alt cert num: Not reported Not reported Closure cert worker name: Not reported Closure cert worker emp name: Active: Not reported Bankrupt: Not reported Closed: Not reported Deferred: Not reported Filled: Not reported Hold: Not reported Inactive: Not reported Removed: 05/01/1988 Not reported Sold: Temp out of service: Not reported

34 WEST MONROE CITY OF - MAYOR'S OFFICE (OUTREACH) SWF/LF S120820793

N/A

South 2305 N SEVENTH ST 1/8-1/4 WEST MONROE, LA 71291

0.223 mi. 1175 ft.

LF: Relative:

Lower Name: WEST MONROE CITY OF - MAYOR'S OFFICE (OUTREACH)

Address: 2305 N SEVENTH ST Actual: City,State,Zip: WEST MONROE, LA 71291 88 ft.

> Facility Id: 139154 Telephone: 3183962600 Issue Date: 07/18/2011 Title Desc: Not reported Permit Type Desc: Not reported Program: Solid Waste Activity NUmber: PER20110001 EDR Link ID: 139154

F35 **REGISTER'S SERVICE STATION** LUST S106034206

**HIST LUST** South 2900 CYPRESS ST N/A **AUL** 1/4-1/2 WEST MONROE, LA 71291

**REM** 0.346 mi.

1827 ft. Site 1 of 2 in cluster F

LUST: Relative: REGISTER'S SERVICE STATION INC Lower Name:

Address: 2900 CYPRESS ST Actual:

Facility ID: 8354 82 ft.

Comments: UST

HIST LUST:

Facility ID: 37-010454

Direction Distance Elevation

**EDR ID Number** Site Database(s) **EPA ID Number** 

## **REGISTER'S SERVICE STATION (Continued)**

S106034206

Facility Parish: **OUACHITA GASOLINE** Substance Name: Substance Name 2: Not reported 600 GALLOS Quantity: Quantity 2: Not reported Date Confirmed: 02/05/1987 Date Confirmed 2: Not reported Incident Number: 91-8-0093 02/04/1987 Incident Date:

Type of Incident: PIPING LEAK Type of Incident No2: Not reported

Reported By: JACK HOLMES Reported By 2: Not reported Owner ID: 00597500

REGISTER'S SERVICES STATION, INC Owner Name:

Owner Address: 2900 CYPRESS STREET Owner City, St, Zip: WEST MONROE, LA 71291 Assessment Pending Info: Yes

Assessment Request Date: 04/05/1991 Assessment Plan Due Date: 06/20/1991 Assessment Plan Received Date: 08/16/1991 Assessment Approved Date: Not reported

**BCM ENGINEEERS INC** Assessment Contractor:

Assess Date Add Info Due: Not reported Assess Date Add Info Recd: Not reported Assess Date Add Info Due2: Not reported Assess Date Add Info Recd: Not reported Assess Date Add Info Due3: Not reported Not reported Corrective Plan Due Date: 08/03/1992 Corrective Plan Received Date: Corrective Plan Approved Date: 08/25/1993 Corr Act Date Add Info Due: Not reported Corr Act Date Add Info Recd: 05/06/1994 Corr Act Date Add Info Due2: Not reported Corr Act Date Add Info Recd2: Not reported Corr Act Date Add Info Due3: Not reported Not reported Remediation Method: Remediation Date: Not reported Remediation Terminated Date: Not reported

## LA HIST LUST INCIDENT:

QTLY REPORTS SUBMMITTED. REC'D CAP ALTERNATIVE A REPORT ON 2/15/95.CAP Comments:

ALTERNATIVE A APPROVED 2/23/95. DEQ LETTER 6/24/96 CONTINUEQTLY REPORTS. QTLY

REPORTS SUBMITTED.

# LA HIST LUST ASSESMENT:

SITE AT TIME OF INCIDENT WAS A EXXON STATION. LINE LEAK DISCOVEREDIN 2/91. Comments:

CONSULTANT REPLACED LINE AND REMOVED HYDROCARBONS FROM MW-S.CONTRACTOR INSTALLAED 3 ADDITONAL MW-S IN SPRING 1991. AT LEAST 1800PSH HAS BEEN RECOVERED

FROM THIS SITE.

#### LA HIST LUST CORRECTIVE ACTION:

CONSULTANT RECOMMEND SOIL VAPOR EXTRACTION AND AIR SPARGING.REC'D CAP FROM G&E Comments:

ENGINEERING ON 5/6/94. QTLY REPORTS SUBMITTED.

37-010454 Facility ID: Facility Parish: **OUACHITA** Substance Name: Not reported Substance Name 2: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

# **REGISTER'S SERVICE STATION (Continued)**

S106034206

Quantity: Not reported Quantity 2: Not reported Date Confirmed: Not reported Date Confirmed 2: Not reported 91-8-0093 Incident Number: 02/04/1987 Incident Date:

Type of Incident: Not reported Type of Incident No2: Not reported

Reported By: Not reported Reported By 2: Not reported Owner ID: 00597500

Owner Name: REGISTER'S SERVICES STATION, INC

2900 CYPRESS STREET Owner Address: Owner City, St, Zip: WEST MONROE, LA 71291 Assessment Pending Info: 04/05/1991

Assessment Request Date: Assessment Plan Due Date: 06/20/1991 Assessment Plan Received Date: 08/16/1991 Assessment Approved Date: Not reported

**BCM ENGINEEERS INC** Assessment Contractor:

Assess Date Add Info Due: Not reported Assess Date Add Info Recd: Not reported Assess Date Add Info Due2: Not reported Assess Date Add Info Recd: Not reported Not reported Assess Date Add Info Due3: Corrective Plan Due Date: Not reported 08/03/1992 Corrective Plan Received Date: Corrective Plan Approved Date: 08/25/1993 Corr Act Date Add Info Due: Not reported Corr Act Date Add Info Recd: Not reported Corr Act Date Add Info Due2: Not reported Corr Act Date Add Info Recd2: Not reported Corr Act Date Add Info Due3: Not reported

SOIL GAS VAPOR RM'L Remediation Method:

Not reported Remediation Date: Not reported Remediation Terminated Date:

LA HIST LUST INCIDENT:

Comments: QTLY REPORTS SUBMMITTED. REC'D CAP ALTERNATIVE A REPORT ON 2/15/95.CAP

ALTERNATIVE A APPROVED 2/23/95. DEQ LETTER 6/24/96 CONTINUEQTLY REPORTS. QTLY

REPORTS SUBMITTED.

LA HIST LUST ASSESMENT:

Comments: SITE AT TIME OF INCIDENT WAS A EXXON STATION. LINE LEAK DISCOVEREDIN 2/91.

> CONSULTANT REPLACED LINE AND REMOVED HYDROCARBONS FROM MW-S.CONTRACTOR INSTALLAED 3 ADDITONAL MW-S IN SPRING 1991. AT LEAST 1800PSH HAS BEEN RECOVERED

FROM THIS SITE.

LA HIST LUST CORRECTIVE ACTION:

CONSULTANT RECOMMEND SOIL VAPOR EXTRACTION AND AIR SPARGING.REC'D CAP FROM G&E Comments:

ENGINEERING ON 5/6/94. QTLY REPORTS SUBMITTED.

AUL:

Facility ID: Not reported

Type: **Underground Storage Tanks** 

Incident Number: Not reported Agency Interest Id: Not reported PPM Project Number: Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

# **REGISTER'S SERVICE STATION (Continued)**

S106034206

Parish: Ouachita

**Underground Storage Tanks** Comments:

Custom Tank Desc: Not reported Document ID: Not reported Document Type: Not reported Document Sub Type: Not reported Not reported Date: Description: Not reported PGS: Not reported

Facility ID: Not reported

**Underground Storage Tanks** Type:

Incident Number: Not reported Agency Interest Id: Not reported Not reported PPM Project Number: Parish: Ouachita

**Underground Storage Tanks** Comments:

Custom Tank Desc: Not reported Document ID: Not reported Not reported Document Type: Document Sub Type: Not reported Date: Not reported Description: Not reported PGS: Not reported

REM:

Name: REGISTER'S SERVICE STATION INC

Address: 2900 CYPRESS ST Address 2: Not reported

WEST MONROE, LA 71291 City,State,Zip:

Al Num: 8354 **Evaluated And Closed:** 06/30/2006 Program: UST

EAC Type: Approve CA NFA w/ BOD EDMS ID 5576686. Comments:

US BROWNFIELDS **E. STEELE PROPERTY** 1016350700

**2823 CYPRESS STREET** South 1/4-1/2 WEST MONROE, LA 71291

0.374 mi.

F36

1977 ft. Site 2 of 2 in cluster F

**US BROWNFIELDS:** Relative: Lower Name:

E. STEELE PROPERTY Address: 2823 CYPRESS STREET Actual: City, State, Zip: WEST MONROE, LA 71291 82 ft. Recipient Name: West Monroe, City of

Grant Type: Assessment

Property Number: SEC 40 T18N R3E PARCELS 6-1, 6-2

Parcel size:

32.518167 Latitude: -92.148111 Longitude: HCM Label: Unknown Map Scale: Not reported

Point of Reference: Entrance Point of a Facility or Station

Highlights: Not reported

Datum: World Geodetic System of 1984 **FINDS** 

N/A

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

# E. STEELE PROPERTY (Continued)

1016350700

Acres Property ID: 81201 IC Data Access: Not reported Start Date: Not reported Redev Completition Date: Not reported Completed Date: Not reported Acres Cleaned Up: Not reported Cleanup Funding: Not reported Cleanup Funding Source: Not reported Assessment Funding: 1800

Assessment Funding Source: US EPA - Brownfields Assessment Cooperative Agreement

Redevelopment Funding: Not reported Redev. Funding Source: Not reported Redev. Funding Entity Name: Not reported Redevelopment Start Date: Not reported Assessment Funding Entity: Not reported Cleanup Funding Entity: Not reported Grant Type: Hazardous

Accomplishment Type: Phase I Environmental Assessment

Accomplishment Count:

Cooperative Agreement Number: 97699901

Start Date: 07/01/2008 00:00:00

Ownership Entity: Private

Completion Date: 07/28/2008 00:00:00

Current Owner: Not reported

Did Owner Change: Cleanup Required: U Video Available: Ν Photo Available: Ν Institutional Controls Required: U

IC Category Proprietary Controls: Not reported IC Cat. Info. Devices: Not reported IC Cat. Gov. Controls: Not reported IC Cat. Enforcement Permit Tools: Not reported IC in place date: Not reported Not reported IC in place: Not reported State/tribal program date: State/tribal program ID: Not reported State/tribal NFA date: Not reported Air contaminated: Not reported Air cleaned: Not reported Not reported Ashestos found: Asbestos cleaned: Not reported Controled substance found: Not reported Not reported Controled substance cleaned: Drinking water affected: Not reported Drinking water cleaned: Not reported Groundwater affected: Not reported Groundwater cleaned: Not reported Lead contaminant found: Not reported Lead cleaned up: Not reported No media affected: Not reported

Unknown media affected: Other cleaned up: Not reported Other metals found: Not reported Other metals cleaned: Not reported Other contaminants found: Not reported Other contams found description: Not reported

MAP FINDINGS Map ID Direction

Distance Elevation Site

**EDR ID Number** Database(s) **EPA ID Number** 

E. STEELE PROPERTY (Continued)

1016350700

PAHs found: Not reported PAHs cleaned up: Not reported PCBs found: Not reported PCBs cleaned up: Not reported Petro products found: Not reported Petro products cleaned: Not reported Not reported Sediments found: Sediments cleaned: Not reported Soil affected: Not reported Soil cleaned up: Not reported Not reported Surface water cleaned: VOCs found: Not reported VOCs cleaned: Not reported Cleanup other description: Not reported Num. of cleanup and re-dev. jobs: Not reported Past use greenspace acreage: Not reported Past use residential acreage: 1.66 Surface Water: Not reported

Past use commercial acreage: .34

Not reported Past use industrial acreage: Future use greenspace acreage: Not reported Future use residential acreage: Not reported Future use commercial acreage: Not reported Future use industrial acreage: Not reported Greenspace acreage and type: Not reported Superfund Fed. landowner flag: Not reported Arsenic cleaned up: Not reported Cadmium cleaned up: Not reported Chromium cleaned up: Not reported Not reported Copper cleaned up: Iron cleaned up: Not reported mercury cleaned up: Not reported Nickel Cleaned Up: Not reported No clean up: Not reported Not reported Pesticides cleaned up: Not reported Selenium cleaned up: SVOCs cleaned up: Not reported Unknown clean up: Not reported Arsenic contaminant found: Not reported Cadmium contaminant found: Not reported Not reported Chromium contaminant found: Copper contaminant found: Not reported Iron contaminant found: Not reported Not reported Mercury contaminant found: Nickel contaminant found: Not reported No contaminant found: Not reported

Unknown contaminant found:

Pesticides contaminant found:

Selenium contaminant found:

SVOCs contaminant found:

Future Use: Multistory Not reported Media affected Bluiding Material: Not reported Media affected indoor air: Not reported Building material media cleaned up: Not reported Indoor air media cleaned up: Not reported Unknown media cleaned up: Not reported Past Use: Multistory Not reported

Not reported

Not reported

Not reported

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

# E. STEELE PROPERTY (Continued)

1016350700

Property Description: Current owner inherited property from formerNewt Mills around 1996. A

service station on northeast corner of the site-1960's. Remainder was

residential.

Below Poverty Number: 330 Below Poverty Percent: 18.7% Meidan Income: 2847 Meidan Income Number: 856 Meidan Income Percent: 48.6% Vacant Housing Number: 79 Vacant Housing Percent: 8.9% **Unemployed Number:** 19 **Unemployed Percent:** 1.1%

FINDS:

Registry ID: 110039137671

Environmental Interest/Information System

US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES)

is an federal online database for Brownfields Grantees to

electronically submit data directly to EPA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

37 NORTHERN DIVISION ENG.BLDG.

South 2901 CYPRESS ST 1/4-1/2 WEST MONROE, LA 71291

0.449 mi. 2369 ft.

S106033836 HIST LUST **DEL SHWS** N/A **SPILLS REM** 

Relative: HIST LUST: Lower Facility ID:

Actual: 83 ft.

Facility Parish: **OUACHITA** Substance Name: **USED OIL** Substance Name 2: Not reported UNKNOWN Quantity: Quantity 2: Not reported Date Confirmed: 06/22/1990 Date Confirmed 2: Not reported Incident Number: 90-8-0130 Incident Date: 06/22/1990

PIPING LEAK Type of Incident: Type of Incident No2: Not reported BOB HAYDEN/ LA P & L Reported By:

37-011952

Reported By 2: Not reported Owner ID: 00178200

ENTERGY LOUISIANA, INC. Owner Name: Owner Address: P O BOX 61000-UNIT L-ENT-5D NEW ORLEANS, LA 70161 Owner City, St, Zip:

Assessment Pending Info: Yes

Assessment Request Date: Not reported Assessment Plan Due Date: Not reported Assessment Plan Received Date: Not reported Assessment Approved Date: Not reported

Assessment Contractor: CK ASSOCIATES INC.

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

# NORTHERN DIVISION ENG.BLDG. (Continued)

S106033836

Assess Date Add Info Due: Not reported Not reported Assess Date Add Info Recd: Assess Date Add Info Due2: Not reported Assess Date Add Info Recd: Not reported Assess Date Add Info Due3: Not reported Not reported Corrective Plan Due Date: Corrective Plan Received Date: Not reported 10/15/1990 Corrective Plan Approved Date: Corr Act Date Add Info Due: Not reported Corr Act Date Add Info Recd: Not reported Not reported Corr Act Date Add Info Due2: Not reported Corr Act Date Add Info Recd2: Corr Act Date Add Info Due3: Not reported Remediation Method: Not reported Remediation Date: Not reported Remediation Terminated Date: Not reported

LA HIST LUST INCIDENT:

FACILITY IS A LA. POWER & LIGHT PROPERTY. Comments:

LA HIST LUST ASSESMENT:

SMALL LEAK IN ELBOW IN LINE. TIGHTNESS TEST FAILED. PIPE NIPPLE ANDTHREAD Comments:

CONNCETION WAS LEAKING. DEQ INSPECTION 6/25/90 IN RESPONSE TOREPORT OF

INCIDENT, USTS WERE CLOSED AS OF 7/3/91, CONTAMINATED SOILBEING EXCAVATED AND

WILL BE DISPOSED OF OFF-SITE.

LA HIST LUST CORRECTIVE ACTION:

Comments: Not reported

Facility ID: 37-011952 Facility Parish: **OUACHITA** Substance Name: Not reported Substance Name 2: Not reported Quantity: Not reported Quantity 2: Not reported Date Confirmed: Not reported Date Confirmed 2: Not reported 90-8-0130 Incident Number: Incident Date: 06/22/1990

Type of Incident: Not reported Type of Incident No2: Not reported

Reported By: Not reported Reported By 2: Not reported Owner ID: 00178200

Owner Name: ENTERGY LOUISIANA, INC. P O BOX 61000-UNIT L-ENT-5D Owner Address: Owner City,St,Zip: NEW ORLEANS, LA 70161

Assessment Pending Info: Yes

Assessment Request Date: Not reported Not reported Assessment Plan Due Date: Not reported Assessment Plan Received Date: Assessment Approved Date: Not reported

CK ASSOCIATES INC. Assessment Contractor:

Assess Date Add Info Due: Not reported Assess Date Add Info Recd: Not reported Assess Date Add Info Due2: Not reported Assess Date Add Info Recd: Not reported Assess Date Add Info Due3: Not reported Not reported Corrective Plan Due Date:

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

# NORTHERN DIVISION ENG.BLDG. (Continued)

S106033836

Corrective Plan Received Date: Not reported 10/15/1990 Corrective Plan Approved Date: Corr Act Date Add Info Due: Not reported Corr Act Date Add Info Recd: Not reported Corr Act Date Add Info Due2: Not reported Corr Act Date Add Info Recd2: Not reported Corr Act Date Add Info Due3: Not reported Remediation Method: Not reported Remediation Date: Not reported Remediation Terminated Date: Not reported

LA HIST LUST INCIDENT:

Comments: FACILITY IS A LA. POWER & LIGHT PROPERTY.

LA HIST LUST ASSESMENT:

SMALL LEAK IN ELBOW IN LINE. TIGHTNESS TEST FAILED. PIPE NIPPLE ANDTHREAD Comments:

CONNCETION WAS LEAKING. DEQ INSPECTION 6/25/90 IN RESPONSE TOREPORT OF

INCIDENT, USTS WERE CLOSED AS OF 7/3/91, CONTAMINATED SOILBEING EXCAVATED AND

WILL BE DISPOSED OF OFF-SITE.

LA HIST LUST CORRECTIVE ACTION:

Comments: Not reported

**DEL SHWS:** 

Name: LP&L CO - NORTHERN TRANSFORMER SHOP

2901 CYPRESS ST Address: WEST MONROE, LA 71291 City,State,Zip:

Program: **IAS-Confirmed** 

EAC Type: Approve Completion NFA w/ BOD

AI #: 1942 Evaluated And Closed: 03/25/2015 EDMS ID 9687170 Comments:

SPILLS:

Receive Date: 02/24/2000 Incident Date: 02/24/2000

Quantity: Units:

gallons Parameter: Diesel 31378 Incident ID: Other Description: Not reported AI ID: Not reported Incident Status: Closed Media Desc: Water

Location Description: Entergy business office 2901 Cypress st

Incident Source Name: Entergy Start Date: Not reported Region: Not reported Reporter Name: Not reported Mailing Address: Not reported Mailing City: Not reported Mailing State: Not reported Mailing Zip: Not reported

Incident Desc: s00-0796 Diesel spill -- JP

Incident Type Desc: Not reported Comments: Not reported

Receive Date: 03/13/2015

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

# NORTHERN DIVISION ENG.BLDG. (Continued)

S106033836

Incident Date: 03/13/2015 Quantity: Not reported Not reported Units: Not reported Parameter: Incident ID: 162353 Mineral Oil Other Description: AI ID: 1942 Incident Status: Closed Media Desc: Soil

Location Description: Not reported

Incident Source Name: LP&L Co - Northern Transformer Shop

Start Date: Not reported

Region: ΝE

Reporter Name: Larry Dinnell Mailing Address: 2901 Cypress St Mailing City: West Monroe

Mailing State: ΙΑ Mailing Zip: 71291

Incident Desc: s15-57438release of mineral oil to soil due to a damaged transformer

CML

Incident Type Desc: Release/Spill, Miscellaneous

Comments: I conducted this inspection in response to incident T162353, which

> stated that a transformer released an unknown amount of oil. I spoke with Mr. Larry Dinnell/Perry and Son's, and he stated that the release was approximately 25 gallons and did not run off of the entergy site. The affected area was cleaned and the waste taken for disposal properly. No further action required by DEQ emergency response.jam

Receive Date: 07/07/2000 07/07/2000 Incident Date: Not reported Quantity: Units: Not reported Parameter: Not reported 35240 Incident ID: oil 152gals Other Description: Not reported AI ID: Incident Status: Closed Media Desc: Not reported 2901 Cypress St. Location Description: Incident Source Name: Entergy

Start Date: Not reported Region: Not reported Reporter Name: Not reported Mailing Address: Not reported Mailing City: Not reported Mailing State: Not reported Mailing Zip: Not reported

Incident Desc: s00-2787 Non-PCB transformer oil was spilled...they were unloading a

flatbed and they dropped a transformer..did not go

offsite..Perry&Son's responding to clean up...used oil absorbents and

the oil will be excavated.

Incident Type Desc: Not reported Comments: Not reported

REM:

Name: LP&L CO - NORTHERN TRANSFORMER SHOP

2901 CYPRESS ST Address:

Map ID MAP FINDINGS Direction

Distance

Elevation Site Database(s) EPA ID Number

# NORTHERN DIVISION ENG.BLDG. (Continued)

Address 2: Not reported

City, State, Zip: WEST MONROE, LA 71291

AI Num: 1942
Evaluated And Closed: 03/25/2015
Program: IAS-Confirmed

EAC Type: Approve Completion NFA w/ BOD

Comments: EDMS ID 9687170

**EDR ID Number** 

S106033836

Count: 1 records. ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
WEST MONROE	S120821272	2 BOYTE ENTERPRISES INC	PARKWOOD DR	71291	SWF/LF

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

**Number of Days to Update:** Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

## STANDARD ENVIRONMENTAL RECORDS

#### Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 07/19/2019 Source: EPA
Date Data Arrived at EDR: 07/30/2019 Telephone: N/A

Number of Days to Update: 35 Next Scheduled EDR Contact: 01/13/2020
Data Release Frequency: Quarterly

**NPL Site Boundaries** 

Sources

EPA's Environmental Photographic Interpretation Center (EPIC)

Telephone: 202-564-7333

EPA Region 1 EPA Region 6

Telephone 617-918-1143 Telephone: 214-655-6659

EPA Region 3 EPA Region 7

Telephone 215-814-5418 Telephone: 913-551-7247

EPA Region 4 EPA Region 8

Telephone 404-562-8033 Telephone: 303-312-6774

EPA Region 5 EPA Region 9

Telephone 312-886-6686 Telephone: 415-947-4246

EPA Region 10

Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 07/19/2019 Source: EPA
Date Data Arrived at EDR: 07/30/2019 Telephone: N

Number of Days to Update: 35

Telephone: N/A Last EDR Contact: 10/02/2019

Last EDR Contact: 10/02/2019

Next Scheduled EDR Contact: 01/13/2020 Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991 Date Data Arrived at EDR: 02/02/1994 Date Made Active in Reports: 03/30/1994

Number of Days to Update: 56

Source: EPA

Telephone: 202-564-4267 Last EDR Contact: 08/15/2011

Next Scheduled EDR Contact: 11/28/2011 Data Release Frequency: No Update Planned

### Federal Delisted NPL site list

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 07/19/2019 Date Data Arrived at EDR: 07/30/2019 Date Made Active in Reports: 09/03/2019

Number of Days to Update: 35

Source: EPA Telephone: N/A

Last EDR Contact: 10/02/2019

Next Scheduled EDR Contact: 01/13/2020 Data Release Frequency: Quarterly

### Federal CERCLIS list

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 04/03/2019 Date Data Arrived at EDR: 04/05/2019 Date Made Active in Reports: 05/14/2019

Number of Days to Update: 39

Source: Environmental Protection Agency Telephone: 703-603-8704

Last EDR Contact: 10/04/2019

Next Scheduled EDR Contact: 01/13/2020 Data Release Frequency: Varies

### SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 07/19/2019 Date Data Arrived at EDR: 07/30/2019 Date Made Active in Reports: 09/03/2019

Number of Days to Update: 35

Source: EPA Telephone: 800-424-9346 Last EDR Contact: 10/02/2019

Next Scheduled EDR Contact: 10/28/2019 Data Release Frequency: Quarterly

#### Federal CERCLIS NFRAP site list

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 07/19/2019 Date Data Arrived at EDR: 07/30/2019 Date Made Active in Reports: 09/03/2019

Number of Days to Update: 35

Source: EPA

Telephone: 800-424-9346 Last EDR Contact: 10/02/2019

Next Scheduled EDR Contact: 10/28/2019 Data Release Frequency: Quarterly

### Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 03/25/2019 Date Data Arrived at EDR: 03/27/2019 Date Made Active in Reports: 04/17/2019

Number of Days to Update: 21

Source: EPA

Telephone: 800-424-9346 Last EDR Contact: 09/16/2019

Next Scheduled EDR Contact: 01/06/2020 Data Release Frequency: Quarterly

#### Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 03/25/2019 Date Data Arrived at EDR: 03/27/2019 Date Made Active in Reports: 04/17/2019

Number of Days to Update: 21

Source: Environmental Protection Agency

Telephone: 214-665-6444 Last EDR Contact: 09/16/2019

Next Scheduled EDR Contact: 01/06/2020 Data Release Frequency: Quarterly

## Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 03/25/2019 Date Data Arrived at EDR: 03/27/2019 Date Made Active in Reports: 04/17/2019

Number of Days to Update: 21

Source: Environmental Protection Agency Telephone: 214-665-6444

Last EDR Contact: 09/16/2019

Next Scheduled EDR Contact: 01/06/2020 Data Release Frequency: Quarterly

#### RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 03/25/2019 Date Data Arrived at EDR: 03/27/2019 Date Made Active in Reports: 04/17/2019

Number of Days to Update: 21

Source: Environmental Protection Agency

Telephone: 214-665-6444 Last EDR Contact: 09/16/2019

Next Scheduled EDR Contact: 01/06/2020 Data Release Frequency: Quarterly

RCRA-VSQG: RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)
RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation
and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database
includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste
as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate
less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 03/25/2019 Date Data Arrived at EDR: 03/27/2019 Date Made Active in Reports: 04/17/2019

Number of Days to Update: 21

Source: Environmental Protection Agency

Telephone: 214-665-6444 Last EDR Contact: 09/16/2019

Next Scheduled EDR Contact: 01/06/2020 Data Release Frequency: Quarterly

### Federal institutional controls / engineering controls registries

#### LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 08/13/2019 Date Data Arrived at EDR: 08/20/2019 Date Made Active in Reports: 08/26/2019

Number of Days to Update: 6

Source: Department of the Navy Telephone: 843-820-7326 Last EDR Contact: 08/07/2019

Next Scheduled EDR Contact: 11/25/2019 Data Release Frequency: Varies

#### US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 08/19/2019 Date Data Arrived at EDR: 08/20/2019 Date Made Active in Reports: 08/26/2019

Number of Days to Update: 6

Source: Environmental Protection Agency

Telephone: 703-603-0695 Last EDR Contact: 08/20/2019

Next Scheduled EDR Contact: 12/09/2019 Data Release Frequency: Varies

### US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 08/19/2019 Date Data Arrived at EDR: 08/20/2019 Date Made Active in Reports: 08/26/2019

Number of Days to Update: 6

Source: Environmental Protection Agency

Telephone: 703-603-0695 Last EDR Contact: 08/20/2019

Next Scheduled EDR Contact: 12/09/2019

Data Release Frequency: Varies

#### Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous

substances.

Date of Government Version: 09/09/2019 Date Data Arrived at EDR: 09/09/2019 Date Made Active in Reports: 09/23/2019

Number of Days to Update: 14

Source: National Response Center, United States Coast Guard

Telephone: 202-267-2180 Last EDR Contact: 09/09/2019

Next Scheduled EDR Contact: 01/06/2020 Data Release Frequency: Quarterly

### State- and tribal - equivalent CERCLIS

SHWS: Potential and Confirmed Sites List

Confirmed status denotes that assessments have been performed and a determination made that (1) hazardous waste(s) or substance(s) are present at the site and (2) these sites are under the jurisdiction of the LDEQ/RSD. Potential status is an indicator that sites are either waiting to be assessed or the assessment is in progress.

Date of Government Version: 07/16/2019 Date Data Arrived at EDR: 07/18/2019 Date Made Active in Reports: 09/25/2019

Number of Days to Update: 69

Telephone: 225-219-3181

Last EDR Contact: 10/09/2019

Next Scheduled EDR Contact: 01/27/2020 Data Release Frequency: Quarterly

Source: Department of Environmental Quality

### State and tribal landfill and/or solid waste disposal site lists

SWF/LF: Landfill List

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 06/11/2019 Date Data Arrived at EDR: 07/02/2019 Date Made Active in Reports: 09/18/2019

Number of Days to Update: 78

Source: Department of Environmental Quality

Telephone: 225-219-3181 Last EDR Contact: 09/05/2019

Next Scheduled EDR Contact: 12/23/2019 Data Release Frequency: Annually

DEBRIS: LDEQ Approved Debris Sites

A listing of LDEQ Approved Debris Sites where hurricane debris is dumped.

Date of Government Version: 03/11/2019 Date Data Arrived at EDR: 03/13/2019 Date Made Active in Reports: 04/12/2019

Number of Days to Update: 30

Source: Department of Environmental Quality

Telephone: 225-219-3953 Last EDR Contact: 09/09/2019

Next Scheduled EDR Contact: 12/23/2019 Data Release Frequency: Varies

HIST DEBRIS: LDEQ Approved Debris Sites

A listing of LDEQ Approved Debris Sites where hurricane debris is dumped.

Date of Government Version: 02/07/2007 Date Data Arrived at EDR: 11/14/2008 Date Made Active in Reports: 11/21/2008

Number of Days to Update: 7

Source: Department of Environmental Quality

Telephone: 225-219-3070 Last EDR Contact: 03/23/2009

Next Scheduled EDR Contact: 06/22/2009 Data Release Frequency: No Update Planned

State and tribal leaking storage tank lists

LUST: Leaking Underground Storage Tanks

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 07/16/2019 Date Data Arrived at EDR: 07/18/2019 Date Made Active in Reports: 09/25/2019

Number of Days to Update: 69

Source: Department of Environmental Quality

Telephone: 225-219-3181 Last EDR Contact: 10/09/2019

Next Scheduled EDR Contact: 01/27/2020 Data Release Frequency: Quarterly

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 10/13/2018 Date Data Arrived at EDR: 03/07/2019 Date Made Active in Reports: 05/01/2019

Number of Days to Update: 55

Source: EPA Region 1 Telephone: 617-918-1313 Last EDR Contact: 07/29/2019

Next Scheduled EDR Contact: 11/04/2019 Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 10/17/2018 Date Data Arrived at EDR: 03/07/2019 Date Made Active in Reports: 05/01/2019

Number of Days to Update: 55

Source: EPA Region 10 Telephone: 206-553-2857 Last EDR Contact: 07/29/2019

Next Scheduled EDR Contact: 11/04/2019 Data Release Frequency: Varies

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 10/10/2018 Date Data Arrived at EDR: 03/08/2019 Date Made Active in Reports: 05/01/2019

Number of Days to Update: 54

Source: Environmental Protection Agency

Telephone: 415-972-3372 Last EDR Contact: 07/29/2019

Next Scheduled EDR Contact: 11/04/2019 Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 10/16/2018 Date Data Arrived at EDR: 03/07/2019 Date Made Active in Reports: 05/01/2019

Number of Days to Update: 55

Source: EPA Region 8 Telephone: 303-312-6271 Last EDR Contact: 07/29/2019

Next Scheduled EDR Contact: 11/04/2019 Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 09/24/2018 Date Data Arrived at EDR: 03/12/2019 Date Made Active in Reports: 05/01/2019

Number of Days to Update: 50

Source: EPA Region 4 Telephone: 404-562-8677 Last EDR Contact: 07/23/2019

Next Scheduled EDR Contact: 11/04/2019 Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 11/01/2018 Date Data Arrived at EDR: 03/07/2019 Date Made Active in Reports: 05/01/2019

Number of Days to Update: 55

Source: EPA Region 6 Telephone: 214-665-6597 Last EDR Contact: 07/29/2019

Next Scheduled EDR Contact: 11/04/2019 Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land

Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 10/12/2018 Date Data Arrived at EDR: 03/07/2019 Date Made Active in Reports: 05/01/2019

Number of Days to Update: 55

Source: EPA, Region 5 Telephone: 312-886-7439 Last EDR Contact: 07/29/2019

Next Scheduled EDR Contact: 11/04/2019 Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 02/19/2019 Date Data Arrived at EDR: 03/07/2019 Date Made Active in Reports: 05/01/2019

Number of Days to Update: 55

Source: EPA Region 7 Telephone: 913-551-7003 Last EDR Contact: 07/29/2019

Next Scheduled EDR Contact: 11/04/2019 Data Release Frequency: Varies

HIST LUST: Underground Storage Tank Case History Incidents

This listing includes detailed information for Leaking Underground Storage Tanks reported through November 1999. It is no longer updated. Current LUST incidents, without detail, can be found in the Leaking Underground Storage Tank Database

Date of Government Version: 11/01/1999 Date Data Arrived at EDR: 02/16/2000 Date Made Active in Reports: 05/01/2000

Number of Days to Update: 75

Source: Department of Environmental Quality

Telephone: N/A

Last EDR Contact: 12/04/2001 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

### State and tribal registered storage tank lists

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 05/15/2017 Date Data Arrived at EDR: 05/30/2017 Date Made Active in Reports: 10/13/2017

Number of Days to Update: 136

Source: FEMA

Telephone: 202-646-5797 Last EDR Contact: 10/11/2019

Next Scheduled EDR Contact: 01/20/2020

Data Release Frequency: Varies

UST: Louisiana Underground Storage Tank Database

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 07/15/2019 Date Data Arrived at EDR: 07/16/2019 Date Made Active in Reports: 09/23/2019

Number of Days to Update: 69

Source: Department of Environmental Quality

Telephone: 225-219-3181 Last EDR Contact: 10/09/2019

Next Scheduled EDR Contact: 01/27/2020 Data Release Frequency: Quarterly

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 10/17/2018 Date Data Arrived at EDR: 03/07/2019 Date Made Active in Reports: 05/01/2019

Number of Days to Update: 55

Source: EPA Region 10 Telephone: 206-553-2857 Last EDR Contact: 07/29/2019

Next Scheduled EDR Contact: 11/04/2019 Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 10/10/2018 Date Data Arrived at EDR: 03/08/2019 Date Made Active in Reports: 05/01/2019

Number of Days to Update: 54

Source: EPA Region 9 Telephone: 415-972-3368 Last EDR Contact: 07/29/2019

Next Scheduled EDR Contact: 11/04/2019 Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 10/16/2018 Date Data Arrived at EDR: 03/07/2019 Date Made Active in Reports: 05/01/2019

Number of Days to Update: 55

Source: EPA Region 8 Telephone: 303-312-6137 Last EDR Contact: 08/05/2019

Next Scheduled EDR Contact: 11/04/2019 Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 11/01/2018 Date Data Arrived at EDR: 03/07/2019 Date Made Active in Reports: 05/01/2019

Number of Days to Update: 55

Source: EPA Region 6 Telephone: 214-665-7591 Last EDR Contact: 07/29/2019

Next Scheduled EDR Contact: 11/04/2019 Data Release Frequency: Varies

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 10/12/2018 Date Data Arrived at EDR: 03/07/2019 Date Made Active in Reports: 05/01/2019

Number of Days to Update: 55

Source: EPA Region 5 Telephone: 312-886-6136 Last EDR Contact: 07/29/2019

Next Scheduled EDR Contact: 11/05/2019 Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 09/24/2018 Date Data Arrived at EDR: 03/12/2019 Date Made Active in Reports: 05/01/2019

Number of Days to Update: 50

Source: EPA Region 4 Telephone: 404-562-9424 Last EDR Contact: 07/23/2019

Next Scheduled EDR Contact: 11/04/2019 Data Release Frequency: Varies

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 10/03/2018 Date Data Arrived at EDR: 03/07/2019 Date Made Active in Reports: 05/01/2019

Number of Days to Update: 55

Source: EPA, Region 1 Telephone: 617-918-1313 Last EDR Contact: 07/29/2019

Next Scheduled EDR Contact: 11/04/2019 Data Release Frequency: Varies

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 11/07/2018 Date Data Arrived at EDR: 03/07/2019 Date Made Active in Reports: 05/01/2019

Number of Days to Update: 55

Source: EPA Region 7 Telephone: 913-551-7003 Last EDR Contact: 07/29/2019

Next Scheduled EDR Contact: 11/04/2019 Data Release Frequency: Varies

#### State and tribal institutional control / engineering control registries

AUL: Listing of Institutional and/or Enginnering Controls

A notice of contamination (nature and levels of contaminants) and restriction of property to non-residential use are placed in the conveyance records for the property.

Date of Government Version: 07/09/2019 Date Data Arrived at EDR: 07/09/2019 Date Made Active in Reports: 09/19/2019

Number of Days to Update: 72

Source: Department of Environmental Quality

Telephone: 225-219-3168 Last EDR Contact: 10/02/2019

Next Scheduled EDR Contact: 01/20/2020 Data Release Frequency: Varies

# State and tribal voluntary cleanup sites

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015 Date Data Arrived at EDR: 09/29/2015 Date Made Active in Reports: 02/18/2016

Number of Days to Update: 142

Source: EPA, Region 1 Telephone: 617-918-1102 Last EDR Contact: 09/19/2019

Next Scheduled EDR Contact: 01/06/2020 Data Release Frequency: Varies

VCP: Voluntary Remediation Program Sites

Sites that have entered the Department of Environmental Quality's Voluntary Remediation Program

Date of Government Version: 07/16/2019 Date Data Arrived at EDR: 07/17/2019 Date Made Active in Reports: 09/24/2019

Number of Days to Update: 69

Source: Department of Environmental Quality

Telephone: 225-219-3181 Last EDR Contact: 07/17/2019

Next Scheduled EDR Contact: 10/28/2019
Data Release Frequency: Quarterly

INDIAN VCP R7: Voluntary Cleanup Priority Lisitng

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008 Date Data Arrived at EDR: 04/22/2008 Date Made Active in Reports: 05/19/2008

Number of Days to Update: 27

Source: EPA, Region 7 Telephone: 913-551-7365 Last EDR Contact: 04/20/2009

Next Scheduled EDR Contact: 07/20/2009 Data Release Frequency: Varies

#### State and tribal Brownfields sites

BROWNFIELDS: Brownfields Inventory

Brownfields are abandoned, idled, or underused industrial or commercial real property, the expansion, redevelopment or reuse of which may be complicated by the presence of or potential presence of a hazardous substance, pollutant, or contaminant.

Date of Government Version: 07/16/2019 Date Data Arrived at EDR: 07/18/2019 Date Made Active in Reports: 09/25/2019

Number of Days to Update: 69

Source: Department of Environmental Quality

Telephone: 225-219-3167 Last EDR Contact: 10/09/2019

Next Scheduled EDR Contact: 01/27/2020 Data Release Frequency: Quarterly

#### ADDITIONAL ENVIRONMENTAL RECORDS

#### Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 06/03/2019 Date Data Arrived at EDR: 06/04/2019 Date Made Active in Reports: 08/26/2019

Number of Days to Update: 83

Source: Environmental Protection Agency Telephone: 202-566-2777

Last EDR Contact: 09/19/2019

Next Scheduled EDR Contact: 12/30/2019 Data Release Frequency: Semi-Annually

### Local Lists of Landfill / Solid Waste Disposal Sites

SWRCY: Recycling Directory
A listing of recycling facilities.

Date of Government Version: 06/20/2019 Date Data Arrived at EDR: 08/02/2019 Date Made Active in Reports: 10/10/2019

Number of Days to Update: 69

Source: Department of Environmental Quality

Telephone: 225-219-3181 Last EDR Contact: 09/19/2019

Next Scheduled EDR Contact: 01/06/2020 Data Release Frequency: Varies

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998 Date Data Arrived at EDR: 12/03/2007 Date Made Active in Reports: 01/24/2008

Number of Days to Update: 52

Source: Environmental Protection Agency

Telephone: 703-308-8245 Last EDR Contact: 07/25/2019

Next Scheduled EDR Contact: 11/11/2019 Data Release Frequency: Varies

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009 Date Data Arrived at EDR: 05/07/2009 Date Made Active in Reports: 09/21/2009

Number of Days to Update: 137

Source: EPA, Region 9 Telephone: 415-947-4219 Last EDR Contact: 07/19/2019

Next Scheduled EDR Contact: 11/04/2019
Data Release Frequency: No Update Planned

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985 Date Data Arrived at EDR: 08/09/2004 Date Made Active in Reports: 09/17/2004

Number of Days to Update: 39

Source: Environmental Protection Agency

Telephone: 800-424-9346 Last EDR Contact: 06/09/2004 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

IHS OPEN DUMPS: Open Dumps on Indian Land

A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 04/01/2014 Date Data Arrived at EDR: 08/06/2014 Date Made Active in Reports: 01/29/2015

Date Made Active in Reports: 01/29/2015 Last EDR Contact: 08/02/2019

Number of Days to Update: 176 Next Scheduled EDR Contact: 11/11/2019

Data Release Frequency: Varies

Telephone: 301-443-1452

#### Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 06/11/2019 Date Data Arrived at EDR: 06/13/2019 Date Made Active in Reports: 09/03/2019

Number of Days to Update: 82

Source: Drug Enforcement Administration

Telephone: 202-307-1000 Last EDR Contact: 08/21/2019

Next Scheduled EDR Contact: 12/09/2019
Data Release Frequency: No Update Planned

Source: Department of Health & Human Serivces, Indian Health Service

CDL: Clandestine Drug Lab

A list of residential real properties that have been reported as potentially contaminated.

Date of Government Version: 06/13/2019 Date Data Arrived at EDR: 06/14/2019 Date Made Active in Reports: 08/27/2019

Number of Days to Update: 74

Source: Department of Environmental Quality

Telephone: 225-219-5337 Last EDR Contact: 08/21/2019

Next Scheduled EDR Contact: 12/09/2019 Data Release Frequency: Semi-Annually

DEL SHWS: Deleted Potential & Confirmed Sites

A listing of sites removed from the Potential and Confirmed Listing.

Date of Government Version: 07/16/2019 Date Data Arrived at EDR: 07/18/2019 Date Made Active in Reports: 09/25/2019

Number of Days to Update: 69

Source: Department of Environmental Quality

Telephone: 225-219-3168 Last EDR Contact: 10/09/2019

Next Scheduled EDR Contact: 01/27/2020 Data Release Frequency: Quarterly

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 06/11/2019 Date Data Arrived at EDR: 06/13/2019 Date Made Active in Reports: 09/03/2019

Number of Days to Update: 82

Source: Drug Enforcement Administration

Telephone: 202-307-1000 Last EDR Contact: 08/21/2019

Next Scheduled EDR Contact: 12/09/2019 Data Release Frequency: Quarterly

### Local Land Records

LIENS: Environmental Liens

An Environmental Lien is a charge, security, or encumbrance upon title to a property to secure the payment of a cost, damage, debt, obligation, or duty arising out of response actions, cleanup, or other remediation of hazardous substances or petroleum products upon a property, including (but not limited to) liens imposed pursuant to CERCLA 42 USC ? 9607(1) and similar state or local laws. In other words: a lien placed upon a property's title due to an environmental condition.

Date of Government Version: 11/27/2018 Date Data Arrived at EDR: 01/15/2019 Date Made Active in Reports: 03/19/2019

Number of Days to Update: 63

Source: Department of Environmental Quality

Telephone: N/A

Last EDR Contact: 10/09/2019

Next Scheduled EDR Contact: 01/27/2020 Data Release Frequency: Varies

### LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 07/30/2019 Date Data Arrived at EDR: 07/30/2019 Date Made Active in Reports: 09/03/2019

Number of Days to Update: 35

Source: Environmental Protection Agency

Telephone: 202-564-6023 Last EDR Contact: 10/02/2019

Next Scheduled EDR Contact: 01/13/2020 Data Release Frequency: Semi-Annually

### Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 06/24/2019 Date Data Arrived at EDR: 06/26/2019 Date Made Active in Reports: 09/23/2019

Number of Days to Update: 89

Source: U.S. Department of Transportation

Telephone: 202-366-4555 Last EDR Contact: 09/24/2019

Next Scheduled EDR Contact: 01/06/2020 Data Release Frequency: Quarterly

#### SPILLS: Emergency Response Section Incidents

Spills and/or releases, to land, reported to the Emergency Response Section.

Date of Government Version: 05/13/2019 Date Data Arrived at EDR: 05/30/2019 Date Made Active in Reports: 06/07/2019

Number of Days to Update: 8

Source: Department of Environmental Quality

Telephone: 225-219-3620 Last EDR Contact: 08/07/2019

Next Scheduled EDR Contact: 11/25/2019 Data Release Frequency: Varies

### SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 10/30/2012 Date Data Arrived at EDR: 01/03/2013 Date Made Active in Reports: 03/07/2013

Number of Days to Update: 63

Source: FirstSearch Telephone: N/A

Last EDR Contact: 01/03/2013 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

### Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 03/25/2019 Date Data Arrived at EDR: 03/27/2019 Date Made Active in Reports: 04/17/2019

Number of Days to Update: 21

Source: Environmental Protection Agency

Telephone: 214-665-6444 Last EDR Contact: 09/16/2019

Next Scheduled EDR Contact: 01/06/2020 Data Release Frequency: Quarterly

### FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 05/15/2019 Date Data Arrived at EDR: 05/21/2019 Date Made Active in Reports: 08/08/2019

Number of Days to Update: 79

Source: U.S. Army Corps of Engineers

Telephone: 202-528-4285 Last EDR Contact: 08/23/2019

Next Scheduled EDR Contact: 12/02/2019 Data Release Frequency: Varies

#### DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 11/10/2006 Date Made Active in Reports: 01/11/2007

Number of Days to Update: 62

Source: USGS

Telephone: 888-275-8747 Last EDR Contact: 10/11/2019

Next Scheduled EDR Contact: 01/20/2020 Data Release Frequency: Semi-Annually

### FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 02/06/2006 Date Made Active in Reports: 01/11/2007

Number of Days to Update: 339

Source: U.S. Geological Survey Telephone: 888-275-8747 Last EDR Contact: 10/07/2019

Next Scheduled EDR Contact: 01/20/2020

Data Release Frequency: N/A

### SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 01/01/2017 Date Data Arrived at EDR: 02/03/2017 Date Made Active in Reports: 04/07/2017

Number of Days to Update: 63

Source: Environmental Protection Agency

Telephone: 615-532-8599 Last EDR Contact: 08/16/2019

Next Scheduled EDR Contact: 11/25/2019 Data Release Frequency: Varies

### US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 06/24/2019 Date Data Arrived at EDR: 06/26/2019 Date Made Active in Reports: 09/23/2019

Number of Days to Update: 89

Source: Environmental Protection Agency

Telephone: 202-566-1917 Last EDR Contact: 09/24/2019

Next Scheduled EDR Contact: 01/06/2020 Data Release Frequency: Quarterly

# EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013 Date Data Arrived at EDR: 03/21/2014 Date Made Active in Reports: 06/17/2014

Number of Days to Update: 88

Source: Environmental Protection Agency

Telephone: 617-520-3000 Last EDR Contact: 08/05/2019

Next Scheduled EDR Contact: 11/18/2019 Data Release Frequency: Quarterly

### 2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017 Date Data Arrived at EDR: 05/08/2018 Date Made Active in Reports: 07/20/2018

Number of Days to Update: 73

Source: Environmental Protection Agency

Telephone: 703-308-4044 Last EDR Contact: 08/09/2019

Next Scheduled EDR Contact: 11/18/2019 Data Release Frequency: Varies

### TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2016 Date Data Arrived at EDR: 06/21/2017 Date Made Active in Reports: 01/05/2018

Number of Days to Update: 198

Source: EPA

Telephone: 202-260-5521 Last EDR Contact: 09/19/2019

Next Scheduled EDR Contact: 12/30/2019 Data Release Frequency: Every 4 Years

# TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2016 Date Data Arrived at EDR: 01/10/2018 Date Made Active in Reports: 01/12/2018

Number of Days to Update: 2

Source: EPA

Telephone: 202-566-0250 Last EDR Contact: 08/23/2019

Next Scheduled EDR Contact: 12/02/2019 Data Release Frequency: Annually

### SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 09/30/2018 Date Data Arrived at EDR: 04/24/2019 Date Made Active in Reports: 08/08/2019

Number of Days to Update: 106

Source: EPA

Telephone: 202-564-4203 Last EDR Contact: 07/26/2019

Next Scheduled EDR Contact: 11/04/2019
Data Release Frequency: Annually

### ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 07/19/2019 Date Data Arrived at EDR: 07/30/2019 Date Made Active in Reports: 09/03/2019

Number of Days to Update: 35

Source: EPA

Telephone: 703-416-0223 Last EDR Contact: 10/02/2019

Next Scheduled EDR Contact: 12/16/2019 Data Release Frequency: Annually

#### RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 04/25/2019 Date Data Arrived at EDR: 05/02/2019 Date Made Active in Reports: 05/23/2019

Number of Days to Update: 21

Source: Environmental Protection Agency

Telephone: 202-564-8600 Last EDR Contact: 07/22/2019

Next Scheduled EDR Contact: 11/04/2019 Data Release Frequency: Varies

#### RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995 Date Data Arrived at EDR: 07/03/1995 Date Made Active in Reports: 08/07/1995

Number of Days to Update: 35

Source: EPA

Telephone: 202-564-4104 Last EDR Contact: 06/02/2008

Next Scheduled EDR Contact: 09/01/2008

Data Release Frequency: No Update Planned

### PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 08/20/2019 Date Data Arrived at EDR: 09/05/2019 Date Made Active in Reports: 09/23/2019

Number of Days to Update: 18

Source: EPA

Telephone: 202-564-6023 Last EDR Contact: 10/02/2019

Next Scheduled EDR Contact: 11/18/2019 Data Release Frequency: Quarterly

### PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 03/20/2019 Date Data Arrived at EDR: 04/10/2019 Date Made Active in Reports: 05/14/2019

Number of Days to Update: 34

Source: EPA

Telephone: 202-566-0500 Last EDR Contact: 10/11/2019

Next Scheduled EDR Contact: 01/20/2020 Data Release Frequency: Annually

### ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016 Date Data Arrived at EDR: 11/23/2016 Date Made Active in Reports: 02/10/2017

Number of Days to Update: 79

Source: Environmental Protection Agency

Telephone: 202-564-2501 Last EDR Contact: 10/07/2019

Next Scheduled EDR Contact: 01/20/2020 Data Release Frequency: Quarterly

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009 Date Data Arrived at EDR: 04/16/2009 Date Made Active in Reports: 05/11/2009

Number of Days to Update: 25

Source: EPA/Office of Prevention, Pesticides and Toxic Substances

Telephone: 202-566-1667 Last EDR Contact: 08/18/2017

Next Scheduled EDR Contact: 12/04/2017 Data Release Frequency: No Update Planned

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act) A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009 Date Data Arrived at EDR: 04/16/2009 Date Made Active in Reports: 05/11/2009

Number of Days to Update: 25

Source: EPA

Telephone: 202-566-1667 Last EDR Contact: 08/18/2017

Next Scheduled EDR Contact: 12/04/2017 Data Release Frequency: No Update Planned

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 06/20/2019 Date Data Arrived at EDR: 06/20/2019 Date Made Active in Reports: 08/08/2019

Number of Days to Update: 49

Source: Nuclear Regulatory Commission

Telephone: 301-415-7169 Last EDR Contact: 09/04/2019

Next Scheduled EDR Contact: 11/04/2019 Data Release Frequency: Quarterly

COAL ASH DOE: Steam-Electric Plant Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 08/07/2009 Date Made Active in Reports: 10/22/2009

Number of Days to Update: 76

Source: Department of Energy Telephone: 202-586-8719 Last EDR Contact: 09/06/2019

Next Scheduled EDR Contact: 12/16/2019 Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 07/01/2014 Date Data Arrived at EDR: 09/10/2014 Date Made Active in Reports: 10/20/2014

Number of Days to Update: 40

Source: Environmental Protection Agency

Telephone: N/A

Last EDR Contact: 09/03/2019

Next Scheduled EDR Contact: 12/16/2019 Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 05/24/2017 Date Data Arrived at EDR: 11/30/2017 Date Made Active in Reports: 12/15/2017

Number of Days to Update: 15

Source: Environmental Protection Agency

Telephone: 202-566-0517 Last EDR Contact: 08/09/2019

Next Scheduled EDR Contact: 11/04/2019 Data Release Frequency: Varies

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/01/2019 Date Data Arrived at EDR: 07/01/2019 Date Made Active in Reports: 09/23/2019

Number of Days to Update: 84

Source: Environmental Protection Agency

Telephone: 202-343-9775 Last EDR Contact: 10/01/2019

Next Scheduled EDR Contact: 01/13/2020 Data Release Frequency: Quarterly

### HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006 Date Data Arrived at EDR: 03/01/2007 Date Made Active in Reports: 04/10/2007

Number of Days to Update: 40

Source: Environmental Protection Agency

Telephone: 202-564-2501 Last EDR Contact: 12/17/2007

Next Scheduled EDR Contact: 03/17/2008

Data Release Frequency: No Update Planned

# HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006 Date Data Arrived at EDR: 03/01/2007 Date Made Active in Reports: 04/10/2007

Number of Days to Update: 40

Source: Environmental Protection Agency

Telephone: 202-564-2501 Last EDR Contact: 12/17/2008

Next Scheduled EDR Contact: 03/17/2008 Data Release Frequency: No Update Planned

### DOT OPS: Incident and Accident Data

Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 04/01/2019 Date Data Arrived at EDR: 04/30/2019 Date Made Active in Reports: 08/08/2019

Number of Days to Update: 100

Source: Department of Transporation, Office of Pipeline Safety

Telephone: 202-366-4595 Last EDR Contact: 07/31/2019

Next Scheduled EDR Contact: 11/11/2019 Data Release Frequency: Quarterly

#### CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 06/30/2019 Date Data Arrived at EDR: 07/16/2019 Date Made Active in Reports: 10/02/2019

Number of Days to Update: 78

Source: Department of Justice, Consent Decree Library

Telephone: Varies

Last EDR Contact: 10/02/2019

Next Scheduled EDR Contact: 01/20/2020 Data Release Frequency: Varies

### BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2015 Date Data Arrived at EDR: 02/22/2017 Date Made Active in Reports: 09/28/2017

Number of Days to Update: 218

Source: EPA/NTIS Telephone: 800-424-9346 Last EDR Contact: 09/16/2019

Next Scheduled EDR Contact: 01/06/2020 Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014 Date Data Arrived at EDR: 07/14/2015 Date Made Active in Reports: 01/10/2017

Number of Days to Update: 546

Source: USGS

Telephone: 202-208-3710 Last EDR Contact: 10/06/2019

Next Scheduled EDR Contact: 01/19/2020 Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 08/08/2017 Date Data Arrived at EDR: 09/11/2018 Date Made Active in Reports: 09/14/2018

Number of Days to Update: 3

Source: Department of Energy Telephone: 202-586-3559 Last EDR Contact: 07/30/2019

Next Scheduled EDR Contact: 11/18/2019 Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 06/23/2017 Date Data Arrived at EDR: 10/11/2017 Date Made Active in Reports: 11/03/2017

Number of Days to Update: 23

Source: Department of Energy Telephone: 505-845-0011 Last EDR Contact: 08/21/2019

Next Scheduled EDR Contact: 12/02/2019 Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 07/19/2019 Date Data Arrived at EDR: 07/30/2019 Date Made Active in Reports: 09/03/2019

Number of Days to Update: 35

Source: Environmental Protection Agency

Telephone: 703-603-8787 Last EDR Contact: 10/02/2019

Next Scheduled EDR Contact: 01/13/2020

Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001 Date Data Arrived at EDR: 10/27/2010 Date Made Active in Reports: 12/02/2010

Number of Days to Update: 36

Source: American Journal of Public Health

Telephone: 703-305-6451 Last EDR Contact: 12/02/2009 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Telephone: 202-564-2496

Last EDR Contact: 09/26/2017

Date of Government Version: 10/12/2016 Date Data Arrived at EDR: 10/26/2016 Date Made Active in Reports: 02/03/2017

Number of Days to Update: 100

US AIRS MINOR: Air Facility System Data A listing of minor source facilities.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017

Number of Days to Update: 100

Source: EPA

Source: EPA

Telephone: 202-564-2496 Last EDR Contact: 09/26/2017

Next Scheduled EDR Contact: 01/08/2018 Data Release Frequency: Annually

Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 05/03/2019 Date Data Arrived at EDR: 05/29/2019 Date Made Active in Reports: 08/08/2019

Number of Days to Update: 71

Source: Department of Labor, Mine Safety and Health Administration

Telephone: 303-231-5959 Last EDR Contact: 08/27/2019

Next Scheduled EDR Contact: 12/09/2019 Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 12/05/2005 Date Data Arrived at EDR: 02/29/2008 Date Made Active in Reports: 04/18/2008

Number of Days to Update: 49

Source: USGS Telephone: 703-648-7709 Last EDR Contact: 08/30/2019

Next Scheduled EDR Contact: 12/09/2019 Data Release Frequency: Varies

US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011 Date Data Arrived at EDR: 06/08/2011 Date Made Active in Reports: 09/13/2011

Number of Days to Update: 97

Source: USGS

Telephone: 703-648-7709 Last EDR Contact: 08/30/2019

Next Scheduled EDR Contact: 12/09/2019 Data Release Frequency: Varies

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 03/27/2019 Date Data Arrived at EDR: 03/28/2019 Date Made Active in Reports: 05/01/2019

Number of Days to Update: 34

Source: Department of Interior Telephone: 202-208-2609 Last EDR Contact: 09/10/2019

Next Scheduled EDR Contact: 12/23/2019 Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 05/03/2019 Date Data Arrived at EDR: 06/05/2019 Date Made Active in Reports: 09/03/2019

Number of Days to Update: 90

Source: EPA Telephone: (214) 665-2200 Last EDR Contact: 09/04/2019

Next Scheduled EDR Contact: 12/16/2019 Data Release Frequency: Quarterly

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 05/31/2018 Date Data Arrived at EDR: 07/26/2018 Date Made Active in Reports: 10/05/2018

Number of Days to Update: 71

Source: Environmental Protection Agency Telephone: 202-564-0527

Last EDR Contact: 08/21/2019

Next Scheduled EDR Contact: 12/09/2019 Data Release Frequency: Varies

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 07/06/2019 Date Data Arrived at EDR: 07/09/2019 Date Made Active in Reports: 10/02/2019

Number of Days to Update: 85

Source: Environmental Protection Agency

Telephone: 202-564-2280 Last EDR Contact: 10/08/2019

Next Scheduled EDR Contact: 01/20/2020 Data Release Frequency: Quarterly

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 12/31/2017 Date Data Arrived at EDR: 01/17/2019 Date Made Active in Reports: 04/01/2019

Number of Days to Update: 74

Source: Department of Defense Telephone: 703-704-1564 Last EDR Contact: 10/10/2019

Next Scheduled EDR Contact: 01/27/2020 Data Release Frequency: Varies

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 05/20/2019 Date Data Arrived at EDR: 05/21/2019 Date Made Active in Reports: 08/08/2019

Number of Days to Update: 79

Source: EPA

Telephone: 800-385-6164 Last EDR Contact: 08/20/2019

Next Scheduled EDR Contact: 12/02/2019 Data Release Frequency: Quarterly

AIRS: Air Permit List

A listing of facilities with air permits issued by the Air Permits Division

Date of Government Version: 05/21/2019 Date Data Arrived at EDR: 06/13/2019 Date Made Active in Reports: 08/20/2019

Number of Days to Update: 68

Source: Department of Environmental Quality

Telephone: 225-219-3417 Last EDR Contact: 08/07/2019

Next Scheduled EDR Contact: 11/25/2019

Data Release Frequency: Varies

ASBESTOS: Asbestos Projects List

Asbestos demolition and renovation notification projects locations in the state.

Date of Government Version: 12/31/2017 Date Data Arrived at EDR: 05/16/2019 Date Made Active in Reports: 06/06/2019

Number of Days to Update: 21

Source: Department of Environmental Quality

Telephone: 225-219-3181 Last EDR Contact: 10/01/2019

Next Scheduled EDR Contact: 01/27/2020 Data Release Frequency: Annually

COAL ASH: Coal Ash Disposal Sites
A listing of coal ash impoundments.

Date of Government Version: 04/10/2018 Date Data Arrived at EDR: 04/12/2018 Date Made Active in Reports: 04/26/2018

Number of Days to Update: 14

Source: Department of Environmental Quality

Telephone: 225-219-3168 Last EDR Contact: 10/02/2019

Next Scheduled EDR Contact: 01/20/2020

Data Release Frequency: Varies

DRYCLEANERS: Drycleaner Facility Listing A listing of drycleaner facilities.

Date of Government Version: 07/08/2019
Date Data Arrived at EDR: 07/16/2019
Date Made Active in Reports: 09/23/2019

Number of Days to Update: 69

Source: Department of Environmental Quality

Telephone: 225-219-3168 Last EDR Contact: 10/09/2019

Next Scheduled EDR Contact: 01/27/2020

Data Release Frequency: Varies

Financial Assurance 1: Financial Assurance Information

Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay

Date of Government Version: 05/01/2019 Date Data Arrived at EDR: 05/16/2019 Date Made Active in Reports: 06/06/2019

Number of Days to Update: 21

Source: Department of Environmental Quality

Telephone: 225-219-3168 Last EDR Contact: 07/22/2019

Next Scheduled EDR Contact: 11/04/2019 Data Release Frequency: Varies

Financial Assurance 2: Financial Assurance Information Listing

Information for solid waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay

Date of Government Version: 05/01/2019 Date Data Arrived at EDR: 05/16/2019 Date Made Active in Reports: 06/06/2019

Number of Days to Update: 21

Source: Department of Environmental Quality

Telephone: 225-219-3168 Last EDR Contact: 07/22/2019

Next Scheduled EDR Contact: 11/04/2019
Data Release Frequency: Varies

NPDES: LPDES Permits Database

A listing of sites with a Louisiana Pollutant Discharge Elimination System (LPDES) program issued permit.

Date of Government Version: 05/31/2019 Date Data Arrived at EDR: 06/13/2019 Date Made Active in Reports: 08/27/2019

Number of Days to Update: 75

Source: Department of Environmental Quality

Telephone: 225-219-3181 Last EDR Contact: 07/22/2019

Next Scheduled EDR Contact: 11/04/2019 Data Release Frequency: Varies

REM: Division of Remediation Services Database

Facilities or sites come to the Underground Storage Tank and Remediation Divison either through self notification or referral. These sites are designated for remediation via the following regulatory paths: Solid Waste (SW), Hazardous Waste (Haz Waste), Groundwater (Grwater), Inactive & Abandoned Sites (Confirmed or Potential), or Underground Storage Tanks (UST).

Date of Government Version: 07/16/2019 Date Data Arrived at EDR: 07/18/2019 Date Made Active in Reports: 09/25/2019

Number of Days to Update: 69

Source: Department of Environmental Quality

Telephone: 225-219-3168 Last EDR Contact: 10/09/2019

Next Scheduled EDR Contact: 01/27/2020 Data Release Frequency: Quarterly

UIC: Underground Injection Wells Listing

A listing of underground injection well locations.

Date of Government Version: 05/28/2019 Date Data Arrived at EDR: 05/29/2019 Date Made Active in Reports: 06/07/2019

Number of Days to Update: 9

Source: Department of fNatural Resources

Telephone: 225-342-5515 Last EDR Contact: 08/27/2019

Next Scheduled EDR Contact: 12/09/2019 Data Release Frequency: Varies

### **EDR HIGH RISK HISTORICAL RECORDS**

#### **EDR Exclusive Records**

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A Number of Days to Update: N/A Source: EDR, Inc. Telephone: N/A Last EDR Contact: N/A

Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historical Auto Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A

Number of Days to Update: N/A

Source: EDR, Inc. Telephone: N/A Last EDR Contact: N/A

Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A

Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

#### **EDR RECOVERED GOVERNMENT ARCHIVES**

#### Exclusive Recovered Govt. Archives

RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Quality in Louisiana.

Date of Government Version: N/A Date Data Arrived at EDR: 07/01/2013 Date Made Active in Reports: 01/03/2014 Number of Days to Update: 186 Source: Department of Environmental Quality Telephone: N/A

Last EDR Contact: 06/01/2012 Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Quality in Louisiana.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/15/2014
Number of Days to Update: 198

Source: Department of Environmental Quality Telephone: N/A

Last EDR Contact: 06/01/2012 Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Quality in Louisiana.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/03/2014
Number of Days to Update: 186

Source: Department of Environmental Quality

Telephone: N/A

Last EDR Contact: 06/01/2012 Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

### OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 05/14/2019 Date Data Arrived at EDR: 05/14/2019 Date Made Active in Reports: 08/05/2019 Source: Department of Energy & Environmental Protection

Telephone: 860-424-3375 Last EDR Contact: 08/07/2019

Number of Days to Update: 83

Next Scheduled EDR Contact: 11/25/2019 Data Release Frequency: No Update Planned

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD

acility.

Date of Government Version: 01/01/2019 Date Data Arrived at EDR: 05/01/2019 Date Made Active in Reports: 06/21/2019

Number of Days to Update: 51

Source: Department of Environmental Conservation

Telephone: 518-402-8651 Last EDR Contact: 07/29/2019

Next Scheduled EDR Contact: 11/11/2019 Data Release Frequency: Quarterly

PA MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 06/30/2018 Date Data Arrived at EDR: 07/19/2019 Date Made Active in Reports: 09/10/2019

Number of Days to Update: 53

Source: Department of Environmental Protection

Telephone: 717-783-8990 Last EDR Contact: 10/09/2019

Next Scheduled EDR Contact: 12/07/2020 Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 05/31/2018 Date Data Arrived at EDR: 06/19/2019 Date Made Active in Reports: 09/03/2019

Number of Days to Update: 76

Source: Department of Natural Resources

Telephone: N/A

Last EDR Contact: 09/06/2019

Next Scheduled EDR Contact: 12/23/2019 Data Release Frequency: Annually

Oil/Gas Pipelines

Source: Endeavor Business Media

Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Electric Power Transmission Line Data

Source: Endeavor Business Media

This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

### AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services,

a federal agency within the U.S. Department of Health and Human Services.

**Nursing Homes** 

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary

and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

**Private Schools** 

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

Current USGS 7.5 Minute Topographic Map Source: U.S. Geological Survey

### STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

# **GEOCHECK®-PHYSICAL SETTING SOURCE ADDENDUM**

#### **TARGET PROPERTY ADDRESS**

WEST END GOLF COURSE HIGHWAY 143 WEST MONROE, LA 71291

### **TARGET PROPERTY COORDINATES**

Latitude (North): 32.525267 - 32° 31' 30.96" Longitude (West): 92.14685 - 92° 8' 48.66"

Universal Tranverse Mercator: Zone 15 UTM X (Meters): 580124.8 UTM Y (Meters): 3598791.2

Elevation: 92 ft. above sea level

### **USGS TOPOGRAPHIC MAP**

Target Property Map: 5637195 WEST MONROE NORTH, LA

Version Date: 2012

Northeast Map: 5637175 MONROE NORTH, LA

Version Date: 2012

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

- 1. Groundwater flow direction, and
- 2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

# **GROUNDWATER FLOW DIRECTION INFORMATION**

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


### **TOPOGRAPHIC INFORMATION**

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

### TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General ESE

### SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

### HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

### **FEMA FLOOD ZONE**

Flood Plain Panel at Target Property FEMA Source Type

22111C0650D FEMA FIRM Flood data

Additional Panels in search area: FEMA Source Type

Not Reported

**NATIONAL WETLAND INVENTORY** 

NWI Quad at Target Property Data Coverage

NOT AVAILABLE YES - refer to the Overview Map and Detail Map

### HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

### Site-Specific Hydrogeological Data\*:

Search Radius: 1.25 miles Status: Not found

### **AQUIFLOW®**

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

LOCATION GENERAL DIRECTION

MAP ID FROM TP GROUNDWATER FLOW

Not Reported

### **GROUNDWATER FLOW VELOCITY INFORMATION**

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

### **GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY**

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

#### **ROCK STRATIGRAPHIC UNIT**

#### **GEOLOGIC AGE IDENTIFICATION**

Era: Cenozoic Category: Stratifed Sequence

System: Quaternary Series: Pleistocene

Code: Qp (decoded above as Era, System & Series)

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

#### DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: FRIZZELL
Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward

movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Somewhat poorly. Soils commonly have a layer with low hydraulic

conductivity, wet state high in profile, etc. Depth to water table is

1 to 3 feet.

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: HIGH

Depth to Bedrock Min: > 60 inches

Depth to Bedrock Max: > 60 inches

Soil Layer Information							
	Boundary			Classification			
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil	Permeability Rate (in/hr)	Soil Reaction (pH)
1	0 inches	2 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay. FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 2.00 Min: 0.60	Max: 5.50 Min: 4.50
2	2 inches	35 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay. FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 2.00 Min: 0.60	Max: 5.50 Min: 4.50
3	35 inches	76 inches	silty clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 0.20 Min: 0.06	Max: 5.50 Min: 4.50
4	76 inches	85 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 0.60 Min: 0.06	Max: 5.50 Min: 4.50

# OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: No Other Soil Types

Surficial Soil Types: No Other Soil Types

Shallow Soil Types: silty clay loam

Deeper Soil Types: sandy loam

silty clay

# **LOCAL / REGIONAL WATER AGENCY RECORDS**

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

# WELL SEARCH DISTANCE INFORMATION

DATABASE SEARCH DISTANCE (miles)

Federal USGS 1.000

Federal FRDS PWS Nearest PWS within 1 mile

State Database 1.000

### FEDERAL USGS WELL INFORMATION

WELL ID	LOCATION FROM TP
USGS40000414123	1/8 - 1/4 Mile ENE
USGS40000414214	1/2 - 1 Mile WNW
USGS40000413944	1/2 - 1 Mile South
	USGS40000414123 USGS40000414214

### FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID WELL ID LOCATION FROM TP

F50 LA1073039 1/4 - 1/2 Mile South

Note: PWS System location is not always the same as well location.

### STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
A2	LATD50000094725	1/8 - 1/4 Mile ENE
B3	LATD50000098642	1/8 - 1/4 Mile North
B4	LATD50000098643	1/8 - 1/4 Mile North
B5	LATD50000197714	1/8 - 1/4 Mile North
B6	LATD50000098042	1/8 - 1/4 Mile North
B7	LATD50000098106	1/8 - 1/4 Mile North
B8	LATD50000098558	1/8 - 1/4 Mile North
B9	LATD50000097806	1/8 - 1/4 Mile North
B10	LATD50000098040	1/8 - 1/4 Mile North
B11	LATD50000098041	1/8 - 1/4 Mile North
B12	LATD50000177881	1/8 - 1/4 Mile North
B13	LATD50000191872	1/8 - 1/4 Mile North
B14	LATD50000191873	1/8 - 1/4 Mile North
B15	LATD50000196320	1/8 - 1/4 Mile North
B16	LATD50000184754	1/8 - 1/4 Mile North
B17	LATD50000191065	1/8 - 1/4 Mile North
B18	LATD50000191871	1/8 - 1/4 Mile North
B19	LATD50000195530	1/8 - 1/4 Mile North

# STATE DATABASE WELL INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
B20	LATD50000195532	1/8 - 1/4 Mile North
B21	LATD50000195534	1/8 - 1/4 Mile North
B22	LATD50000195531	1/8 - 1/4 Mile NNW
B23	LATD50000195378	1/8 - 1/4 Mile NNW
B24	LATD50000196319	1/8 - 1/4 Mile NNW
B25	LATD50000197713	1/8 - 1/4 Mile NNW
B26	LATD50000197712	1/8 - 1/4 Mile NNW
C27	LATD50000196318	1/8 - 1/4 Mile NNW
B28	LATD50000196413	1/8 - 1/4 Mile North
B29	LATD50000195535	1/8 - 1/4 Mile North
B30	LATD50000196310	1/8 - 1/4 Mile NNW
C31	LATD50000196317	1/8 - 1/4 Mile NNW
D32	LATD50000097875	1/4 - 1/2 Mile North
D33	LATD50000097874	1/4 - 1/2 Mile North
D34	LATD50000098265	1/4 - 1/2 Mile North
D35	LATD50000097879	1/4 - 1/2 Mile North
E36	LATD50000093776	1/4 - 1/2 Mile SSW
E37	LATD50000093777	1/4 - 1/2 Mile SSW
F38	LATD50000094997	1/4 - 1/2 Mile South
F39 F40	LATD50000094996	1/4 - 1/2 Mile South
F40 F41	LATD50000162748 LATD50000098021	1/4 - 1/2 Mile South 1/4 - 1/2 Mile South
F41 F42	LATD50000098021 LATD50000094995	1/4 - 1/2 Mile South
F43	LATD50000094995 LATD50000094028	1/4 - 1/2 Mile South
F44	LATD50000094029	1/4 - 1/2 Mile South
F45	LATD50000034023	1/4 - 1/2 Mile South
F46	LATD50000098582	1/4 - 1/2 Mile South
F47	LATD50000098583	1/4 - 1/2 Mile South
F48	LATD50000098584	1/4 - 1/2 Mile South
F49	LATD50000098489	1/4 - 1/2 Mile South
F51	LATD50000196981	1/2 - 1 Mile South
F52	LATD50000196268	1/2 - 1 Mile South
F53	LATD50000196369	1/2 - 1 Mile South
F54	LATD50000196370	1/2 - 1 Mile South
G55	LATD50000196366	1/2 - 1 Mile South
F56	LATD50000196365	1/2 - 1 Mile South
G57	LATD50000196367	1/2 - 1 Mile South
G58	LATD50000196371	1/2 - 1 Mile South
G59	LATD50000196980	1/2 - 1 Mile South
H60	LATD50000196973	1/2 - 1 Mile South
H61	LATD50000196368	1/2 - 1 Mile South
H62	LATD50000196972 LATD50000182632	1/2 - 1 Mile South 1/2 - 1 Mile WSW
63 64	LATD50000182632 LATD50000192633	1/2 - 1 Mile WSW 1/2 - 1 Mile South
165	LATD50000192633 LATD50000095668	1/2 - 1 Mile South
100	LA 1 D00000090000	1/2 - I WIIIE WINVV

# OTHER STATE DATABASE INFORMATION

# STATE OIL/GAS WELL INFORMATION

MAP ID WELL ID		LOCATION FROM TP
1	LAOG11000063850	1/2 - 1 Mile North

# PHYSICAL SETTING SOURCE MAP - 5828844.2s



SITE NAME: West End Golf Course ADDRESS: Highway 143

West Monroe LA 71291 LAT/LONG: 32.525267 / 92.14685

CLIENT: Chenier Environment CONTACT: Aaron Bass Chenier Environmental Consulting

INQUIRY#: 5828844.2s

DATE: October 14, 2019 9:16 am

Map ID Direction Distance

EDR ID Number Elevation Database

A1 ENE 1/8 - 1/4 Mile

**FED USGS** USGS40000414123

Lower

Organization ID: **USGS-LA** Organization Name: USGS Louisiana Water Science Center

Monitor Location: Ou- 70 Type: Well HUC: 08040207 Description: Not Reported Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: Mississippi embayment aquifer system

Formation Type: Sparta Sand Aquifer Type: Confined single aquifer

Not Reported Construction Date: Well Depth: 860 Well Hole Depth: Well Depth Units: 865 ft

Well Hole Depth Units: ft

ENE LATD50000094725 LA WELLS 1/8 - 1/4 Mile

Lower

Database: Water Well Registration Data File

70 Well ID: 073-70 Local Well #: Well Use: 01 destroyed test hole Seq #: Owner: WEST MONROE, LA Well Depth: 865 124SPRT Date Drilled: 05/45 Geo Unit: Mechanic Test: Not Reported Chem Analysis: Q

Bio Analysis: Not Reported Pump Test: Not Reported

010 Driller: LAYNE (LA) Driller #:

Hole Depth: Elevation: Not Reported 865 Depth from Surface: 0.00 Measure Date: Not Reported Date Added by Agency: 1996-10-17 Date Registered by Agency:

Not Reported Not Reported Plugged By: Not Reported Date Plugged: Not Reported Yield on Pump Test: Not Reported Drawdown on Test: Casing Diameter: Not Reported Casing Material: Not Reported Screen Diameter: Not Reported Screen Interval: Not Reported Associated Well Serial #: Not Reported Well Name: Not Reported Comments: Not Reported Pumpdown Method: Not Reported Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Bottom of Extension Pipe: Not Reported Screen Material Type: Not Reported Gravel Packed: Ground Elevation: Not Reported Remarks: Not Reported

Screen Diameter: Not Reported

Avg Heat Pump Depth: Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported Not Reported Screen Interval Length:

Screen Slot Size: Not Reported **Inspection Comments:** 

Pump Depth: Not Reported Pump Horsepower: Not Reported

Planned Pumpage (GPM): Planned Pumpage (hr/day):

Pump Rate (Gal/day): Planned Pumpage (days/yr): Not Reported Not Reported

Measurement Method: Not Reported Hrs of Test:

Pump Test Date: Static Water Level: Not Reported

Static Measurement Method: Not Reported Water Level Post-Test: Not Reported

Pump Test Done: Cementing Method: Not Reported

P and A Comments: P and A Details: Not Reported Not Reported Casing Length: Not Reported Driller Owner: Not Reported Owner ID: Well Status: Destroyed

0

Map ID Direction Distance

**B3** 

Elevation Database EDR ID Number

Owner:

North 1/8 - 1/4 Mile Higher

1/8 - 1/4 Mile

LA WELLS LATD50000098642

**EVANS OIL** 

Database: Water Well Registration Data File

Well ID: 073-5473Z Local Well #: 5473Z

Well Use: plugged and abandoned monitor Seg #: 01

Well Depth: 15 Date Drilled: 09/92 Geo Unit: 112UPTCC Mechanic Test: Not Reported Chem Analysis: Not Reported Bio Analysis: Not Reported Not Reported Driller: SOUTHWESTERN Pump Test:

Driller #: 261 Elevation: 70 Hole Depth: 15 Depth from Surface: 9.00 09/24/92 Date Added by Agency: 1996-10-17 Measure Date: Date Registered by Agency: Date Plugged: 05/95 10/92 Plugged By: **PETROLEUM** Yield on Pump Test: Not Reported

Drawdown on Test: Not Reported Casing Diameter: 4
Casing Material: PLASTIC Screen Diameter: 4

Screen Interval: 5-15 Associated Well Serial #: Not Reported Well Name: MW-1 Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: Not Reported Gravel Packed: N

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: 0

Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported Screen Interval Length: Not Reported Screen Slot Size: Not Reported Inspection Comments: 0 Pump Depth: Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM): 0

Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported

Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: 0 Pump Test Date: 0

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done: 0

Cementing Method: Not Reported P and A Comments: Not Reported P and A Details: Not Reported Casing Length: Not Reported

Driller Owner: Not Reported Owner ID: 0

Well Status: Plugged and Abandonded

B4 North LA WELLS LATD5000098643

Higher

Database: Water Well Registration Data File

Well ID: 073-5474Z Local Well #: 5474Z

Well Use: plugged and abandoned monitor

**EVANS OIL** Seq #: Owner: Well Depth: Date Drilled: 09/92 112UPTCC Geo Unit: Mechanic Test: Not Reported Not Reported Not Reported Chem Analysis: Bio Analysis: SOUTHWESTERN Pump Test: Not Reported Driller:

Driller #: 261 Elevation: 70 Hole Depth: 15 Depth from Surface: 9.00 09/24/92 1996-10-17 Date Added by Agency: Measure Date: Date Registered by Agency: 10/92 Date Plugged: 05/95

**PETROLEUM** Plugged By: Yield on Pump Test: Not Reported Drawdown on Test: Not Reported Casing Diameter: Casing Material: **PLASTIC** Screen Diameter: Screen Interval: 5-15 Associated Well Serial #: Not Reported Well Name: MW-2 Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported Screen Material Type: Not Reported **Gravel Packed:** Ground Elevation: Not Reported Screen Diameter: Not Reported Not Reported Avg Heat Pump Depth: Remarks: Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported Not Reported Screen Slot Size: Not Reported Screen Interval Length: Inspection Comments: Pump Depth: Not Reported Pump Horsepower: Not Reported Planned Pumpage (GPM): 0 Planned Pumpage (hr/day): Planned Pumpage (days/yr): Not Reported 0 Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported Hrs of Test: Pump Test Date: Static Measurement Method: Static Water Level: Not Reported Not Reported Water Level Post-Test: Not Reported Pump Test Done: Cementing Method: Not Reported P and A Comments: Not Reported P and A Details: Not Reported Not Reported Casing Length: Driller Owner: Not Reported Owner ID:

LA WELLS LATD50000197714 North 1/8 - 1/4 Mile

Water Well Registration Data File Database:

Well Status:

Higher

6844Z Well ID: 073-6844Z Local Well #: Well Use: Seq #: monitor OΩ Owner: **CENTRAL OIL & SUPPLY** Well Depth: 19 112UPTCC Date Drilled: 05/25/2011

Geo Unit: Chem Analysis: Mechanic Test: Ν Ν Bio Analysis: Pump Test: N Driller:

WALKER-HILL(CO)ENVIRONMENTAL, INC.

Plugged and Abandonded

Driller #: 574 Elevation: 0097 Hole Depth: 19 Depth from Surface: 6.25

5-28-11 Date Added by Agency: Not Reported Measure Date: Date Registered by Agency: Date Plugged: 5-20-14 6-23-11 Plugged By: Not Reported Yield on Pump Test: Not Reported

Drawdown on Test: Not Reported Casing Diameter: Casing Material: **PLASTIC** Screen Diameter:

Screen Interval: Not Reported Associated Well Serial #: Not Reported Well Name: MW-14 Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: **PLASTIC Gravel Packed:** Ν

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: Heat Pump Hole #: Not Reported Annular Space Cemented Depth: 1 Screen Interval Length: Screen Slot Size: 15

Inspection Comments: n Pump Depth: Not Reported

Not Reported Pump Horsepower: Planned Pumpage (GPM):

Planned Pumpage (hr/day): Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: Pump Test Date: 0

Not Reported Static Measurement Method: Static Water Level: Not Reported

Water Level Post-Test: Not Reported Pump Test Done: n

Cementing Method: P P and A Comments: Not Reported

P and A Details: Removed Surface Completion From Around Well. Removed Well Casing And Material From Borehole And Then

Grouted Borehole Via Tremie Pipe With Cement/Bentonite Slurry From Bottom Of Borehole To Surface

Grade. Area Was Then Backfilled With Native Material And

Casing Length: 4 Driller Owner: HILL, GARY P.

Owner ID: 681 Well Status: Plugged and Abandonded

North 1/8 - 1/4 Mile Higher

LA WELLS LATD50000098042

Database: Water Well Registration Data File

Well ID: 073-5417Z Local Well #: 5417Z

Well Use: plugged and abandoned monitor

**CENTRAL OIL** Seq #: 03 Owner: Well Depth: Date Drilled: 20 10/91 112UPTCC Geo Unit: Mechanic Test: Not Reported Chem Analysis: Not Reported Bio Analysis: Not Reported Pump Test: Not Reported Driller: J.E.I. Driller #: 308 Elevation: 95 Hole Depth: 20 Depth from Surface: 7.43 Date Added by Agency: Measure Date: 10/10/91 2003-07-10

Date Registered by Agency: 12/91 Date Plugged: 03/03
Plugged By: WALKER-HILL(CO) Yield on Pump Test: Not Reported

Drawdown on Test: Not Reported Casing Diameter: 4
Casing Material: PLASTIC Screen Diameter: 4

Screen Interval: 2-17 Associated Well Serial #: Not Reported Well Name: MW-3 Not Reported Comments: Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: Not Reported Gravel Packed: N

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: 0

Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported Screen Interval Length: Not Reported Screen Slot Size: Not Reported Inspection Comments: 0 Pump Depth: Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM):

Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: 0 Pump Test Date: 0

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done: 0

Cementing Method:Not ReportedP and A Comments:Not ReportedP and A Details:Not ReportedCasing Length:Not Reported

Driller Owner: Not Reported Owner ID: 0

Well Status: Plugged and Abandonded

B7
North
LA WELLS
1/8 - 1/4 Mile
Higher

Database: Water Well Registration Data File

 Well ID:
 073-5418Z
 Local Well #:
 5418Z

 Well Use:
 monitor
 Seq #:
 04

 Owner:
 CENTRAL OIL
 Well Depth:
 20

Date Drilled: 11/91 Geo Unit: 112UPTCC

LATD50000098106

Mechanic Test: Not Reported Chem Analysis: Not Reported Bio Analysis: Not Reported Pump Test: Not Reported Driller: J.E.I. Driller #: 308 Elevation: 96 Hole Depth: 20 Depth from Surface: 12/03/91 6.22 Measure Date: Date Added by Agency: 1996-06-25 Date Registered by Agency: 12/91 Date Plugged: Not Reported Plugged By: Not Reported Yield on Pump Test: Not Reported Drawdown on Test: Not Reported Casing Diameter: Casing Material: **PLASTIC** Screen Diameter: Screen Interval: 2-17 Associated Well Serial #: Not Reported Well Name: MW-4 Not Reported Pumpdown Method: Not Reported Comments: Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported Screen Material Type: Not Reported **Gravel Packed:** Ground Elevation: Not Reported Ν Screen Diameter: Not Reported Remarks: Not Reported Avg Heat Pump Depth: Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported Not Reported Screen Interval Length: Screen Slot Size: Not Reported Inspection Comments: Pump Depth: Not Reported Pump Horsepower: Not Reported Planned Pumpage (GPM): Planned Pumpage (hr/day): Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported Hrs of Test: Pump Test Date: Static Water Level: Not Reported Static Measurement Method: Water Level Post-Test: Not Reported Not Reported Pump Test Done: Cementing Method: Not Reported P and A Comments: Not Reported P and A Details: Not Reported Driller Owner: Not Reported Casing Length: Not Reported Owner ID: Well Status: Active

B8 North LA WELLS LATD50000098558

North 1/8 - 1/4 Mile Higher

 Database:
 Water Well Registration Data File

 Well ID:
 073-5897Z
 Local Well #:

 Well Use:
 monitor
 Seq #:

 Owner:
 CENTRAL OIL
 Well Depth:

 Date Drilled:
 02/97
 Geo Unit:

Date Drilled:02/97Geo Unit:112UPTCCMechanic Test:Not ReportedChem Analysis:Not ReportedBio Analysis:Not ReportedPump Test:Not ReportedDriller:IONES BROTHERSDriller #:536

JONES BROTHERS Driller #: 536 Driller: Elevation: Hole Depth: 15 Depth from Surface: 5.70 Measure Date: 02/19/97 1997-08-08 Date Registered by Agency: 06/97 Date Added by Agency: Date Plugged: 5-4-10 Plugged By: Not Reported

Yield on Pump Test:Not ReportedDrawdown on Test:Not ReportedCasing Diameter:4Casing Material:PLASTICScreen Diameter:4Screen Interval:5-15Associated Well Serial #:Not ReportedWell Name:MW-6

Comments: 2701 NORTH 7TH, WEST MONROE

Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: Not Reported Gravel Packed: N

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: 0

Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported Screen Interval Length: Not Reported Screen Slot Size: Not Reported Inspection Comments: 0 Pump Depth: Not Reported Not Reported

5897Z

07

15

Pump Horsepower: Not Reported Planned Pumpage (GPM): 0

Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: 0 Pump Test Date: 0

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done: 0

Cementing Method: Not Reported P and A Comments: Not Reported

P and A Details: Surface Completion Was Removed And The Well Casing And Material Was Removed From The Borehole.

Borehole Was Then Grouted Via Tremie Pipe With Cement/Bentonite Slurry To Surface Grade. Area Was

Then Backfilled With Native Materials And The Site Was Cleane

Casing Length: Not Reported Driller Owner: Not Reported

Owner ID: 0 Well Status: Plugged and Abandonded

North LA WELLS LATD50000097806 1/8 - 1/4 Mile

Higher

Database: Water Well Registration Data File

 Well ID:
 073-6399Z
 Local Well #:
 6399Z

 Well Use:
 monitor
 Seq #:
 09

 Owner:
 CENTRAL OIL
 Well Depth:
 20

Date Drilled:03/03Geo Unit:00000000Mechanic Test:Not ReportedChem Analysis:Not ReportedBio Analysis:Not ReportedPump Test:Not Reported

WALKER-HILL(CO) Driller: Driller #: 574 Elevation: 70 Hole Depth: 20 04/09/03 Depth from Surface: 9.00 Measure Date: Date Added by Agency: 2003-07-31 Date Registered by Agency: 07/03 Date Plugged: 5-4-10 Plugged By: Not Reported

Yield on Pump Test: Not Reported Drawdown on Test: Not Reported Casing Diameter: 4 Casing Material: PLASTIC Screen Diameter: 4 Screen Interval: 5-20 Associated Well Serial #: Not Reported Well Name: MW-8

Comments: 2701 N 7TH ST, WEST MONROE, LA

Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: Not Reported Gravel Packed: N

Ground Elevation: Not Reported Screen Diameter: Not Reported Remarks: Not Reported Avg Heat Pump Depth: 0

Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported Screen Interval Length: Not Reported Screen Slot Size: Not Reported Inspection Comments: 0 Pump Depth: Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM): 0

Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: 0 Pump Test Date: 0

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done: 0

Cementing Method: Not Reported P and A Comments: Not Reported

P and A Details: Surface Completion Was Removed And The Well Casing And Material Was Removed From The Borehole.

Borehole Was Then Grouted Via Tremie Pipe With Cement/Bentonite Slurry To Surface Grade. Area Was

Then Backfilled With Native Materials And The Site Was Cleane

Casing Length: Not Reported Driller Owner: Not Reported

Owner ID: 0 Well Status: Plugged and Abandonded

Map ID Direction Distance

**B10** 

Elevation Database EDR ID Number

North 1/8 - 1/4 Mile Higher LA WELLS LATD50000098040

Database: Water Well Registration Data File

Well ID: 073-5415Z Local Well #: 5415Z

Well Use: plugged and abandoned monitor

 Seq #:
 01
 Owner:
 CENTRAL OIL

 Well Depth:
 20
 Date Drilled:
 10/91

Geo Unit: 112UPTCC Mechanic Test: Not Reported Chem Analysis: Not Reported Bio Analysis: Not Reported Pump Test: Not Reported Driller: J.E.I.

Pump Test: Driller #: 308 Elevation: 95 Hole Depth: 20 Depth from Surface: 7.28 10/10/91 Date Added by Agency: 1996-06-25 Measure Date: Date Registered by Agency: 12/91 Date Plugged: 10/95 Plugged By: J.E.I. Yield on Pump Test: Not Reported

Drawdown on Test: Not Reported Casing Diameter: 4
Casing Material: PLASTIC Screen Diameter: 4

Screen Interval: 2-17 Associated Well Serial #: Not Reported Well Name: MW-1 Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: Not Reported Gravel Packed: N

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: 0

Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported Screen Interval Length: Not Reported Screen Slot Size: Not Reported Inspection Comments: 0 Pump Depth: Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM): 0

Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported

Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: 0 Pump Test Date: 0

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done: 0

Cementing Method:Not ReportedP and A Comments:Not ReportedP and A Details:Not ReportedCasing Length:Not Reported

Driller Owner: Not Reported Owner ID: 0

Well Status: Plugged and Abandonded

North 1/8 - 1/4 Mile Higher

**B11** 

Well Use:

Database: Water Well Registration Data File

Well ID: 073-5416Z Local Well #: 5416Z

plugged and abandoned monitor

Seq #: 02 Owner: CENTRAL OIL

Well Depth: Date Drilled: 10/91 112UPTCC Geo Unit: Mechanic Test: Not Reported Not Reported Not Reported Chem Analysis: Bio Analysis: Pump Test: Not Reported Driller: J.E.I. Driller #: 308 Elevation: 95

Hole Depth: 20 Depth from Surface: 7.41
Measure Date: 10/10/91 Date Added by Agency: 2003-07-10
Date Registered by Agency: 12/91 Date Plugged: 03/03

LA WELLS

LATD50000098041

Plugged By: WALKER-HILL(CO) Yield on Pump Test: Not Reported Drawdown on Test: Not Reported Casing Diameter: Casing Material: **PLASTIC** Screen Diameter: Screen Interval: 2-17 Associated Well Serial #: Not Reported Well Name: MW-2 Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported Screen Material Type: Not Reported **Gravel Packed:** Not Reported Ground Elevation: Screen Diameter: Not Reported Not Reported Remarks: Avg Heat Pump Depth: Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported Not Reported Screen Slot Size: Not Reported Screen Interval Length: Inspection Comments: Pump Depth: Not Reported Pump Horsepower: Not Reported Planned Pumpage (GPM): 0 Planned Pumpage (hr/day): Planned Pumpage (days/yr): Not Reported 0 Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported Hrs of Test: Pump Test Date: Static Measurement Method: Static Water Level: Not Reported Not Reported Water Level Post-Test: Not Reported Pump Test Done: Cementing Method: Not Reported P and A Comments: Not Reported P and A Details: Not Reported Not Reported Casing Length: Driller Owner: Not Reported Owner ID:

**B12** LA WELLS LATD50000177881 North 1/8 - 1/4 Mile

Water Well Registration Data File Database:

Well Status:

Higher

7033Z Well ID: 073-7033Z Local Well #: Well Use: Seq #: monitor 13 Owner: CENTRAL OIL AND SUPPLY Well Depth: 20 112UPTCC Date Drilled: 02/19/1997 Geo Unit: Mechanic Test: Ν Chem Analysis: Ν

Bio Analysis: Pump Test: N JONES ENVIRONMENTAL. INC. Driller: Driller #: 308

Plugged and Abandonded

Elevation: Not Reported Hole Depth: Not Reported Depth from Surface: Not Reported Measure Date: Not Reported Date Added by Agency: Not Reported Date Registered by Agency: 06/21/2010 05/04/2010 Plugged By: Not Reported Date Plugged: Yield on Pump Test: Not Reported Drawdown on Test: Not Reported Casing Diameter: Casing Material: **PLASTIC** Screen Diameter: Not Reported Screen Interval: Not Reported Associated Well Serial #: Not Reported Well Name: MW-1R

Not Reported Pumpdown Method: Not Reported Comments: Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported Screen Material Type: Not Reported **Gravel Packed:** Ground Elevation: Not Reported Screen Diameter:

Not Reported

Remarks: WATER WELL WAS NEVER REGISTERED. LIMITED INFORMATION AVAILABLE. Avg Heat Pump Depth: Heat Pump Hole #: Not Reported

Annular Space Cemented Depth: Not Reported Screen Interval Length: Not Reported Screen Slot Size: Not Reported Inspection Comments: n

Pump Depth: Not Reported Not Reported Pump Horsepower:

Planned Pumpage (GPM): Planned Pumpage (hr/day):

Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported

Measurement Method: Not Reported Hrs of Test:

Static Water Level: Not Reported Pump Test Date: Static Measurement Method: Not Reported Water Level Post-Test: Not Reported

Pump Test Done: 0 Cementing Method: Not Reported

P and A Comments: Not Reported

P and A Details: Surface Completion Was Removed And The Well Casing And Material Was Removed From The Borehole.

Borehole Was Then Grouted Via Tremie Pipe With Cement/Bentonite Slurry To Surface Grade. Area Was

Then Backfilled With Native Materials And The Site Was Clea

Casing Length: Not Reported Driller Owner: Not Reported

Owner ID: 66867 Well Status: Plugged and Abandonded

B13
North
LA WELLS LATD50000191872
1/8 - 1/4 Mile

Higher

Database: Water Well Registration Data File

 Well ID:
 073-6643Z
 Local Well #:
 6643Z

 Well Use:
 monitor
 Seq #:
 11

 Owner:
 CENTRAL OIL
 Well Depth:
 14

Geo Unit: 00000000 Date Drilled: 09/07 Chem Analysis: Not Reported Mechanic Test: Not Reported Bio Analysis: Not Reported Pump Test: Not Reported Driller: WALKER-HILL(CO) Driller #: 574

Elevation: 109 Hole Depth: 14 Depth from Surface: 10.00 Measure Date: 09/18/07 Date Added by Agency: 2007-12-06 Date Registered by Agency: 12/07 Date Plugged: 5-4-10 Plugged By: Not Reported

Yield on Pump Test:Not ReportedDrawdown on Test:Not ReportedCasing Diameter:4Casing Material:PLASTICScreen Diameter:4Screen Interval:Not Reported

Associated Well Serial #: Not Reported Well Name: EW-1

Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Screen Material Type: Not Reported Not Reported Gravel Packed: Ν Ground Elevation: Not Reported Screen Diameter: Not Reported Remarks: Not Reported

Avg Heat Pump Depth: 0 Heat Pump Hole #: Not Reported

Annular Space Cemented Depth: Not Reported Screen Interval Length: Not Reported

Screen Slot Size: Not Reported Inspection Comments: 0
Pump Depth: Not Reported Pump Horsepower: Not Reported

Planned Pumpage (GPM): 0 Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported

Measurement Method: Not Reported Hrs of Test: 0

Pump Test Date:0Static Water Level:Not ReportedStatic Measurement Method:Not ReportedWater Level Post-Test:Not ReportedPump Test Done:0Cementing Method:Not Reported

P and A Comments: Not Reported

P and A Details: Surface Completion Was Removed And The Well Casing And Material Was Removed From The Borehole.

Borehole Was Then Grouted Via Tremie Pipe With Cement/Bentonite Slurry To Surface Grade. Area Was

Then Backfilled With Native Materials And The Site Was Cleane

Casing Length: Not Reported Driller Owner: Not Reported

Owner ID: 0 Well Status: Plugged and Abandonded

B14

North 1/8 - 1/4 Mile Higher

Database:

Water Well Registration Data File

Well ID: 073-6398Z Local Well #: 6398Z

TC5828844.2s Page A-17

LA WELLS

LATD50000191873

Well Use: 08 monitor Seq #: Owner: **CENTRAL OIL** Well Depth: 20 Date Drilled: 03/03 Geo Unit: 00000000 Mechanic Test: Not Reported Chem Analysis: Not Reported Bio Analysis: Not Reported Pump Test: Not Reported

Driller:WALKER-HILL(CO)Driller #:574Elevation:70Hole Depth:20Depth from Surface:9.00Measure Date:04/09/03Date Added by Agency:2003-07-31Date Registered by Agency:07/03

Not Reported 5-4-10 Date Plugged: Plugged By: Yield on Pump Test: Not Reported Drawdown on Test: Not Reported Casing Diameter: Casing Material: **PLASTIC** Screen Diameter: Screen Interval: 5-20 Associated Well Serial #: Not Reported Well Name: MW-7

Comments: 2701 N 7TH ST, WEST MONROE, LA

Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: Not Reported Gravel Packed: N

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: 0

Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported Screen Interval Length: Not Reported Screen Slot Size: Not Reported Inspection Comments: 0 Pump Depth: Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM): 0

Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: 0 Pump Test Date: 0

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done: 0

Cementing Method: Not Reported P and A Comments: Not Reported
P and A Details: Not Reported P an

P and A Details: Surface Completion Was Removed And The Well Casing And Material Was Removed From The Borehole.

Borehole Was Then Grouted Via Tremie Pipe With Cement/Bentonite Slurry To Surface Grade. Area Was

Then Backfilled With Native Materials And The Site Was Cleane

Casing Length: Not Reported Driller Owner: Not Reported

Owner ID: 0 Well Status: Plugged and Abandonded

B15
North
LA WELLS
LATD50000196320
1/8 - 1/4 Mile
Higher

Database: Water Well Registration Data File

 Well ID:
 073-6842Z
 Local Well #:
 6842Z

 Well Use:
 monitor
 Seq #:
 12

 Owner:
 CENTRAL OIL & SUPPLY
 Well Depth:
 19

Date Drilled: 05/24/2011 Geo Unit: 112UPTCC

 Mechanic Test:
 N
 Chem Analysis:
 N

 Bio Analysis:
 N
 Pump Test:
 N

 Driller:
 WALKER-HILL(CO)ENVIRONMENTAL, INC.

 Driller #:
 574
 Elevation:
 0097

 Hole Depth:
 19
 Depth from Surface:
 6.67

Measure Date:5-28-11Date Added by Agency:Not ReportedDate Registered by Agency:6-23-11Date Plugged:01/28/2015Plugged By:Not ReportedYield on Pump Test:Not Reported

Drawdown on Test: Not Reported Casing Diameter: 4
Casing Material: PLASTIC Screen Diameter: 4

Screen Interval: Not Reported Associated Well Serial #: Not Reported Well Name: MW-12 Comments: Not Reported Pumpdown Method: Not Reported Not Reported Extension Pipe Length: Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

**PLASTIC** Gravel Packed: Screen Material Type:

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: Annular Space Cemented Depth: 1 Heat Pump Hole #: Not Reported Screen Slot Size: Screen Interval Length: 15 .010

Inspection Comments: 0 Pump Depth: Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM):

Planned Pumpage (hr/day): Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: Pump Test Date:

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done:

Cementing Method: P and A Comments: Not Reported

P and A Details: Remove Surface Completion, Pulled Well Casing And Screen From Borehole. Grout Borehole With

Cement/Bentonite Grout Slurry From Bottom To Top By Tremie Method. Patch Surface With Concrete.

Casing Length: Driller Owner: HILL, GARY P. Owner ID: 681 Well Status:

Plugged and Abandonded

LATD50000184754 North LA WELLS 1/8 - 1/4 Mile

Database: Water Well Registration Data File

Higher

5419Z Well ID: 073-5419Z Local Well #: Well Use: 05 monitor Seq #: Owner: **CENTRAL OIL** Well Depth: 20

112UPTCC Date Drilled: 11/91 Geo Unit: Not Reported Chem Analysis: Not Reported Mechanic Test: Bio Analysis: Not Reported Pump Test: Not Reported

Driller: Driller #: 308 J.E.I. Hole Depth: Elevation: 94 20 Depth from Surface: 5.16 Measure Date: 12/03/91 Date Added by Agency: 1996-06-25 Date Registered by Agency: 12/91

Plugged By: Not Reported Date Plugged: 5-4-10 Not Reported Yield on Pump Test: Not Reported Drawdown on Test: PLASTIC Casing Diameter: Casing Material: Screen Diameter: Screen Interval: 2-17 Associated Well Serial #: Not Reported Well Name: MW-5

Comments: Not Reported Pumpdown Method: Not Reported Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Bottom of Extension Pipe: Not Reported Screen Material Type: Not Reported Gravel Packed: Ground Elevation: Not Reported Screen Diameter: Not Reported Remarks: Not Reported

Avg Heat Pump Depth: Heat Pump Hole #: Not Reported Not Reported

Annular Space Cemented Depth: Not Reported Screen Interval Length: Screen Slot Size: Not Reported **Inspection Comments:** 

Pump Depth: Not Reported Pump Horsepower: Not Reported

Planned Pumpage (GPM): Planned Pumpage (hr/day): 0

Pump Rate (Gal/day): Planned Pumpage (days/yr): Not Reported Not Reported

Measurement Method: Not Reported Hrs of Test:

Pump Test Date: Not Reported Static Water Level: Static Measurement Method: Not Reported Water Level Post-Test: Not Reported

Pump Test Done: Cementing Method:

Not Reported P and A Comments:

P and A Details: Surface Completion Was Removed And The Well Casing And Material Was Removed From The Borehole.

Borehole Was Then Grouted Via Tremie Pipe With Cement/Bentonite Slurry To Surface Grade. Area Was

Then Backfilled With Native Materials And The Site Was Cleane

Casing Length: Driller Owner: Not Reported Not Reported

Owner ID: 0 Well Status: Plugged and Abandonded

Not Reported

Map ID Direction Distance

**B17** 

Higher

EDR ID Number Elevation Database

North 1/8 - 1/4 Mile Higher

LA WELLS LATD50000191065

Database: Water Well Registration Data File

6403Z Well ID: 073-6403Z Local Well #: Well Use: monitor 10 Seq #: CENTRAL OIL Well Depth: Owner: 14

Date Drilled: 06/03 Geo Unit: 00000000 Mechanic Test: Not Reported Chem Analysis: Not Reported Not Reported Bio Analysis: Not Reported Pump Test:

WALKER-HILL(CO) 574 Driller: Driller #: Elevation: 70 Hole Depth: 16 06/24/03 Depth from Surface: 6.00 Measure Date: Date Added by Agency: 2003-08-08 Date Registered by Agency: 08/03 5-4-10 Date Plugged: Plugged By: Not Reported

Yield on Pump Test: Not Reported Drawdown on Test: Not Reported Casing Diameter: Casing Material: **PLASTIC** Screen Diameter: Screen Interval: 4-14

MW-9 Associated Well Serial #: Not Reported Well Name: Comments: Not Reported Pumpdown Method:

Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported Screen Material Type: Not Reported **Gravel Packed:** Ground Elevation: Not Reported Not Reported Screen Diameter: Not Reported Remarks: Avg Heat Pump Depth: Heat Pump Hole #: Not Reported

Annular Space Cemented Depth: Not Reported Screen Interval Length: Not Reported

Screen Slot Size: Not Reported **Inspection Comments:** 

Pump Depth: Not Reported Pump Horsepower: Not Reported

Planned Pumpage (GPM): Planned Pumpage (hr/day): 0

Planned Pumpage (days/yr): Pump Rate (Gal/day): Not Reported Not Reported

Measurement Method: Not Reported Hrs of Test:

Pump Test Date: Static Water Level: Not Reported Static Measurement Method: Not Reported Water Level Post-Test: Not Reported Pump Test Done: Cementing Method: Not Reported

P and A Comments: Not Reported

P and A Details: Surface Completion Was Removed And The Well Casing And Material Was Removed From The Borehole. Borehole Was Then Grouted Via Tremie Pipe With Cement/Bentonite Slurry To Surface Grade. Area Was

Then Backfilled With Native Materials And The Site Was Cleane

Casing Length: Driller Owner: Not Reported Not Reported

Owner ID: Well Status: Plugged and Abandonded

**B18** LA WELLS LATD50000191871 North 1/8 - 1/4 Mile

Database: Water Well Registration Data File

Well ID: 073-5896Z Local Well #: 5896Z Well Use: monitor Seq #: 06 Well Depth: Owner: **CENTRAL OIL** 15

112UPTCC Geo Unit: Date Drilled: 02/97 Mechanic Test: Not Reported Chem Analysis: Not Reported Bio Analysis: Not Reported Pump Test: Not Reported JONES BROTHERS

Driller: Driller #: 536 Hole Depth: Elevation: 97 15 Depth from Surface: 6.00 Measure Date: 02/19/97

1997-08-08 Date Added by Agency: Date Registered by Agency: 06/97 Date Plugged: 5-4-10 Plugged By: Not Reported Yield on Pump Test: Not Reported Drawdown on Test: Not Reported Casing Diameter: Casing Material: **PLASTIC** Screen Diameter: Screen Interval: 5-15 Associated Well Serial #: Not Reported Well Name: MW-4R

Comments: 2701 NORTH 7TH, WEST MONROE

Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: Not Reported Gravel Packed: N

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: 0
Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported
Screen Interval Length: Not Reported Screen Slot Size: Not Reported

Inspection Comments: 0 Pump Depth: Not Reported

Not Reported

Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM): 0

Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: 0 Pump Test Date: 0

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done: 0
Cementing Method: Not Reported P and A Comments: Not Reported

P and A Details: Surface Completion Was Removed And The Well Casing And Material Was Removed From The Borehole.

Borehole Was Then Grouted Via Tremie Pipe With Cement/Bentonite Slurry To Surface Grade. Area Was

Then Backfilled With Native Materials And The Site Was Cleane

Casing Length: Not Reported Driller Owner: Not Reported

Owner ID: 0 Well Status: Plugged and Abandonded

B19
North
LA WELLS LATD50000195530
1/8 - 1/4 Mile

Database: Water Well Registration Data File

Higher

 Well ID:
 073-6832Z
 Local Well #:
 6832Z

 Well Use:
 monitor
 Seq #:
 00

 Owner:
 CENTRAL OIL & SUPPLY
 Well Depth:
 15

Date Drilled: 05/18/2011 Geo Unit: 112UPTCC

 Mechanic Test:
 N
 Chem Analysis:
 N

 Bio Analysis:
 N
 Pump Test:
 N

 Driller:
 WALKER-HILL(CO)ENVIRONMENTAL, INC.

 Driller #:
 574
 Elevation:
 0097

 Hole Depth:
 15
 Depth from Surface:
 5.1

Measure Date:5-28-11Date Added by Agency:Not ReportedDate Registered by Agency:6-23-11Date Plugged:01/28/2015Plugged By:Not ReportedYield on Pump Test:Not Reported

Drawdown on Test: Not Reported Casing Diameter: 4
Casing Material: PLASTIC Screen Diameter: 4

Screen Interval: Not Reported Associated Well Serial #: Not Reported Well Name: MW-2 Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: PLASTIC Gravel Packed: N

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: 0
Heat Pump Hole #: Not Reported Annular Space Cemented Depth: 1
Screen Interval Length: 10 Screen Slot Size: .010

Inspection Comments: 0 Pump Depth: Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM): 0

Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported

Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: Pump Test Date:

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done:

Cementing Method: P and A Comments: Not Reported P and A Details:

Remove Surface Completion, Pulled Well Casing And Screen From Borehole. Grout Borehole With Cement/Bentonite Grout Slurry From Bottom To Top By Tremie Method. Patch Surface With Concrete.

0

Casing Length: Driller Owner: HILL, GARY P.

681 Owner ID: Well Status: Plugged and Abandonded

**B20** North LA WELLS LATD50000195532 1/8 - 1/4 Mile

Higher

Water Well Registration Data File Database:

Well ID: Local Well #: 073-6833Z 6833Z Well Use: monitor Seq #: 01 **CENTRAL OIL & SUPPLY** Well Depth: Owner: 19

Date Drilled: 05/18/2011 Geo Unit: 112UPTCC

Mechanic Test: Ν Chem Analysis: Ν Pump Test: Bio Analysis: Ν

Driller: WALKER-HILL(CO)ENVIRONMENTAL, INC.

Driller #: Elevation: 0097 Hole Depth: 19 Depth from Surface: 5.1

5-28-11 Date Added by Agency: Not Reported Measure Date: Date Registered by Agency: Date Plugged: 6-23-11 01/28/2015 Plugged By: Not Reported Yield on Pump Test: Not Reported

Drawdown on Test: Not Reported Casing Diameter: Casing Material: **PLASTIC** Screen Diameter:

Not Reported Not Reported Screen Interval: Associated Well Serial #: MW-3 Not Reported Well Name: Comments: Extension Pipe Length: Pumpdown Method: Not Reported Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

**PLASTIC** Gravel Packed: Screen Material Type:

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: Not Reported Heat Pump Hole #: Annular Space Cemented Depth: 1 Screen Interval Length: 15 Screen Slot Size: .010

Pump Depth: Inspection Comments: 0 Not Reported

Pump Horsepower: Planned Pumpage (GPM): Not Reported

Planned Pumpage (hr/day): Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: Pump Test Date:

Static Measurement Method: Static Water Level: Not Reported Not Reported

Water Level Post-Test: Not Reported Pump Test Done:

Cementing Method: P and A Comments: Not Reported

P and A Details: Remove Surface Completion, Pulled Well Casing And Screen From Borehole. Grout Borehole With Cement/Bentonite Grout Slurry From Bottom To Top By Tremie Method. Patch Surface With Concrete.

Casing Length: Driller Owner: HILL, GARY P.

Owner ID: 681 Well Status: Plugged and Abandonded

Map ID Direction Distance

Elevation Database EDR ID Number

B21 North 1/8 - 1/4 Mile Higher

1/8 - 1/4 Mile

LA WELLS LATD50000195534

Not Reported

Database: Water Well Registration Data File

 Well ID:
 073-6836Z
 Local Well #:
 6836Z

 Well Use:
 monitor
 Seq #:
 02

 Owner:
 CENTRAL OIL & SUPPLY
 Well Depth:
 19

 Date Drilled:
 05/19/2011
 Geo Unit:
 112UPTCC

 Date Drilled:
 05/19/2011
 Geo Unit:
 112U

 Mechanic Test:
 N
 Chem Analysis:
 N

 Bio Analysis:
 N
 Pump Test:
 N

Driller: WALKER-HILL(CO)ENVIRONMENTAL, INC.

 Driller #:
 574
 Elevation:
 0097

 Hole Depth:
 19
 Depth from Surface:
 4.63

Measure Date:5-28-11Date Added by Agency:Not ReportedDate Registered by Agency:6-23-11Date Plugged:01/28/2015Plugged By:Not ReportedYield on Pump Test:Not Reported

Drawdown on Test: Not Reported Casing Diameter: 4
Casing Material: PLASTIC Screen Diameter: 4

Screen Interval: Not Reported Associated Well Serial #: Not Reported Well Name: MW-6 Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: PLASTIC Gravel Packed: N

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: 0
Heat Pump Hole #: Not Reported Annular Space Cemented Depth: 1
Screen Interval Length: 15 Screen Slot Size: .010

Inspection Comments: 0 Pump Depth: Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM): 0

Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported

Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: 0 Pump Test Date: 0

Static Water Level: Not Reported Static Measurement Method: Not Reported Water Level Post-Test: Not Reported Pump Test Done: 0

Cementing Method:

P P and A Comments:

P and A Details: Remove Surface Completion, Pulled Well Casing And Screen From Borehole. Grout Borehole With

Cement/Bentonite Grout Slurry From Bottom To Top By Tremie Method. Patch Surface With Concrete.

Casing Length: 4 Driller Owner: HILL, GARY P.

Owner ID: 681 Well Status: Plugged and Abandonded

B22 NNW LA WELLS LATD50000195531

Higher

Database: Water Well Registration Data File

 Well ID:
 073-6835Z
 Local Well #:
 6835Z

 Well Use:
 monitor
 Seq #:
 03

 Owner:
 CENTRAL OIL & SUPPLY
 Well Depth:
 19

 Date Drilled:
 05/19/2011
 Geo Unit:
 112UPTCC

 Mechanic Test:
 N
 Chem Analysis:
 N

 Bio Analysis:
 N
 Pump Test:
 N

Driller: WALKER-HILL(CO)ENVIRONMENTAL, INC.

 Driller #:
 574
 Elevation:
 0097

 Hole Depth:
 19
 Depth from Surface:
 5

Measure Date: 5-28-11 Date Added by Agency: Not Reported

Date Registered by Agency: 6-23-11 Date Plugged: 01/28/2015
Plugged By: Not Reported Yield on Pump Test: Not Reported

Drawdown on Test: Not Reported Casing Diameter: 4
Casing Material: PLASTIC Screen Diameter: 4

Associated Well Serial #: Not Reported Screen Interval: Not Reported Well Name: MW 5 Comments: Not Reported Extension Pipe Length: Pumpdown Method: Not Reported Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: PLASTIC Gravel Packed: N

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: 0
Heat Pump Hole #: Not Reported Annular Space Cemented Depth: 1
Screen Interval Length: 15 Screen Slot Size: .010

Screen Interval Length: 15 Screen Slot Size: .010
Inspection Comments: 0 Pump Depth: Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM): 0

Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported

Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: 0 Pump Test Date: 0

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done: 0

Cementing Method: P P and A Comments: Not Reported

P and A Details: Remove Surface Completion, Pulled Well Casing And Screen From Borehole. Grout Borehole With

Cement/Bentonite Grout Slurry From Bottom To Top By Tremie Method. Patch Surface With Concrete.

4 Driller Owner: HILL, GARY P.

Casing Length: 4 Driller Owner: HILL, GARY P.
Owner ID: Well Status: Plugged and Abandonded

NNW 1/8 - 1/4 Mile Higher

LA WELLS

LATD50000195378

Database: Water Well Registration Data File

 Well ID:
 073-6831Z
 Local Well #:
 6831Z

 Well Use:
 monitor
 Seq #:
 01

 Owner:
 CENTRAL OIL & SUPPLY
 Well Depth:
 15

 Date Drilled:
 05/18/2011
 Geo Unit:
 112UPTCC

 Mechanic Test:
 N
 Chem Analysis:
 N

 Bio Analysis:
 N
 Pump Test:
 N

 Driller:
 WALKER-HILL(CO)ENVIRONMENTAL, INC.
 N

 Driller #:
 574
 Elevation:
 0097

 Hole Depth:
 15
 Depth from Surface:
 5.9

Measure Date:5-28-11Date Added by Agency:Not ReportedDate Registered by Agency:6-23-11Date Plugged:01/28/2015Plugged By:Not ReportedYield on Pump Test:Not Reported

Drawdown on Test: Not Reported Casing Diameter: 4
Casing Material: PLASTIC Screen Diameter: 4

Screen Interval: Not Reported Associated Well Serial #: Not Reported Well Name: MW-1 Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: PLASTIC Gravel Packed: N

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: 0
Heat Pump Hole #: Not Reported Annular Space Cemented Depth: 1
Screen Interval Length: 10 Screen Slot Size: .010

Inspection Comments: 0 Pump Depth: Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM): 0

Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: 0 Pump Test Date: 0

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done:

Cementing Method: P P and A Comments: Not Reported

P and A Details: Remove Surface Completion, Pulled Well Casing And Screen From Borehole. Grout Borehole With Cement/Bentonite Grout Slurry From Bottom To Top By Tremie Method. Patch Surface With Concrete

Casing Length: 5 Driller Owner: HILL, GARY P.

Owner ID: 681 Well Status: Plugged and Abandonded

B24 NNW LA WELLS LATD50000196319 1/8 - 1/4 Mile

1/8 - 1/4 Mile Higher

Higher

Database: Water Well Registration Data File

 Well ID:
 073-6841Z
 Local Well #:
 6841Z

 Well Use:
 monitor
 Seq #:
 04

 Owner:
 CENTRAL OIL & SUPPLY
 Well Depth:
 19

 Date Drilled:
 05/23/2011
 Geo Unit:
 112UPTCC

 Mechanic Test:
 N
 Chem Analysis:
 N

 Bio Analysis:
 N
 Pump Test:
 N

 Driller:
 WALKER-HILL(CO)ENVIRONMENTAL, INC.

 Driller #:
 574
 Elevation:
 0097

 Hole Depth:
 19
 Depth from Surface:
 5.61

Measure Date:5-28-11Date Added by Agency:Not ReportedDate Registered by Agency:6-23-11Date Plugged:01/28/2015Plugged By:Not ReportedYield on Pump Test:Not Reported

Drawdown on Test: Not Reported Casing Diameter: 4
Casing Material: PLASTIC Screen Diameter: 4

Screen Interval: Not Reported Associated Well Serial #: Not Reported Well Name: MW-11 Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Bottom of Extension Pipe: Top of Extension Pipe: Not Reported Not Reported

Screen Material Type: PLASTIC Gravel Packed: N

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: 0
Heat Pump Hole #: Not Reported Annular Space Cemented Depth: 1
Screen Interval Length: 15 Screen Slot Size: .010

Inspection Comments: 0 Pump Depth: Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM): 0

Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: 0 Pump Test Date: 0

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done:

Cementing Method: P P and A Comments: Not Reported

P and A Details: Remove Surface Completion, Pulled Well Casing And Screen From Borehole. Grout Borehole With

Cement/Bentonite Grout Slurry From Bottom To Top By Tremie Method. Patch Surface With Concrete.

Casing Length: 4 Driller Owner: HILL, GARY P.

Owner ID: 681 Well Status: Plugged and Abandonded

B25 NNW LA WELLS LATD50000197713 1/8 - 1/4 Mile

Database: Water Well Registration Data File

 Well ID:
 073-6834Z
 Local Well #:
 6834Z

 Well Use:
 monitor
 Seq #:
 02

TC5828844.2s Page A-25

Owner: CENTRAL OIL & SUPPLY Well Depth: 19

 Date Drilled:
 05/19/2011
 Geo Unit:
 112UPTCC

Mechanic Test:NChem Analysis:NBio Analysis:NPump Test:N

Driller: WALKER-HILL(CO)ENVIRONMENTAL, INC.

Driller #: 574 Elevation: 0097
Hole Depth: 19 Depth from Surface: 5

Measure Date:5-28-11Date Added by Agency:Not ReportedDate Registered by Agency:6-23-11Date Plugged:5-20-14Plugged By:Not ReportedYield on Pump Test:Not Reported

Drawdown on Test: Not Reported Casing Diameter: 4
Casing Material: PLASTIC Screen Diameter: 4

Screen Interval: Not Reported Associated Well Serial #: Not Reported Well Name: MW 4 Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: PLASTIC Gravel Packed: N

Ground Elevation: Not Reported Screen Diameter: Not Reported Remarks: Not Reported Avg Heat Pump Depth: 0

Heat Pump Hole #: Not Reported Annular Space Cemented Depth: 1
Screen Interval Length: 15 Screen Slot Size: .010

Inspection Comments: 0 Pump Depth: Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM): 0

Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: 0 Pump Test Date: 0

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done: 0

Cementing Method: P P and A Comments: Not Reported

P and A Details: Removed Surface Completion From Around Well. Removed Well Casing And Material From Borehole And Then

Grouted Borehole Via Tremie Pipe With Cement/Bentonite Slurry From Bottom Of Borehole To Surface

Grade. Area Was Then Backfilled With Native Material And

Casing Length: 4 Driller Owner: HILL, GARY P.

Owner ID: 681 Well Status: Plugged and Abandonded

B26 NNW 1/8 - 1/4 Mile Higher

Database: Water Well Registration Data File

 Well ID:
 073-6830Z
 Local Well #:
 6830Z

 Well Use:
 monitor
 Seq #:
 Not Reported

Owner: CENTRAL OIL & SUPPLY Well Depth: 19

 Date Drilled:
 05/17/2011
 Geo Unit:
 112UPTCC

 Mechanic Test:
 N
 Chem Analysis:
 N

 Bio Analysis:
 N
 Pump Test:
 N

Driller: WALKER-HILL(CO)ENVIRONMENTAL, INC.

Driller #:574Elevation:0097Hole Depth:19Depth from Surface:5.5

Measure Date:5-28-11Date Added by Agency:Not ReportedDate Registered by Agency:6-23-11Date Plugged:5-20-14Plugged By:Not ReportedYield on Pump Test:Not Reported

Drawdown on Test: Not Reported Casing Diameter: 4
Casing Material: PLASTIC Screen Diameter: 4

Screen Interval: Not Reported Associated Well Serial #: Not Reported Well Name: RW-1 Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Bottom of Extension Pipe: Not Reported Top of Extension Pipe: Not Reported

Screen Material Type: PLASTIC Gravel Packed: N

LA WELLS

LATD50000197712

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: 0
Heat Pump Hole #: Not Reported Annular Space Cemented Depth: 1
Screen Interval Length: 15 Screen Slot Size: .010

Inspection Comments: 0 Pump Depth: Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM): 0

Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: 0 Pump Test Date: 0

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done: 0

Cementing Method: P P and A Comments: Not Reported

P and A Details: Removed Surface Completion From Around Well. Removed Well Casing And Material From Borehole And Then

Grouted Borehole Via Tremie Pipe With Cement/Bentonite Slurry From Bottom Of Borehole To Surface

Grade. Area Was Then Backfilled With Native Material And

Casing Length: 4 Driller Owner: HILL, GARY P.

Owner ID: 681 Well Status: Plugged and Abandonded

C27
NNW
LA WELLS LATD50000196318

1/8 - 1/4 Mile Higher

Database: Water Well Registration Data File

 Well ID:
 073-6840Z
 Local Well #:
 6840Z

 Well Use:
 monitor
 Seq #:
 00

 Owner:
 CENTRAL OIL & SUPPLY
 Well Depth:
 19

 Date Drilled:
 05/23/2011
 Geo Unit:
 112UPTCC

 Mechanic Test:
 N
 Chem Analysis:
 N

 Bio Analysis:
 N
 Pump Test:
 N

Driller: WALKER-HILL(CO)ENVIRONMENTAL, INC.

Driller #: 574 Elevation: 0097
Hole Depth: 19 Depth from Surface: 7

Measure Date:5-28-11Date Added by Agency:Not ReportedDate Registered by Agency:6-23-11Date Plugged:01/28/2015Plugged By:Not ReportedYield on Pump Test:Not Reported

Drawdown on Test: Not Reported Casing Diameter: 4
Casing Material: PLASTIC Screen Diameter: 4

Screen Interval: Not Reported Associated Well Serial #: Not Reported Well Name: MW-10 Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: PLASTIC Gravel Packed: N

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks:Not ReportedAvg Heat Pump Depth:0Heat Pump Hole #:Not ReportedAnnular Space Cemented Depth:1Screen Interval Length:15Screen Slot Size:.010

Inspection Comments: 0 Pump Depth: Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM): 0

Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: 0 Pump Test Date: 0

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done: 0

Cementing Method: P P and A Comments: Not Reported

P and A Details: Remove Surface Completion, Pulled Well Casing And Screen From Borehole. Grout Borehole With Cement/Bentonite Grout Slurry From Bottom To Top By Tremie Method. Patch Surface With Concrete.

Casing Length: 4 Driller Owner: HILL, GARY P.

Owner ID: 681 Well Status: Plugged and Abandonded

Map ID Direction Distance

**B28** 

Elevation Database EDR ID Number

North 1/8 - 1/4 Mile Higher LA WELLS LATD50000196413

Not Reported

Database: Water Well Registration Data File

 Well ID:
 073-6843Z
 Local Well #:
 6843Z

 Well Use:
 monitor
 Seq #:
 13

 Owner:
 CENTRAL OIL & SUPPLY
 Well Depth:
 19

Date Drilled:05/24/2011Geo Unit:112UPTCCMechanic Test:NChem Analysis:NBio Analysis:NPump Test:N

Driller: WALKER-HILL(CO)ENVIRONMENTAL, INC.

Driller #: 574 Elevation: 0097 Hole Depth: 19 Depth from Surface: 7

Measure Date:5-28-11Date Added by Agency:Not ReportedDate Registered by Agency:6-23-11Date Plugged:01/28/2015Plugged By:Not ReportedYield on Pump Test:Not Reported

Drawdown on Test: Not Reported Casing Diameter: 4
Casing Material: PLASTIC Screen Diameter: 4

Screen Interval: Not Reported Associated Well Serial #: Not Reported Well Name: MW-13 Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: PLASTIC Gravel Packed: N

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: 0
Heat Pump Hole #: Not Reported Annular Space Cemented Depth: 1
Screen Interval Length: 15 Screen Slot Size: .010

Inspection Comments: 0 Pump Depth: Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM): 0

Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported

Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: 0 Pump Test Date: 0

Static Water Level: Not Reported Static Measurement Method: Not Reported Water Level Post-Test: Not Reported Pump Test Done: 0

Cementing Method:

P P P and A Comments:

P and A Details: Remove Surface Completion, Pulled Well Casing And Screen From Borehole. Grout Borehole With Cement/Bentonite Grout Slurry From Bottom To Top By Tremie Method. Patch Surface With Concrete.

Casing Length: 4 Driller Owner: HILL, GARY P.

Casing Length: 4 Dillier Owner: HILL, GARY P.

Owner ID: 681 Well Status: Plugged and Abandonded

B29

North LA WELLS LATD50000195535
1/8 - 1/4 Mile
Higher

Database: Water Well Registration Data File

 Well ID:
 073-6837Z
 Local Well #:
 6837Z

 Well Use:
 monitor
 Seq #:
 00

 Owner:
 CENTRAL OIL & SUPPLY
 Well Depth:
 19

 Date Drilled:
 05/20/2011
 Geo Unit:
 112UPTCC

 Mechanic Test:
 N
 Chem Analysis:
 N

 Bio Analysis:
 N
 Pump Test:
 N

Driller: WALKER-HILL(CO)ENVIRONMENTAL, INC.

 Driller #:
 574
 Elevation:
 0097

 Hole Depth:
 19
 Depth from Surface:
 4.52

Measure Date: 5-28-11 Date Added by Agency: Not Reported

Date Registered by Agency: 6-23-11 Date Plugged: 01/28/2015
Plugged By: Not Reported Yield on Pump Test: Not Reported

Drawdown on Test: Not Reported Casing Diameter: 4
Casing Material: PLASTIC Screen Diameter: 4

Associated Well Serial #: Not Reported Screen Interval: Not Reported Well Name: Comments: Not Reported MW-7 Extension Pipe Length: Pumpdown Method: Not Reported Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: PLASTIC Gravel Packed: N

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: 0
Heat Pump Hole #: Not Reported Annular Space Cemented Depth: 1
Screen Interval Length: 15 Screen Slot Size: .010

Inspection Comments: 0 Pump Depth: Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM): (

Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported

Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: 0 Pump Test Date: 0

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done: 0

Cementing Method: P and A Comments: Not Reported
P and A Details: Not Reported
Remove Surface Completion, Pulled Well Casing And Screen From Borehole. Grout Borehole With

Cement/Bentonite Grout Slurry From Bottom To Top By Tremie Method. Patch Surface With Concrete.

Casing Length: 4 Driller Owner: HILL, GARY P.

Owner ID: 681 Well Status: Plugged and Abandonded

R30

NNW 1/8 - 1/4 Mile Higher

LA WELLS LATD50000196310

Database: Water Well Registration Data File

 Well ID:
 073-6838Z
 Local Well #:
 6838Z

 Well Use:
 monitor
 Seq #:
 00

 Owner:
 CENTRAL OIL & SUPPLY
 Well Depth:
 19

 Date Drilled:
 05/20/2011
 Geo Unit:
 112UPTCC

 Mechanic Test:
 N
 Chem Analysis:
 N

 Bio Analysis:
 N
 Pump Test:
 N

 Driller:
 WALKER-HILL(CO)ENVIRONMENTAL, INC.
 N

 Driller #:
 574
 Elevation:
 0097

 Hole Depth:
 19
 Depth from Surface:
 7.32

Measure Date:5-28-11Date Added by Agency:Not ReportedDate Registered by Agency:6-23-11Date Plugged:01/28/2015Plugged By:Not ReportedYield on Pump Test:Not Reported

Drawdown on Test: Not Reported Casing Diameter: 4
Casing Material: PLASTIC Screen Diameter: 4

Screen Interval: Not Reported Associated Well Serial #: Not Reported Well Name: MW-8 Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: PLASTIC Gravel Packed: N

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: 0
Heat Pump Hole #: Not Reported Annular Space Cemented Depth: 1
Screen Interval Length: 15 Screen Slot Size: .010

Inspection Comments: 0 Pump Depth: Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM): 0

Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: 0 Pump Test Date: 0

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done:

Cementing Method: P and A Comments: Not Reported

P and A Details: Remove Surface Completion, Pulled Well Casing And Screen From Borehole. Grout Borehole With Cement/Bentonite Grout Slurry From Bottom To Top By Tremie Method. Patch Surface With Concrete.

Casing Length: Driller Owner: HILL, GARY P.

Owner ID: 681 Well Status: Plugged and Abandonded

NNW LA WELLS LATD50000196317 1/8 - 1/4 Mile Higher

Database: Water Well Registration Data File

Well ID: 073-6839Z Local Well #: 6839Z Well Use: monitor Seq #: 00 Well Depth: **CENTRAL OIL & SUPPLY** Owner: 19

Geo Unit: Date Drilled: 05/20/2011 112UPTCC

Chem Analysis: Mechanic Test: Ν Bio Analysis: Pump Test: Ν

Driller: WALKER-HILL(CO)ENVIRONMENTAL, INC. 0097 Driller #: 574 Elevation: Hole Depth: Depth from Surface: 6.67 19

Measure Date: 5-28-11 Date Added by Agency: Not Reported Date Registered by Agency: 6-23-11 Date Plugged: 01/28/2015 Yield on Pump Test: Not Reported Plugged By: Not Reported

Drawdown on Test: Not Reported Casing Diameter: Casing Material: **PLASTIC** Screen Diameter:

Screen Interval: Not Reported Associated Well Serial #: Not Reported Well Name: MW-9 Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Not Reported Bottom of Extension Pipe: Top of Extension Pipe: Not Reported

Screen Material Type: **PLASTIC** Gravel Packed: Ν

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: Heat Pump Hole #: Not Reported Annular Space Cemented Depth: 1 Screen Interval Length: 15 Screen Slot Size: .010

Inspection Comments: Pump Depth: Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM):

Planned Pumpage (hr/day): Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: Pump Test Date:

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done:

Cementing Method: P and A Comments: Not Reported

P and A Details: Remove Surface Completion, Pulled Well Casing And Screen From Borehole. Grout Borehole With

Cement/Bentonite Grout Slurry From Bottom To Top By Tremie Method. Patch Surface With Concrete. Driller Owner: HILL, GARY P.

Casing Length:

681 Owner ID: Well Status: Plugged and Abandonded

D32 North 1/4 - 1/2 Mile LA WELLS LATD50000097875

Higher

Database: Water Well Registration Data File

Well ID: 073-5485Z 5485Z Local Well #:

Well Use: plugged and abandoned monitor

TC5828844.2s Page A-30

02 **EVANS OIL** Seq #: Owner: Well Depth: 15 Date Drilled: 09/92 112UPTCC Geo Unit: Mechanic Test: Not Reported Not Reported Chem Analysis: Not Reported Bio Analysis: SOUTHWESTERN Pump Test: Not Reported Driller:

Driller #: Elevation: 261 Hole Depth: 15 Depth from Surface: 6.00 Measure Date: 09/25/92 Date Added by Agency: 1996-06-25 Date Registered by Agency: Date Plugged: 05/95 11/92 **PETROLEUM** Yield on Pump Test: Not Reported Plugged By:

Drawdown on Test: Not Reported Casing Diameter: Casing Material: **PLASTIC** Screen Diameter: Screen Interval: 5-15 Associated Well Serial #:

Not Reported

Well Name: MW-7

2710 NORTH 7TH STREET, WEST MONROE, LA Comments:

Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: Not Reported **Gravel Packed:** Ν

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth:

Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported Screen Interval Length: Not Reported Screen Slot Size: Not Reported Pump Depth: Inspection Comments: Not Reported

Planned Pumpage (GPM): Pump Horsepower: Not Reported

Planned Pumpage (hr/day): Planned Pumpage (days/yr): Not Reported

Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: Pump Test Date:

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done:

Cementing Method: Not Reported P and A Comments: Not Reported P and A Details: Not Reported Casing Length: Not Reported

Driller Owner: Not Reported Owner ID:

Well Status: Plugged and Abandonded

D33 LA WELLS LATD50000097874 North 1/4 - 1/2 Mile Higher

Database: Water Well Registration Data File

Well ID: 073-5484Z Local Well #: 5484Z

Well Use: plugged and abandoned monitor

Seq #: **EVANS OIL** Owner: Well Depth: 15 Date Drilled: 09/92 Geo Unit: 112UPTCC Mechanic Test: Not Reported Not Reported Not Reported Chem Analysis: Bio Analysis: SOUTHWESTERN Pump Test: Not Reported Driller:

Driller #: 261 Elevation: 94 7.50 Hole Depth: 15 Depth from Surface: 09/25/92 1996-06-25 Measure Date: Date Added by Agency: Date Registered by Agency: 11/92 Date Plugged: 05/95 **PETROLEUM** Yield on Pump Test: Plugged By: Not Reported

Drawdown on Test: Not Reported Casing Diameter: Casing Material: **PLASTIC** Screen Diameter:

Screen Interval: 5-15 Associated Well Serial #: Not Reported

Well Name: MW-3

Comments: 2710 NORTH 7TH STREET, WEST MONROE, LA

Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: Not Reported Gravel Packed: N

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: 0

Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported Screen Interval Length: Not Reported Screen Slot Size: Not Reported Inspection Comments: 0 Pump Depth: Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM): 0

Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported

Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: 0 Pump Test Date: 0

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done: 0

Cementing Method: Not Reported P and A Comments: Not Reported P and A Details: Not Reported Casing Length: Not Reported

Driller Owner: Not Reported Owner ID: 0

Well Status: Plugged and Abandonded

D34
North
LA WELLS LATD50000098265

North 1/4 - 1/2 Mile Higher

Database: Water Well Registration Data File

Well ID: 073-5499Z Local Well #: 5499Z

Well Use: plugged and abandoned monitor

Seq #:04Owner:EVANS OILWell Depth:15Date Drilled:09/92Geo Unit:112UPTCCMechanic Test:Not ReportedChem Analysis:Not ReportedBio Analysis:Not Reported

Not Reported Driller: SOUTHWESTERN Pump Test: Driller #: 261 Elevation: 94 5.00 Hole Depth: 15 Depth from Surface: 09/25/92 1996-06-25 Measure Date: Date Added by Agency:

Date Registered by Agency: 11/92 Date Plugged: 05/95
Plugged By: PETROLEUM Yield on Pump Test: Not Reported

Drawdown on Test: Not Reported Casing Diameter: 4
Casing Material: PLASTIC Screen Diameter: 4

Screen Interval: 5-15 Associated Well Serial #: Not Reported

Well Name: MW-6 Comments: 2710 N 7TH ST, WEST MONROE, LA

Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: Not Reported Gravel Packed: N

Ground Elevation: Net Reported Screen Diameter: Net Reported

Ground Elevation: Not Reported Screen Diameter: Not Reported Remarks: Not Reported Avg Heat Pump Depth: 0

Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported Screen Interval Length: Not Reported Screen Slot Size: Not Reported Inspection Comments: 0 Pump Depth: Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM):

Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported

Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: 0 Pump Test Date: 0

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done: 0

Cementing Method:Not ReportedP and A Comments:Not ReportedP and A Details:Not ReportedCasing Length:Not Reported

Driller Owner: Not Reported Owner ID: 0

Well Status: Plugged and Abandonded

Map ID Direction Distance

D35

Higher

EDR ID Number Elevation Database

North 1/4 - 1/2 Mile LA WELLS LATD50000097879

Database: Water Well Registration Data File

5489Z Well ID: 073-5489Z Local Well #:

Well Use: plugged and abandoned monitor

**EVANS OIL** Seq #: 03 Owner: Well Depth: 15 Date Drilled: 09/92

Geo Unit: 112UPTCC Mechanic Test: Not Reported Not Reported Chem Analysis: Bio Analysis: Not Reported Not Reported Driller: SOUTHWESTERN Pump Test:

Driller #: 261 Elevation: 94 Hole Depth: 15 Depth from Surface: 6.70 09/25/92 Date Added by Agency: 1996-06-25 Measure Date: Date Plugged: Date Registered by Agency: 05/95 12/92 Plugged By: **PETROLEUM** Yield on Pump Test: Not Reported

Not Reported Casing Diameter: Drawdown on Test: Casing Material: **PLASTIC** Screen Diameter:

Screen Interval: 5-15 Associated Well Serial #: Not Reported

Well Name: M\/\/-8

2710 NORTH 7TH STREET, WEST MONROE, LA Comments:

Extension Pipe Length: Pumpdown Method: Not Reported Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: Not Reported Gravel Packed:

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth:

Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported Screen Interval Length: Not Reported Screen Slot Size: Not Reported Not Reported Inspection Comments: Pump Depth:

Planned Pumpage (GPM): Pump Horsepower: Not Reported

Planned Pumpage (hr/day): Planned Pumpage (days/yr):

Not Reported Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: Pump Test Date:

Static Measurement Method: Static Water Level: Not Reported Not Reported Water Level Post-Test: Not Reported Pump Test Done:

Cementing Method: Not Reported P and A Comments: Not Reported P and A Details: Not Reported Casing Length: Not Reported

Driller Owner: Not Reported Owner ID:

Well Status: Plugged and Abandonded

E36 LA WELLS LATD50000093776

1/4 - 1/2 Mile Lower

> Database: Water Well Registration Data File

Well ID: 073-5232Z Local Well #: 5232Z Well Use: monitor Seq #: 01 Owner: WEST MONROE, LA Well Depth:

112UPTCC Date Drilled: 05/89 Geo Unit: Mechanic Test: Not Reported Chem Analysis: Not Reported Bio Analysis: Not Reported Pump Test: Not Reported

Driller: HARGROVE (BEN) Driller #: 069 Elevation: Not Reported Hole Depth: 12 05/29/89 Depth from Surface: Measure Date: 10.00 Date Added by Agency: 1996-10-17 Date Registered by Agency: 06/89

Date Plugged: Not Reported Not Reported Plugged By: Yield on Pump Test: Not Reported Drawdown on Test: Not Reported Casing Diameter: 4 Casing Material: **PLASTIC** Screen Diameter: 4 Screen Interval: 2-12 Associated Well Serial #: Not Reported Well Name: Not Reported Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported Screen Material Type: Not Reported Not Reported **Gravel Packed:** Ground Elevation: Not Reported Screen Diameter: Not Reported Remarks: Avg Heat Pump Depth: Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported Not Reported Screen Interval Length: Screen Slot Size: Not Reported **Inspection Comments:** Pump Depth: Not Reported Pump Horsepower: Not Reported Planned Pumpage (GPM): Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported Hrs of Test: Pump Test Date: Static Water Level: Not Reported Static Measurement Method: Not Reported Water Level Post-Test: Not Reported Pump Test Done: Cementing Method: Not Reported P and A Comments: P and A Details: Not Reported Not Reported Casing Length: Not Reported Driller Owner: Not Reported Owner ID: Well Status: Active

E37
SSW
LA WELLS LATD50000093777
1/4 - 1/2 Mile

Database: Water Well Registration Data File

Lower

 Well ID:
 073-5233Z
 Local Well #:
 5233Z

 Well Use:
 monitor
 Seq #:
 02

 Owner:
 WEST MONROE, LA
 Well Depth:
 12

Date Drilled:05/89Geo Unit:112UPTCCMechanic Test:Not ReportedChem Analysis:Not ReportedBio Analysis:Not ReportedPump Test:Not Reported

Driller: HARGROVE (BEN) Driller #: 069 Elevation: Not Reported Hole Depth: 12 Depth from Surface: 10.00 Measure Date: 05/29/89 Date Added by Agency: 1996-10-17 Date Registered by Agency: 06/89

Date Plugged:Not ReportedPlugged By:Not ReportedYield on Pump Test:Not ReportedDrawdown on Test:Not ReportedCasing Diameter:4Casing Material:PLASTICScreen Diameter:4Screen Interval:2-12

Associated Well Serial #: Not Reported Well Name: Not Reported Not Reported Pumpdown Method: Not Reported Comments: Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported Screen Material Type: Not Reported **Gravel Packed:** Ν Ground Elevation: Not Reported Screen Diameter: Not Reported Remarks: Not Reported

Avg Heat Pump Depth: 0 Heat Pump Hole #: Not Reported

Annular Space Cemented Depth: Not Reported

Screen Interval Length: Not Reported

Screen Slot Size: Not Reported Inspection Comments: 0

Pump Depth: Not Reported Pump Horsepower: Not Reported

Planned Pumpage (GPM): 0 Planned Pumpage (hr/day): 0

Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported

Measurement Method: Not Reported Hrs of Test: 0

Pump Test Date: 0 Static Water Level: Not Reported Static Measurement Method: Not Reported Water Level Post-Test: Not Reported

Pump Test Done: 0 Cementing Method: Not Reported

Not Reported

Not Reported

Not Reported

P and A Comments: P and A Details: Not Reported Not Reported Casing Length: Not Reported Driller Owner: Not Reported Owner ID: Well Status: Active

F38 South LA WELLS LATD50000094997 1/4 - 1/2 Mile

Lower

Database: Water Well Registration Data File

Well ID: 073-5147Z

Well Use: plugged and abandoned monitor

Seq #: 04 Well Depth: 17

112UPTCC Geo Unit: Not Reported Chem Analysis: Not Reported

Pump Test: Driller #: 285 Hole Depth: 18

Measure Date: Not Reported Date Registered by Agency: 03/87

Plugged By: CRA, INC. Drawdown on Test: Not Reported Casing Material: **PLASTIC** Screen Interval: 2-17

MW-8 Well Name: Pumpdown Method: Not Reported Top of Extension Pipe: Not Reported Screen Material Type: Not Reported

Ground Elevation: Not Reported Remarks: Not Reported

Heat Pump Hole #: Not Reported Not Reported Screen Interval Length:

Inspection Comments: Pump Horsepower:

Planned Pumpage (hr/day):

Pump Rate (Gal/day): Not Reported Hrs of Test:

Lower

Static Water Level: Not Reported Water Level Post-Test: Not Reported

Cementing Method: Not Reported P and A Details: Not Reported Driller Owner: Not Reported

Well Status:

Plugged and Abandonded

Not Reported

Local Well #: 5147Z

**EXXON CO USA** Owner:

Date Drilled: 02/87 Mechanic Test:

Not Reported Not Reported Bio Analysis: PSI/PTL Driller: Elevation: Not Reported

Depth from Surface: 0.00 Date Added by Agency: 2003-09-23 Date Plugged: 08/03 Yield on Pump Test: Not Reported

Casing Diameter: Screen Diameter: Associated Well Serial #: 5-2121 Not Reported Comments:

Extension Pipe Length: Not Reported Bottom of Extension Pipe: Not Reported

Gravel Packed:

Screen Diameter: Not Reported 0

Avg Heat Pump Depth:

Annular Space Cemented Depth: Not Reported Screen Slot Size: Not Reported Pump Depth: Not Reported

Planned Pumpage (GPM):

Planned Pumpage (days/yr): Not Reported Measurement Method: Not Reported

Pump Test Date:

Static Measurement Method: Not Reported

Pump Test Done:

Not Reported P and A Comments: Casing Length: Not Reported

Owner ID:

F39 LA WELLS LATD50000094996 South 1/4 - 1/2 Mile

Database: Water Well Registration Data File

Well ID: 073-5146Z Local Well #: 5146Z

Well Use: plugged and abandoned monitor

**EXXON CO USA** Seq #: 03 Owner:

Well Depth: 17 Date Drilled: 02/87

112UPTCC Geo Unit: Mechanic Test: Not Reported Chem Analysis: Not Reported Bio Analysis: Not Reported Pump Test: Not Reported Driller: PSI/PTL

Driller #: 285 Flevation: Not Reported Hole Depth: 18 Depth from Surface: 0.00 Measure Date: Not Reported Date Added by Agency: 2003-09-23 Date Registered by Agency: 03/87 Date Plugged: 08/03 Plugged By: CRA, INC. Yield on Pump Test: Not Reported Drawdown on Test: Not Reported Casing Diameter: Casing Material: **PLASTIC** Screen Diameter: Screen Interval: 2-17 Associated Well Serial #: 5-2121 MW-7 Well Name: Not Reported Comments: Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported Screen Material Type: Not Reported Gravel Packed: Ground Elevation: Not Reported Screen Diameter: Not Reported Remarks: Not Reported Avg Heat Pump Depth: 0 Annular Space Cemented Depth: Not Reported Heat Pump Hole #: Not Reported Screen Slot Size: Screen Interval Length: Not Reported Not Reported Inspection Comments: Pump Depth: Not Reported Pump Horsepower: Not Reported Planned Pumpage (GPM): Planned Pumpage (days/yr): Planned Pumpage (hr/day): Not Reported Not Reported Pump Rate (Gal/day): Measurement Method: Not Reported Hrs of Test: Pump Test Date: Static Water Level: Not Reported Static Measurement Method: Not Reported Water Level Post-Test: Not Reported Pump Test Done: Cementing Method: Not Reported P and A Comments: Not Reported P and A Details: Not Reported Casing Length: Not Reported Driller Owner: Not Reported Owner ID:

F40 South LA WELLS LATD50000162748

1/4 - 1/2 Mile Lower

Well Status:

Database: Water Well Registration Data File

Plugged and Abandonded

Well ID: 073-5646Z

Well Use: plugged and abandoned monitor

Seq #: 06 Well Depth: Geo Unit: 112UPTCC

Chem Analysis: Not Reported Not Reported Pump Test: Driller #: 000

Hole Depth: 11 Measure Date: 02/14/94 Date Registered by Agency: 12/94 CRA, INC. Plugged By:

Drawdown on Test: Not Reported Casing Material: **PLASTIC** Screen Interval: 1-11 Well Name: MW-2 Pumpdown Method: Not Reported Top of Extension Pipe: Not Reported

Screen Material Type: Not Reported

Ground Elevation: Not Reported Remarks: Not Reported

Heat Pump Hole #: Not Reported Screen Interval Length: Not Reported

Not Reported

Inspection Comments:

Pump Horsepower:

Planned Pumpage (hr/day):

Local Well #: 5646Z

**EXXON CO USA** Owner:

Date Drilled: 1987

Mechanic Test: Not Reported Bio Analysis: Not Reported UNKNOWN Driller: Elevation: Not Reported

Depth from Surface: 4.75 Date Added by Agency: 2003-09-23 Date Plugged: 08/03 Yield on Pump Test: Not Reported

Casing Diameter: 2 Screen Diameter: Associated Well Serial #: 5-2121 Comments: Not Reported Extension Pipe Length: Not Reported

Gravel Packed:

Bottom of Extension Pipe:

Screen Diameter: Not Reported

Avg Heat Pump Depth:

Annular Space Cemented Depth: Not Reported Screen Slot Size: Not Reported Pump Depth: Not Reported

Planned Pumpage (GPM):

Planned Pumpage (days/yr): Not Reported

Not Reported

Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: Pump Test Date:

Static Water Level: Not Reported Static Measurement Method: Not Reported

Pump Test Done: Water Level Post-Test: Not Reported 0

Cementing Method: Not Reported P and A Comments: Not Reported P and A Details: Not Reported Casing Length: Not Reported

Driller Owner: Not Reported Owner ID:

Well Status: Plugged and Abandonded

LA WELLS LATD50000098021 South 1/4 - 1/2 Mile

Lower

Database: Water Well Registration Data File

Well ID: Local Well #: 5645Z 073-5645Z Well Use: plugged and abandoned monitor

**EXXON CO USA** Seq #: 05 Owner:

Well Depth: Date Drilled: 11 1987

112UPTCC Geo Unit: Mechanic Test: Not Reported Chem Analysis: Not Reported Bio Analysis: Not Reported **UNKNOWN** Pump Test: Not Reported Driller:

Driller #: Elevation: Not Reported 000 Hole Depth: 11 Depth from Surface: 5.00 2003-09-23 Measure Date: 02/14/94 Date Added by Agency: Date Registered by Agency: 12/94 Date Plugged: 08/03 Plugged By: CRA, INC. Yield on Pump Test: Not Reported

Drawdown on Test: Not Reported Casing Diameter: 2 Casing Material: **PLASTIC** Screen Diameter: 2 Screen Interval: 1-11 Associated Well Serial #: 5-2121

MW-1 Well Name: Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported

Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported Screen Material Type: Not Reported Gravel Packed:

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth:

Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported Screen Slot Size: Screen Interval Length: Not Reported Not Reported

Inspection Comments: Pump Depth: Not Reported Pump Horsepower: Not Reported Planned Pumpage (GPM):

Planned Pumpage (hr/day): Planned Pumpage (days/yr):

Not Reported Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: Pump Test Date:

Static Water Level: Not Reported Static Measurement Method: Not Reported

Pump Test Done: Water Level Post-Test: Not Reported

Not Reported Cementing Method: P and A Comments: Not Reported P and A Details: Not Reported Casing Length: Not Reported

Driller Owner: Not Reported Owner ID:

Well Status: Plugged and Abandonded

F42 LA WELLS LATD50000094995 South

1/4 - 1/2 Mile Lower

> Database: Water Well Registration Data File

Well ID: 073-5145Z Local Well #: 5145Z

Well Use: plugged and abandoned monitor

TC5828844.2s Page A-37

02 **EXXON CO USA** Seq #: Owner:

Well Depth: 17 Date Drilled: 02/87 112UPTCC Geo Unit: Mechanic Test: Not Reported Chem Analysis: Not Reported Bio Analysis: Not Reported Pump Test: Not Reported Driller: PSI/PTL Driller #: Elevation: Not Reported 285

Hole Depth: 18 Depth from Surface: 0.00

Measure Date: Not Reported Date Added by Agency: 2003-09-23 Date Registered by Agency: 03/87 Date Plugged: 08/03

Yield on Pump Test: CRA, INC. Not Reported Plugged By: Drawdown on Test: Not Reported Casing Diameter:

Casing Material: **PLASTIC** Screen Diameter: Screen Interval: 2-17 Associated Well Serial #: 5-2121 Well Name: MW-6 Comments: Not Reported Not Reported Pumpdown Method: Extension Pipe Length: Not Reported

Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported Screen Material Type: Not Reported Gravel Packed:

Not Reported Ground Elevation: Screen Diameter: Not Reported

Not Reported Remarks: Avg Heat Pump Depth:

Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported Not Reported Screen Slot Size: Not Reported Screen Interval Length:

Inspection Comments: Pump Depth: Not Reported Pump Horsepower: Not Reported Planned Pumpage (GPM):

Planned Pumpage (hr/day): Planned Pumpage (days/yr): Not Reported

Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: Pump Test Date:

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done:

Not Reported Cementing Method: P and A Comments: Not Reported P and A Details: Not Reported Casing Length: Not Reported

Driller Owner: Not Reported Owner ID:

Well Status: Plugged and Abandonded

F43 LA WELLS LATD50000094028

South 1/4 - 1/2 Mile Lower

Well Use:

Database: Water Well Registration Data File

Well ID: 073-5647Z Local Well #: 5647Z

plugged and abandoned monitor **EXXON CO USA** Seq #: Owner:

Well Depth: 10 Date Drilled:

Geo Unit: 112UPTCC Mechanic Test: Not Reported Chem Analysis: Not Reported Bio Analysis: Not Reported Not Reported Driller: UNKNOWN Pump Test: Driller #: 000 Elevation: Not Reported Hole Depth: 10 Depth from Surface: 5.30 02/14/94 2003-09-23 Measure Date: Date Added by Agency:

Date Registered by Agency: 12/94 Date Plugged: 08/03 Yield on Pump Test: Plugged By: CRA, INC. Not Reported Casing Diameter: Drawdown on Test: Not Reported 4

Casing Material: **PLASTIC** Screen Diameter: Screen Interval: 1-11 Associated Well Serial #: 5-2121 MW-3 Comments: Well Name: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported

Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported Screen Material Type: Not Reported Gravel Packed: Ν

Ground Elevation: Screen Diameter: Not Reported Not Reported

Remarks: Not Reported Avg Heat Pump Depth: n

Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported Screen Interval Length: Not Reported Screen Slot Size: Not Reported Inspection Comments: Pump Depth: Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM):

Not Reported Planned Pumpage (hr/day): Planned Pumpage (days/yr): Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: Pump Test Date:

Static Water Level: Not Reported Static Measurement Method: Not Reported

Not Reported Pump Test Done: Water Level Post-Test:

P and A Comments: Not Reported Cementing Method: Not Reported P and A Details: Not Reported Casing Length: Not Reported

Driller Owner: Not Reported Owner ID:

Well Status: Plugged and Abandonded

Lower

F44 LA WELLS LATD50000094029 South 1/4 - 1/2 Mile

Database: Water Well Registration Data File

Well ID: 073-5648Z Local Well #: 5648Z

Well Use: plugged and abandoned monitor **EXXON CO USA** 

Seq #: Owner: Well Depth: 10 Date Drilled: 1987

112UPTCC Geo Unit: Mechanic Test: Not Reported Chem Analysis: Not Reported Not Reported Bio Analysis:

Pump Test: Not Reported Driller: **UNKNOWN** Driller #: 000 Elevation: Not Reported Depth from Surface: Hole Depth: 10 3.88

02/14/94 Measure Date: Date Added by Agency: 2003-09-23 Date Registered by Agency: 12/94 Date Plugged: 08/03 Yield on Pump Test: Plugged By: CRA, INC. Not Reported

Drawdown on Test: Not Reported Casing Diameter: 4 Casing Material: **PLASTIC** Screen Diameter: Screen Interval: 1-11 Associated Well Serial #: 5-2121 MW-4 Well Name: Comments: Not Reported

Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Bottom of Extension Pipe: Top of Extension Pipe: Not Reported Not Reported Screen Material Type: Not Reported **Gravel Packed:** Ν

Ground Elevation: Not Reported Not Reported Screen Diameter: Remarks:

Avg Heat Pump Depth: Not Reported Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported Screen Interval Length: Not Reported Screen Slot Size: Not Reported

Inspection Comments: Pump Depth: Not Reported Pump Horsepower: Not Reported Planned Pumpage (GPM):

Planned Pumpage (days/yr): Planned Pumpage (hr/day): Not Reported

Measurement Method:

Pump Rate (Gal/day): Not Reported Not Reported Hrs of Test: Pump Test Date:

Not Reported Static Water Level: Not Reported Static Measurement Method:

Water Level Post-Test: Not Reported Pump Test Done:

Not Reported P and A Comments: Cementing Method: Not Reported P and A Details: Not Reported Casing Length: Not Reported

Driller Owner: Not Reported Owner ID:

Well Status: Plugged and Abandonded

Map ID Direction Distance

F45

Lower

Lower

Well Use:

Elevation Database EDR ID Number

Owner:

South 1/4 - 1/2 Mile

LA WELLS LATD50000094994

**EXXON CO USA** 

Database: Water Well Registration Data File

Well ID: 073-5144Z Local Well #: 5144Z

Well Use: plugged and abandoned monitor Seg #: 01

Well Depth: 15 Date Drilled: 02/87 Geo Unit: 112UPTCC Mechanic Test: Not Reported Chem Analysis: Not Reported Bio Analysis: Not Reported Not Reported Driller: PSI/PTL Pump Test: Driller #: 285 Elevation: Not Reported Hole Depth: 15 Depth from Surface: 0.00 Not Reported 2003-09-23 Measure Date:

Measure Date:Not ReportedDate Added by Agency:2003-09-23Date Registered by Agency:03/87Date Plugged:08/03Plugged By:CRA, INC.Yield on Pump Test:Not Reported

Not Reported Casing Diameter: Drawdown on Test: Casing Material: **PLASTIC** Screen Diameter: 2 Screen Interval: 1-15 Associated Well Serial #: 5-2121 Well Name: MW-5 Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: Not Reported Gravel Packed: N

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: 0

Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported Screen Interval Length: Not Reported Screen Slot Size: Not Reported Inspection Comments: 0 Pump Depth: Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM): 0

Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported

Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: 0 Pump Test Date: 0

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done: 0

Cementing Method:Not ReportedP and A Comments:Not ReportedP and A Details:Not ReportedCasing Length:Not Reported

Driller Owner: Not Reported Owner ID: 0

Well Status: Plugged and Abandonded

F46
South
LA WELLS
1/4 - 1/2 Mile

plugged and abandoned monitor

Database: Water Well Registration Data File

Well ID: 073-5383Z Local Well #: 5383Z

Seg #: 01 Owner: EXXON CO USA

Well Depth: 15 Date Drilled: 06/91
Geo Unit: 112UPTCC Mechanic Test: Not Reported
Chem Analysis: Not Reported Bio Analysis: Not Reported
Pump Test: Not Reported Driller: BCM ENGINEERS

Driller #:395Elevation:80Hole Depth:15Depth from Surface:4.88Measure Date:06/07/91Date Added by Agency:2003-09-23Date Registered by Agency:06/91Date Plugged:08/03

LATD50000098582

Plugged By: CRA, INC. Yield on Pump Test: Not Reported Drawdown on Test: Not Reported Casing Diameter: Casing Material: **PLASTIC** Screen Diameter: 4 Screen Interval: 5-15 Associated Well Serial #: 5-2121 Not Reported Well Name: MW-11 Comments: Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported Screen Material Type: Not Reported **Gravel Packed:** Ground Elevation: Not Reported Screen Diameter: Not Reported Not Reported Avg Heat Pump Depth: Remarks: Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported Not Reported Screen Slot Size: Not Reported Screen Interval Length: Inspection Comments: Pump Depth: Not Reported Pump Horsepower: Not Reported Planned Pumpage (GPM): 0 Planned Pumpage (hr/day): Planned Pumpage (days/yr): Not Reported 0 Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported Hrs of Test: Pump Test Date: Static Measurement Method: Static Water Level: Not Reported Not Reported Water Level Post-Test: Not Reported Pump Test Done: Cementing Method: Not Reported P and A Comments: Not Reported P and A Details: Not Reported Not Reported Casing Length:

Well Status: Plugged and Abandonded

Owner ID:

South 1/4 - 1/2 Mile

Not Reported

LA WELLS LATD50000098583

Water Well Registration Data File Database:

073-5384Z Well ID:

Well Use: plugged and abandoned monitor

15

06/07/91

CRA, INC.

06/91

Seq #: 02 Well Depth: 15

112UPTCC Geo Unit: Chem Analysis: Not Reported

Pump Test: Not Reported Driller #: 395

Hole Depth: Measure Date: Date Registered by Agency: Plugged By:

Driller Owner:

Lower

Drawdown on Test: Not Reported Casing Material: **PLASTIC** Screen Interval: 5-15 MW-10 Well Name: Pumpdown Method: Not Reported Top of Extension Pipe: Not Reported

Screen Material Type: Not Reported Ground Elevation: Not Reported

Remarks: Not Reported Heat Pump Hole #: Not Reported

Screen Interval Length: Not Reported

Inspection Comments: n

Pump Horsepower: Not Reported

Planned Pumpage (hr/day):

Pump Rate (Gal/day): Not Reported

Hrs of Test:

Not Reported Static Water Level: Water Level Post-Test: Not Reported Local Well #: 5384Z

Owner: **EXXON CO USA** 

Date Drilled: 06/91

Mechanic Test: Not Reported Not Reported Bio Analysis: BCM ENGINEERS Driller:

Elevation: 82 Depth from Surface: 4.79 2003-09-23 Date Added by Agency: Date Plugged: 08/03

Yield on Pump Test: Not Reported Casing Diameter: Screen Diameter: 4 Associated Well Serial #: 5-2121 Comments: Not Reported Extension Pipe Length: Not Reported

Bottom of Extension Pipe: Not Reported **Gravel Packed:** Ν

Screen Diameter: Not Reported

Avg Heat Pump Depth: 0

Annular Space Cemented Depth: Not Reported Screen Slot Size: Not Reported Pump Depth: Not Reported

Planned Pumpage (GPM):

Planned Pumpage (days/yr): Not Reported Measurement Method: Not Reported

Pump Test Date: 0

Static Measurement Method: Not Reported

Pump Test Done:

TC5828844.2s Page A-41

n

Cementing Method:Not ReportedP and A Comments:Not ReportedP and A Details:Not ReportedCasing Length:Not Reported

Driller Owner: Not Reported Owner ID:

Well Status: Plugged and Abandonded

F48 South LA WELLS LATD50000098584

1/4 - 1/2 Mile Lower

Database: Water Well Registration Data File

Well ID: 073-5385Z Local Well #: 5385Z

Well Use: plugged and abandoned monitor
Seq #: Owner:

Well Depth: 15 Date Drilled: 06/91 Geo Unit: 112UPTCC Mechanic Test: Not Reported Not Reported Chem Analysis: Not Reported Bio Analysis: BCM ENGINEERS Pump Test: Not Reported Driller:

Driller #: 395 Elevation: Hole Depth: 15 Depth from Surface: 5.30 06/07/91 2003-09-23 Measure Date: Date Added by Agency: Date Plugged: Date Registered by Agency: 06/91 08/03 CRA, INC. Not Reported Plugged By: Yield on Pump Test:

Drawdown on Test: Not Reported Casing Diameter: Casing Material: **PLASTIC** Screen Diameter: 4 Screen Interval: 5-15 Associated Well Serial #: 5-2121 Well Name: MW-9 Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: Not Reported Gravel Packed: N

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: 0

Heat Pump Hole #:Not ReportedAnnular Space Cemented Depth:Not ReportedScreen Interval Length:Not ReportedScreen Slot Size:Not ReportedInspection Comments:0Pump Depth:Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM):

Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported Hrs of Test: 0 Pump Test Date: 0 Static Water Level: Not Reported Static Measurement Method: Not Reported

Static Water Level: Not Reported Static Measurement Method: Not Re Water Level Post-Test: Not Reported Pump Test Done: 0

Cementing Method: Not Reported P and A Comments: Not Reported P and A Details: Not Reported Casing Length: Not Reported

Driller Owner: Not Reported Owner ID: 0

Well Status: Plugged and Abandonded

F49
South
1/4 - 1/2 Mile

LA WELLS
LATD50000098489

Lower

Database: Water Well Registration Data File

Well ID: 073-5421Z Local Well #: 5421Z

Well Use: plugged and abandoned monitor

Seq #: 01 Owner: EXXON CO USA

Well Depth: 13 Date Drilled: 10/91

Geo Unit: 112UPTCC Mechanic Test: Not Reported Chem Analysis: Not Reported Bio Analysis: Not Reported

**EXXON CO USA** 

Driller: **BCM ENGINEERS** Pump Test: Not Reported

Driller #: Elevation: Hole Depth: 14 Depth from Surface: 4.41 12/02/91 Date Added by Agency: 2003-09-23 Measure Date: Date Registered by Agency: 01/92 Date Plugged: 08/03 Plugged By: CRA, INC. Yield on Pump Test: Not Reported

Drawdown on Test: Not Reported Casing Diameter: Casing Material: **PLASTIC** Screen Diameter: 4 Associated Well Serial #: Screen Interval: 3-13 5-2121 Well Name: MW-12 Not Reported Comments: Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported Screen Material Type: Not Reported Gravel Packed:

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: 0 Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported

Screen Interval Length: Not Reported Screen Slot Size: Not Reported Pump Depth: Not Reported Inspection Comments:

Planned Pumpage (GPM): Pump Horsepower: Not Reported

Planned Pumpage (hr/day): Planned Pumpage (days/yr): Not Reported

Pump Rate (Gal/day): Measurement Method: Not Reported Not Reported

Hrs of Test: Pump Test Date: Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done:

Cementing Method: Not Reported P and A Comments: Not Reported

P and A Details: Not Reported Casing Length: Not Reported

Driller Owner: Not Reported Owner ID:

F50 South FRDS PWS 1/4 - 1/2 Mile

Plugged and Abandonded

Well Status:

Lower

Epa region: 06 State:

LA1073039 PINECREST WATER SYSTEM Pwsid: Pwsname:

Cityserved: Not Reported Stateserved: ΙΑ Not Reported Zipserved: Fipscounty: 22073 Status: Closed Retpopsrvd: 160

Psource longname: Groundwater Pwssvcconn: 80 **CWS** Private Pwstype: Owner: Contact: PINECREST WATER SYSTEM Contactorgname: Not Reported Contactphone: 318-396-2008 Contactaddress1: Not Reported

WEST MONROE Contactaddress2: 206 ALTA MIRA DRIVE Contactcity:

Contactstate: Contactzip: 71291 LA

Pwsactivitycode:

PWS ID: LA1073039 PWS type: System Owner/Responsible Party

PINECREST WATER SYSTEM PWS address: PWS name: Not Reported

WEST MONROE PWS state: PWS city: LA LA1073039 PWS zip: 71291 PWS ID: Date system activated: Activity status: Active 7508

Date system deactivated: Not Reported Retail population: 00000160 PINECREST WATER SYSTEM System name: System address: Not Reported

206 ALTA MIRA DRIVE WEST MONROE System address: System city: 71291 System state: LA System zip:

Population served: 101 - 500 Persons Treatment: Untreated

Latitude: 323105 Longitude: 0920851

LA1073039

Map ID Direction Distance

Elevation Database EDR ID Number

South 1/2 - 1 Mile

F51

Lower

LA WELLS LATD50000196981

Database: Water Well Registration Data File

 Well ID:
 073-7012Z
 Local Well #:
 7012Z

 Well Use:
 monitor
 Seq #:
 00

 Owner:
 ICAHN ENTERPRISES, L.P
 Well Depth:
 18

 Date Drilled:
 10/16/2012
 Geo Unit:
 112UPTCC

 Mechanic Test:
 N
 Chem Analysis:
 N

 Bio Analysis:
 N
 Pump Test:
 N

Driller: CRESCENT GEOTECHNICAL SERVICES, INC.

Driller #: 524 Elevation: Not Reported

Hole Depth: 20 Depth from Surface: 5.98

Measure Date:10/18/2012Date Added by Agency:Not ReportedDate Registered by Agency:02/13/2013Date Plugged:09/03/2014Plugged By:Not ReportedYield on Pump Test:Not Reported

Drawdown on Test: Not Reported Casing Diameter: 1

Casing Material: PLASTIC Screen Diameter: 1

Screen Interval: Not Reported Associated Well Serial #: Not Reported Well Name: MW-1 Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: PLASTIC Gravel Packed: N

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: 0
Heat Pump Hole #: Not Reported Annular Space Cemented Depth: 3
Screen Interval Length: 15 Screen Slot Size: .010

Inspection Comments: 0 Pump Depth: Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM): 0

Planned Pumpage (hr/day): 0 Planned Pumpage (days/yr): Not Reported

Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: 0 Pump Test Date: 0

Static Water Level: Not Reported Static Measurement Method: Not Reported Water Level Post-Test: Not Reported Pump Test Done: 0

Cementing Method: G P and A Comments: Not Reported

P and A Details: Screen And Riser Pipe Was Removed From Borehole. Borehole Was Plugged With Bentonite-Cement Mixture

Casing Length: 3 Driller Owner: Not Reported

Owner ID: 61768 Well Status: Plugged and Abandonded

F52
South
LA WELLS LATD50000196268
1/2 - 1 Mile
Lower

Database: Water Well Registration Data File

 Well ID:
 073-7013Z
 Local Well #:
 7013Z

 Well Use:
 monitor
 Seq #:
 00

 Owner:
 ENTERGY
 Well Depth:
 15

112UPTCC Date Drilled: 11/26/2013 Geo Unit: Mechanic Test: Ν Chem Analysis: Ν Pump Test: Bio Analysis: N Driller: SEMS, INC. Driller #: 464 Elevation: Not Reported Hole Depth: 15

Depth from Surface: 6 Measure Date: 12/03/2013
Date Added by Agency: Not Reported Date Registered by Agency: 12/18/2013

Date Plugged: 09/03/2014 Plugged By: Not Reported

Not Reported

Not Reported

Yield on Pump Test: Not Reported Drawdown on Test: Not Reported Casing Diameter: Casing Material: **PLASTIC** Screen Diameter: Screen Interval: Not Reported Associated Well Serial #: Not Reported Well Name: MW-B1A Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported Screen Material Type: **PLASTIC Gravel Packed:** Ground Elevation: Not Reported Not Reported Not Reported Screen Diameter: Remarks: Not Reported Avg Heat Pump Depth: Heat Pump Hole #:

Annular Space Cemented Depth: 1.5 Screen Interval Length: 10 Screen Slot Size: **Inspection Comments:** .010 0

Pump Depth: Not Reported Pump Horsepower: Not Reported

Planned Pumpage (GPM): Planned Pumpage (hr/day): Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported

Measurement Method: Not Reported Hrs of Test:

Pump Test Date: Static Water Level: Not Reported Static Measurement Method: Not Reported Water Level Post-Test: Not Reported

Pump Test Done: Cementing Method:

Not Reported P and A Comments:

Lower

P and A Details: Screen And Riser Pipe Was Removed From Borehole. Borehole Was Plugged With Bentonite-Cement Mixture.

Casing Length: Driller Owner: Not Reported

Owner ID: 60167 Well Status: Plugged and Abandonded

LA WELLS LATD50000196369 South 1/2 - 1 Mile

Database: Water Well Registration Data File

073-7018Z Well ID: 7018Z Local Well #: Well Use: Seq #: monitor OΩ Owner: **ENTERGY** Well Depth: 15 112UPTCC

Date Drilled: 11/26/2013 Geo Unit: Chem Analysis: Mechanic Test: Ν Ν Bio Analysis: Pump Test: N SEMS, INC. Driller #: 464

Driller: Elevation: Not Reported Hole Depth: 15 Depth from Surface: Measure Date: 12/03/2013 Date Added by Agency: Not Reported Date Registered by Agency: 12/18/2013

Date Plugged: 09/03/2014 Plugged By: Not Reported Yield on Pump Test: Not Reported Drawdown on Test: Not Reported Casing Diameter: Casing Material: **PLASTIC** 2 Screen Diameter: Screen Interval: Not Reported Associated Well Serial #: Not Reported Well Name: MW-B7A Comments: Not Reported Pumpdown Method: Not Reported

Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported Screen Material Type: **PLASTIC Gravel Packed:** Ν Ground Elevation: Not Reported Screen Diameter: Not Reported Remarks: Not Reported

Avg Heat Pump Depth: Heat Pump Hole #: Not Reported Annular Space Cemented Depth: 3 Screen Interval Length: 10 .010

Screen Slot Size: Inspection Comments: Pump Depth: Not Reported Pump Horsepower: Not Reported

Planned Pumpage (GPM): Planned Pumpage (hr/day):

Not Reported Pump Rate (Gal/day): Planned Pumpage (days/yr): Not Reported

Measurement Method: Not Reported Hrs of Test:

Pump Test Date: Static Water Level: Not Reported Static Measurement Method: Not Reported Water Level Post-Test: Not Reported

Pump Test Done: Cementing Method:

P and A Comments: Not Reported

P and A Details: Screen And Riser Pipe Was Removed From Borehole. Borehole Was Plugged With Bentonite Cement Mixture

Casing Length: Driller Owner: Not Reported

Owner ID: 60167 Well Status: Plugged and Abandonded

LA WELLS LATD50000196370 South

1/2 - 1 Mile Lower

> Database: Water Well Registration Data File

Well ID: 073-7019Z Local Well #: 7019Z Well Use: monitor Seq #: 01 Well Depth: Owner: **ENTERGY** 15

112UPTCC Date Drilled: 11/26/2013 Geo Unit:

Chem Analysis: Mechanic Test: Ν Ν Pump Test: Bio Analysis: Ν Driller: SEMS, INC. Driller #: 464 Elevation: Not Reported Hole Depth: 15

Depth from Surface: Measure Date: 12/03/2013 Date Added by Agency: Not Reported Date Registered by Agency: 12/18/2013 09/03/2014 Date Plugged: Plugged By: Not Reported Yield on Pump Test: Not Reported Drawdown on Test: Not Reported Casing Diameter: 2 Casing Material: **PLASTIC** 2 Screen Diameter: Screen Interval: Not Reported Associated Well Serial #: Well Name: MW-1A Not Reported Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported Screen Material Type: **PLASTIC Gravel Packed:** Ν Ground Elevation: Not Reported

Remarks: Screen Diameter: Not Reported Not Reported Avg Heat Pump Depth: Heat Pump Hole #: Not Reported

Annular Space Cemented Depth: 3 Screen Interval Length: 10 Screen Slot Size: .010 **Inspection Comments:** 

Pump Depth: Not Reported Pump Horsepower: Not Reported

Planned Pumpage (GPM): Planned Pumpage (hr/day):

Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported

Measurement Method: Not Reported Hrs of Test:

Pump Test Date: Static Water Level: Not Reported Static Measurement Method: Not Reported Not Reported Water Level Post-Test:

Pump Test Done: Cementing Method:

P and A Comments: Not Reported

P and A Details: Screen And Riser Pipe Was Removed From Borehole. Borehole Was Plugged With Bentonite-Cement Mixture

Casing Length: Driller Owner: Not Reported

Owner ID: 60167 Well Status: Plugged and Abandonded

**G55** LA WELLS LATD50000196366 South

1/2 - 1 Mile Lower

> Database: Water Well Registration Data File

Well ID: 073-7015Z 7015Z Local Well #: Well Use: monitor Seq #: 00 Owner: **ENTERGY** Well Depth: 15

112UPTCC Date Drilled: 11/25/2013 Geo Unit: Mechanic Test: Chem Analysis: Ν Ν Bio Analysis: Ν Pump Test: N

Driller:SEMS, INC.Driller #:464Elevation:Not ReportedHole Depth:15

Depth from Surface: 6 Measure Date: 12/03/2013

Date Added by Agency: Not Reported Date Registered by Agency: 12/18/2013 Date Plugged: 09/03/2014 Plugged By: Not Reported Yield on Pump Test: Not Reported Drawdown on Test: Not Reported Casing Diameter: Casing Material: **PLASTIC** 2 Screen Diameter: Screen Interval: Not Reported Well Name: Associated Well Serial #: Not Reported MW-B3A Not Reported Pumpdown Method: Not Reported Comments: Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported Screen Material Type: **PLASTIC** 

Bottom of Extension Pipe: Not Reported Screen Material Type: PLASTIC
Gravel Packed: N Ground Elevation: Not Reported
Screen Diameter: Not Reported Remarks: Not Reported
Avg Heat Pump Depth: 0 Heat Pump Hole #: Not Reported

Annular Space Cemented Depth: 3 Screen Interval Length: 10 Screen Slot Size: .010 Inspection Comments: 0

Pump Depth: Not Reported Pump Horsepower: Not Reported

Planned Pumpage (GPM): 0 Planned Pumpage (hr/day): 0

Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported

Measurement Method: Not Reported Hrs of Test: 0

Pump Test Date: 0 Static Water Level: Not Reported

Static Measurement Method: Not Reported Water Level Post-Test: Not Reported Pump Test Done: O Cementing Method: P

P and A Comments: Not Reported

Lower

Avg Heat Pump Depth:

P and A Details: Screen And Riser Pipe Was Removed From Borehole. Borehole Was Plugged With Bentonite-Cement Mixture

Casing Length: 5 Driller Owner: Not Reported

Owner ID: 60167 Well Status: Plugged and Abandonded

F56 South LA WELLS LATD50000196365 1/2 - 1 Mile

Database: Water Well Registration Data File

 Well ID:
 073-7014Z
 Local Well #:
 7014Z

 Well Use:
 monitor
 Seq #:
 00

 Owner:
 ENTERGY
 Well Depth:
 15

 Date Drilled:
 11/25/2013
 Geo Unit:
 112UPTCC

 Mechanic Test:
 N
 Chem Analysis:
 N

 Bio Analysis:
 N
 Pump Test:
 N

Driller: SEMS, INC. Driller #: 464
Elevation: Not Reported Hole Depth: 15

Depth from Surface: 6 Measure Date: 12/03/2013

Date Added by Agency: Not Reported Date Registered by Agency: 12/18/2013

Date Added by Agency:Not ReportedDate Registered by Agency:12/18/2013Date Plugged:09/03/2014Plugged By:Not ReportedYield on Pump Test:Not ReportedDrawdown on Test:Not ReportedCasing Diameter:2Casing Material:PLASTIC

Screen Diameter: Screen Interval: Not Reported Associated Well Serial #: Not Reported Well Name: MW-B2A Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported Screen Material Type: **PLASTIC** 

Gravel Packed: N Ground Elevation: Not Reported Screen Diameter: Not Reported Remarks: Not Reported

Heat Pump Hole #:

Annular Space Cemented Depth: 3 Screen Interval Length: 10 Screen Slot Size: .010 Inspection Comments: 0

Pump Depth: Not Reported Pump Horsepower: Not Reported

Planned Pumpage (GPM): 0 Planned Pumpage (hr/day): 0

Not Reported

Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported

Measurement Method: Not Reported Hrs of Test:

Pump Test Date: Static Water Level: Not Reported Static Measurement Method: Not Reported Water Level Post-Test: Not Reported

Cementing Method: Pump Test Done:

P and A Comments: Not Reported

P and A Details: Screen And Riser Was Removed From Borehole. Borehole Was Plugged With Bentonite-Cement Mixture

Casing Length: Driller Owner: Not Reported

Owner ID: 60167 Well Status: Plugged and Abandonded

**G57 LA WELLS** LATD50000196367 South 1/2 - 1 Mile

Lower

Water Well Registration Data File Database:

Local Well #: Well ID: 073-7016Z 7016Z Well Use: monitor Seq #: 01 **ENTERGY** Well Depth: Owner: 15

Date Drilled: 11/26/2013 Geo Unit: 112UPTCC

Mechanic Test: Ν Chem Analysis: Ν Pump Test: Bio Analysis: Ν N Driller: SEMS, INC. Driller #: 464 Elevation: Not Reported Hole Depth: 15

Depth from Surface: Measure Date: 12/03/2013 Not Reported 12/18/2013 Date Added by Agency: Date Registered by Agency: Date Plugged: 09/03/2014 Plugged By: Not Reported

Not Reported Yield on Pump Test: Drawdown on Test: Not Reported Casing Diameter: Casing Material: **PLASTIC** 2 Screen Diameter: Screen Interval: Not Reported

Not Reported Associated Well Serial #: Well Name: MW-B4A Not Reported Pumpdown Method: Comments: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported Screen Material Type: **PLASTIC** Not Reported Ground Elevation: **Gravel Packed:** 

Not Reported Screen Diameter: Not Reported Remarks: Avg Heat Pump Depth: Heat Pump Hole #: Not Reported

Annular Space Cemented Depth: 3 Screen Interval Length: 10 Screen Slot Size: .010 Inspection Comments: 0

Pump Depth: Not Reported Pump Horsepower: Not Reported

Planned Pumpage (GPM): Planned Pumpage (hr/day):

Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported

Measurement Method: Not Reported Hrs of Test:

Pump Test Date: Static Water Level: Not Reported Static Measurement Method: Not Reported Water Level Post-Test: Not Reported

Cementing Method: Pump Test Done:

P and A Comments: Not Reported

P and A Details: Screen And Riser Pipe Was Removed From Borehole. Borehole Was Pluged With Bentonite-Cement Mixture

Casing Length: 5 Driller Owner: Not Reported

Owner ID: 60167 Well Status: Plugged and Abandonded

**G58** LA WELLS LATD50000196371 South

1/2 - 1 Mile Lower

> Water Well Registration Data File Database:

Well ID: 073-7020Z Local Well #: 7020Z

TC5828844.2s Page A-48

Well Use: monitor Seq #: 02 Owner: **ENTERGY** Well Depth: 15

112UPTCC Date Drilled: 11/25/2013 Geo Unit:

Mechanic Test: Ν Chem Analysis: Ν Bio Analysis: Pump Test: Ν Ν Driller: SEMS, INC. Driller #: 464 Elevation: Not Reported Hole Depth: 15

Depth from Surface: Measure Date: 12/03/2013 Date Added by Agency: Not Reported Date Registered by Agency: 12/18/2013 09/03/2014 Not Reported Date Plugged: Plugged By: Yield on Pump Test: Not Reported Drawdown on Test: Not Reported Casing Diameter: Casing Material: **PLASTIC** Screen Diameter: Screen Interval: Not Reported

Associated Well Serial #: Not Reported Well Name: MW-2A Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported Screen Material Type: **PLASTIC** Not Reported Ground Elevation: **Gravel Packed:** Ν Screen Diameter: Remarks: Not Reported Not Reported

Avg Heat Pump Depth: Heat Pump Hole #: Not Reported Annular Space Cemented Depth: 3 10 Screen Interval Length:

Screen Slot Size: .010 Inspection Comments: Pump Depth: Not Reported Pump Horsepower: Not Reported

Planned Pumpage (GPM): Planned Pumpage (hr/day):

Pump Rate (Gal/day): Planned Pumpage (days/yr): Not Reported Not Reported

Measurement Method: Not Reported Hrs of Test:

Pump Test Date: Static Water Level: Not Reported

Static Measurement Method: Water Level Post-Test: Not Reported Not Reported

Pump Test Done: Cementing Method:

P and A Comments: Not Reported

P and A Details: Screen And Riser Pipe Was Removed From Borehole. Borehole Was Plugged With Bentonite-Cement Mixture

Casing Length: Driller Owner: Not Reported

Owner ID: 60167 Well Status: Plugged and Abandonded

**G59** LA WELLS LATD50000196980 South

1/2 - 1 Mile Lower

> Database: Water Well Registration Data File

Well ID: 073-7011Z Local Well #: 7011Z Well Use: monitor Seq #: 00 ICAHN ENTERPRISES, L.P. Well Depth: Owner: 16 Date Drilled: 10/16/2012 Geo Unit: 112UPTCC

Chem Analysis: Mechanic Test: Ν Ν Pump Test: Bio Analysis: Ν Ν

Driller: CRESCENT GEOTECHNICAL SERVICES, INC.

Driller #: Elevation: Not Reported

Hole Depth: 20 Depth from Surface: 5.92

10/18/2012 Measure Date: Date Added by Agency: Not Reported Date Registered by Agency: 12/16/2013 Date Plugged: 09/03/2014 Yield on Pump Test: Plugged By: Not Reported Not Reported

Drawdown on Test: Not Reported Casing Diameter: Casing Material: **PLASTIC** Screen Diameter:

Not Reported Screen Interval: Associated Well Serial #: Not Reported Well Name: MW-2 Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: **PLASTIC** Gravel Packed:

Ground Elevation: Not Reported Screen Diameter: Not Reported

0 Remarks: Not Reported Avg Heat Pump Depth: Heat Pump Hole #: Not Reported Annular Space Cemented Depth: 2 Screen Interval Length: 15 Screen Slot Size: .010

Pump Depth: Inspection Comments: 0 Not Reported

Not Reported Pump Horsepower: Planned Pumpage (GPM):

Planned Pumpage (hr/day): Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: Pump Test Date:

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Pump Test Done: Not Reported

Cementing Method: P and A Comments: Not Reported

P and A Details: Screen And Riser Pipe Was Removed From Borehole. Borehole Was Plugged With Bentonite-Cement Mixture

Casing Length: Driller Owner: Not Reported

Owner ID: 61768 Well Status: Plugged and Abandonded

H60 LA WELLS LATD50000196973 South 1/2 - 1 Mile

Lower

Database: Water Well Registration Data File

Well ID: 70107 073-7010Z Local Well #: Well Use: monitor Seq #: 00 Owner: ICAHN ENTERPRISES, L.P. Well Depth: 12

112UPTCC Date Drilled: 10/16/2012 Geo Unit: Chem Analysis: Mechanic Test: Ν Ν Bio Analysis: N Pump Test: Ν

CRESCENT GEOTECHNICAL SERVICES, INC. Driller:

Driller #: Not Reported Elevation:

Hole Depth: 14 Depth from Surface:

10/18/2012 Not Reported Measure Date: Date Added by Agency: Date Registered by Agency: 02/13/2012 Date Plugged: 09/03/2014 Plugged By: Not Reported Yield on Pump Test: Not Reported

Drawdown on Test: Not Reported Casing Diameter: Screen Diameter: Casing Material: **PLASTIC** 

Screen Interval: Not Reported Associated Well Serial #: Not Reported Well Name: MW-3 Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported

Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported Screen Material Type: **PLASTIC** Gravel Packed: Ν

Ground Elevation: Not Reported Screen Diameter: Not Reported

Remarks: Not Reported Avg Heat Pump Depth: Heat Pump Hole #: Not Reported Annular Space Cemented Depth: 3 Screen Interval Length: Screen Slot Size: .010

Inspection Comments: Pump Depth: Not Reported

Planned Pumpage (GPM): Pump Horsepower: Not Reported

Planned Pumpage (hr/day): Planned Pumpage (days/yr): Not Reported

Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: Pump Test Date: 0

Static Water Level: Not Reported Static Measurement Method: Not Reported Water Level Post-Test: Not Reported Pump Test Done:

Cementing Method: P and A Comments: Not Reported

P and A Details: Screen And Riser Pipe Was Removed From Borehole. Borehole Was Plugged With Bentonite-Cement Mixture.

Casing Length: Driller Owner: Not Reported

61768 Owner ID: Well Status: Plugged and Abandonded

Map ID Direction Distance

Elevation Database EDR ID Number

South

**H61** 

LA WELLS LATD50000196368

1/2 - 1 Mile Lower

Database: Water Well Registration Data File

 Well ID:
 073-7017Z
 Local Well #:
 7017Z

 Well Use:
 monitor
 Seq #:
 01

 Owner:
 ENTERGY
 Well Depth:
 15

112UPTCC Date Drilled: 11/26/2013 Geo Unit: Mechanic Test: Ν Chem Analysis: Ν Bio Analysis: Pump Test: Ν Ν SEMS, INC. 464 Driller: Driller #: Elevation: Not Reported Hole Depth: 15

12/03/2013 Depth from Surface: Measure Date: Date Added by Agency: Date Registered by Agency: 12/18/2013 Not Reported 09/03/2014 Date Plugged: Plugged By: Not Reported Yield on Pump Test: Not Reported Drawdown on Test: Not Reported Casing Diameter: Casing Material: **PLASTIC** Screen Diameter: Screen Interval: Not Reported Associated Well Serial #: Not Reported Well Name: MW-B6A Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported

Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported Screen Material Type: PLASTIC Gravel Packed: Not Reported Ground Elevation: Not Reported Screen Diameter: Not Reported Remarks: Not Reported

Avg Heat Pump Depth: 0 Heat Pump Hole #: Not Reported Annular Space Cemented Depth: 3 Screen Interval Length: 10 Screen Slot Size: .010 Inspection Comments: 0

Pump Depth: Not Reported Pump Horsepower: Not Reported

Planned Pumpage (GPM): 0 Planned Pumpage (hr/day): 0

Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported

Measurement Method: Not Reported Hrs of Test: 0

Pump Test Date: 0 Static Water Level: Not Reported Static Measurement Method: Not Reported Water Level Post-Test: Not Reported

Pump Test Done: 0 Cementing Method: P

P and A Comments: Not Reported

P and A Details: Screen And Riser Pipe Was Removed From Borehole. Borehole Was Plugged With Bentonite-Cement Mixture

Casing Length: 5 Driller Owner: Not Reported

Owner ID: 60167 Well Status: Plugged and Abandonded

H62
South
LA WELLS LATD50000196972
1/2 - 1 Mile
Lower

Database: Water Well Registration Data File

 Well ID:
 073-7009Z
 Local Well #:
 7009Z

 Well Use:
 monitor
 Seq #:
 00

 Owner:
 ICAHN ENTERPRISES, L.P
 Well Depth:
 12

 Date Drilled:
 10/16/2012
 Geo Unit:
 112UPTCC

 Mechanic Test:
 N
 Chem Analysis:
 N

 Bio Analysis:
 N
 Pump Test:
 N

Driller: CRESCENT GEOTECHNICAL SERVICES, INC.

Driller #: 524 Elevation: Not Reported

Hole Depth: 14 Depth from Surface: 4.82

Measure Date:10/18/2012Date Added by Agency:Not ReportedDate Registered by Agency:02/13/2013Date Plugged:09/03/2014

Plugged By: Not Reported Yield on Pump Test: Not Reported

Drawdown on Test: Not Reported Casing Diameter: Casing Material: Not Reported Screen Diameter:

Screen Interval: Not Reported Associated Well Serial #: Not Reported Well Name: MW-4 Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported

Screen Material Type: Not Reported **Gravel Packed:** 

Not Reported Ground Elevation: Screen Diameter: Not Reported

Not Reported Remarks: Avg Heat Pump Depth: Heat Pump Hole #: Not Reported Annular Space Cemented Depth: 2 Screen Slot Size: Screen Interval Length: 10 .010

Inspection Comments: Pump Depth: Not Reported

Pump Horsepower: Not Reported Planned Pumpage (GPM):

Planned Pumpage (hr/day): Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported

Hrs of Test: Pump Test Date:

Static Water Level: Not Reported Static Measurement Method: Not Reported

Water Level Post-Test: Not Reported Pump Test Done:

Cementing Method: P and A Comments: Not Reported

P and A Details: Screen And Riser Pipe Was Removed From Borehole. Borehole Was Plugged With Bentonite-Cement Mixture

Casing Length: Driller Owner: Not Reported

Owner ID: 61768 Well Status: Plugged and Abandonded

LA WELLS LATD50000182632 **WSW** 1/2 - 1 Mile

Database: Water Well Registration Data File

Higher

5138Z Well ID: 073-5138Z Local Well #: Well Use: heat pump hole Seq #: 01 Owner: DUMAS, JR Well Depth: 100

Date Drilled: 12/86 Geo Unit: 11200NWM Mechanic Test: Not Reported Chem Analysis: Not Reported Bio Analysis: Not Reported Pump Test: Not Reported

Driller: HARRELL Driller #: 269 Elevation: 100 Hole Depth: 100 Depth from Surface: 18.00 Measure Date: 12/01/86 Date Added by Agency: 1992-07-29 Date Registered by Agency: 01/87

Not Reported Plugged By: Not Reported Date Plugged: Yield on Pump Test: Not Reported Drawdown on Test: Not Reported Casing Diameter: Not Reported Casing Material: Not Reported Screen Diameter: Not Reported Screen Interval: Not Reported Associated Well Serial #: Not Reported Well Name: Not Reported Not Reported Pumpdown Method: Not Reported Comments: Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported Screen Material Type: Not Reported **Gravel Packed:** Ν Ground Elevation: Not Reported Screen Diameter: Not Reported Remarks: Not Reported

Avg Heat Pump Depth: Heat Pump Hole #: Not Reported

Annular Space Cemented Depth: Not Reported Screen Interval Length: Not Reported Screen Slot Size: Not Reported Inspection Comments:

Pump Depth: Not Reported Pump Horsepower: Not Reported

Planned Pumpage (GPM): Planned Pumpage (hr/day):

Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported

Measurement Method: Not Reported Hrs of Test:

Pump Test Date: Static Water Level: Not Reported Static Measurement Method: Not Reported Water Level Post-Test: Not Reported Pump Test Done: Cementing Method: Not Reported

P and A Comments: P and A Details: Not Reported Not Reported Casing Length: Not Reported Driller Owner: Not Reported Owner ID: Well Status: Active

South LA WELLS LATD50000192633 1/2 - 1 Mile

Lower

Higher

Database: Water Well Registration Data File

Well ID: 073-5086Z Local Well #: 5086Z Well Use: heat pump hole Seq #: 01 ANDERSON, W E Well Depth: Owner: 100 11200NWM Date Drilled: 06/86 Geo Unit:

Mechanic Test: Not Reported Chem Analysis: Not Reported Not Reported Pump Test: Not Reported Bio Analysis: ROBIN'S Driller #: Driller: 258

Elevation: 80 Hole Depth: 100

Depth from Surface: 0.00 Not Reported Measure Date:

Date Added by Agency: 1992-07-29 Date Registered by Agency: 07/86

Date Plugged: Not Reported Plugged By: Not Reported Drawdown on Test: Not Reported Yield on Pump Test: Not Reported Casing Diameter: Not Reported Casing Material: Not Reported Screen Diameter: Not Reported Screen Interval: Not Reported Associated Well Serial #: Not Reported Well Name: Not Reported Not Reported Pumpdown Method: Not Reported Comments: Extension Pipe Length: Not Reported Top of Extension Pipe: Not Reported Bottom of Extension Pipe: Not Reported Screen Material Type: Not Reported

Gravel Packed: Ground Elevation: Not Reported

Screen Diameter: Not Reported Remarks: Not Reported

Avg Heat Pump Depth: Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported Screen Interval Length: Not Reported

Screen Slot Size: Not Reported Inspection Comments: 0

Pump Depth: Not Reported Pump Horsepower: Not Reported

Planned Pumpage (GPM): Planned Pumpage (hr/day):

Planned Pumpage (days/yr): Not Reported Pump Rate (Gal/day): Not Reported Measurement Method: Not Reported Hrs of Test:

Static Water Level: Pump Test Date: Not Reported

Static Measurement Method: Not Reported Water Level Post-Test: Not Reported

Pump Test Done: Cementing Method: Not Reported P and A Details: P and A Comments: Not Reported Not Reported Casing Length: Not Reported Driller Owner: Not Reported

Owner ID: Well Status: Active

WNW LA WELLS LATD50000095668 1/2 - 1 Mile

Database: Water Well Registration Data File

Well ID: 073-161 Local Well #: 161 Well Use: rural public supply Seq #: 01 **GREATER OU WTR** Well Depth: Owner: 463 Date Drilled: 12/54 Geo Unit: 124SPRT

Mechanic Test: Not Reported Chem Analysis:

Bio Analysis: Not Reported Pump Test: Not Reported

LA WELL CO Driller #: Driller: 000 Elevation: 110 Hole Depth: 468

12/01/54 Depth from Surface: 208.00 Measure Date: Date Added by Agency: Date Registered by Agency: 1996-10-17 11/77 Date Plugged: Not Reported Plugged By: Not Reported Yield on Pump Test: 100 Drawdown on Test: Not Reported 8X6 Casing Diameter: Casing Material: **METAL** Screen Diameter: Screen Interval: 447-463 Associated Well Serial #: 1073020 Well Name:

Comments: Not Reported Pumpdown Method: Not Reported Extension Pipe Length: Not Reported Not Reported Top of Extension Pipe: Screen Material Type: Not Reported Bottom of Extension Pipe: Not Reported Gravel Packed: Ground Elevation: Not Reported Screen Diameter: Not Reported Remarks: Not Reported

Avg Heat Pump Depth: Heat Pump Hole #: Not Reported Annular Space Cemented Depth: Not Reported Screen Interval Length: Not Reported Screen Slot Size: Not Reported **Inspection Comments:** 0

Pump Depth: Not Reported Pump Horsepower: Not Reported

Planned Pumpage (GPM): Planned Pumpage (hr/day): Planned Pumpage (days/yr): Pump Rate (Gal/day): Not Reported Not Reported

Measurement Method: Hrs of Test: Not Reported

Pump Test Date: Static Water Level: Not Reported

Static Measurement Method: Water Level Post-Test: Not Reported Not Reported Pump Test Done: Cementing Method: Not Reported

P and A Comments: Not Reported P and A Details: Not Reported Casing Length: Not Reported Driller Owner: Not Reported Owner ID: Well Status: Active

WNW 1/2 - 1 Mile Higher

> USGS-LA Organization ID: Organization Name: USGS Louisiana Water Science Center

Monitor Location: Ou- 161 Type: Well Description: Not Reported 08040207 Drainage Area: Not Reported **Drainage Area Units:** Not Reported Contrib Drainage Area: Not Reported Contrib Drainage Area Unts: Not Reported

Aquifer: Mississippi embayment aquifer system

Sparta Sand Formation Type: Aguifer Type: Confined single aquifer

Construction Date: 19541201 Well Depth: 463 Well Depth Units: Well Hole Depth: 468 ft

Well Hole Depth Units: ft

Ground water levels, Number of Measurements: Level reading date: 1954-12-01 Feet below surface: Feet to sea level: Not Reported 208.00

Note: Not Reported

**FED USGS** USGS40000413944

South 1/2 - 1 Mile Lower

**USGS-LA** Organization ID: Organization Name: USGS Louisiana Water Science Center

Monitor Location: Ou- 581

Well: Test hole not completed as a well Type: Description: INVENTORY DATE HAS BEEN ESTIMATED

HUC: 08040207 Drainage Area: Not Reported Drainage Area Units: Not Reported Contrib Drainage Area: Not Reported

Contrib Drainage Area Unts: Not Reported **FED USGS** 

USGS40000414214

Aquifer: Mississippi embayment aquifer system

Formation Type: Sparta Sand Aquifer Type: Confined single aquifer

Construction Date: 19870514 Well Depth: Not Reported

Well Depth Units: Not Reported Well Hole Depth: 720

Well Hole Depth Units: ft

Map ID Direction Distance

istance Database EDR ID Number

1 North OIL\_GAS LAOG11000063850 1/2 - 1 Mile

Well Serial #: 144566 Well Name: J B SALLEY Operator ID: 3113 Well Class: Not Reported Well #: 199911 4 002 Effective Date: API#: 17073205050000 Operation Type: 01

Permit Date: 1974 1 8 SPUD Date: 19731230
Completion Date: 0 Recompletion Date: 1982 1 7
Last Tested: 0 Ever Orphaned: Y

Last Tested: 0 Ever Orphaned: Y
Product: 00 Classification: Not Reported
Field ID: 6824 State Lease #: Not Reported
Mud Density: 0 Coastal Permit #: Not Reported

Well Depth: 2379 Inspection Date: 0

Field Name: MONROE Well Operator: JBM GAS CORPORATION

Scout Well: Not Reported Scout Report Date: 0
Scout Measured Depth: 0 Scout True Depth: 0

Documents: http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=144566

URL: http://sonlite.dnr.state.la.us/sundown/cart\_prod/cart\_con\_wellinfo2?p\_WSN=144566

### GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

#### **AREA RADON INFORMATION**

State Database: LA Radon

Radon Test Results

Parish Avg pCi/L Total Sites

OUACHITA 0.60682 44

Federal EPA Radon Zone for OUACHITA County: 3

Note: Zone 1 indoor average level > 4 pCi/L.

: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.

: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 71291

Number of sites tested: 13

Area Average Activity % <4 pCi/L % 4-20 pCi/L % >20 pCi/L

Living Area - 2nd Floor Not Reported Not Rep

#### PHYSICAL SETTING SOURCE RECORDS SEARCHED

#### **TOPOGRAPHIC INFORMATION**

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map Source: U.S. Geological Survey

#### **HYDROLOGIC INFORMATION**

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

#### HYDROGEOLOGIC INFORMATION

AQUIFLOW<sup>R</sup> Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

#### **GEOLOGIC INFORMATION**

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

#### PHYSICAL SETTING SOURCE RECORDS SEARCHED

#### LOCAL / REGIONAL WATER AGENCY RECORDS

#### FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

#### STATE RECORDS

Louisiana Public Water Supply Wells Source: Office of Public Health Telephone: 504-568-5101

Water Well Registration Data File

Source: Department of Transportation and Development

Telephone: 225-274-4172

#### **OTHER STATE DATABASE INFORMATION**

Oil and Gas Well Database

Source: Department of Natural Resources

Telephone: 225-342-1977

Oil and gas well locations in Louisiana.

#### **RADON**

State Database: LA Radon

Source: Department of Environmenal Quality

Telephone: 225-925-1752

Radon Levels

Area Radon Information Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency

(USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at

private sources such as universities and research institutions.

EPA Radon Zones Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor

radon levels.

#### PHYSICAL SETTING SOURCE RECORDS SEARCHED

#### OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater


Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared

in 1975 by the United State Geological Survey

#### STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.



# U.S. Fish and Wildlife Service National Wetlands Inventory

#### NWI Map - West End Golf Course



January 17, 2020

#### Wetlands

Estuarine and Marine Deepwater

Estuarine and Marine Wetland

Freshwater Emergent Wetland

Freshwater Forested/Shrub Wetland

Freshwater Pond

Lake

Other

Riverine

Othe

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.



#### MAP LEGEND

#### Area of Interest (AOI)

Area of Interest (AOI)

#### Soils

Soil Map Unit Polygons



Soil Map Unit Points

#### **Special Point Features**

Blowout

Borrow Pit 13

× Clay Spot

Closed Depression

Gravel Pit

**Gravelly Spot** 

Landfill ۵

Lava Flow Marsh or swamp

Mine or Quarry

Miscellaneous Water

Perennial Water

Rock Outcrop

Saline Spot Sandy Spot

Severely Eroded Spot

Sinkhole 0

Slide or Slip

Sodic Spot

â Stony Spot

23 Very Stony Spot

Spoil Area

Wet Spot Other

Special Line Features

#### Water Features

Δ

Streams and Canals

#### Transportation

Rails +++

Interstate Highways

**US Routes** 

Major Roads

Local Roads

#### Background

Aerial Photography

#### MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:24.000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Ouachita Parish, Louisiana Survey Area Data: Version 12, Sep 11, 2019


Soil map units are labeled (as space allows) for map scales 1:50.000 or larger.

Date(s) aerial images were photographed: Apr 26, 2015—May 2. 2015


The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

#### **Map Unit Legend**

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
Ма	Made land	0.1	0.5%
Pc	Perry clay, frequently flooded	1.8	8.0%
RIA	Rilla silt loam, 0 to 1 percent slopes	15.4	68.6%
Wa	Waller loam	5.1	22.9%
Totals for Area of Interest		22.4	100.0%








#### **Ouachita Parish**

Assessor's Office

Stephanie Smith, Assessor



Date Created: 12/13/2019
Created By: actDataScout

1 inch = 609 feet

This map should be used for reference purposes only and should not be considered a legal document. While every effort has been made to ensure the accuracy of this product, the publisher accepts no responsibility for any errors or omissions nor for any loss or damage alleged to be suffered by anyone as a result of the publication of this map and the notations on it, or as a result of the use or misuse of the information provided herein.



#### **Real Estate Parcels**

1) 87025

Parcel ID: 87025

<u>RPID</u>: 87025

Owner:

CITY OF WEST MONROE

<u>CAMA Acreage</u>:

61.921

Partial Legal:


66.15 ACS IN SECS 37, 38 & 39 T18 NR 3E BOUGHT OF HM MCGUIRE-SOLD PARCEL 1-2 CONTG .044BK 1487-832-\*WEST MONROE GOLF COURSE\*RIVERSIDE GOLF COURSE\*HIGHLAND PARK GOLF COURSE

Parcel Address:

2411 TRENTON ST 71291

*Total Value*: 3009227

Date Created: 12/13/2019 Created By: actDataScout



# A MESSAGE FROM West Monroe the Mayor

Safe drinking water and sanitary sewer are two of the most essential, basic services a government provides. Several projects have been completed this year, and West Monroe residents will continue to see water projects throughout the city to ensure we have adequate water storage and pressure along with line repair and replacement.

In an effort to reduce sanitary sewer overflow during heavy rainfall, the City of West Monroe has built a new sewer lift station on 9th Street, installed 4,200 feet of new force main piping and replaced over 15,000 feet of gravity main.

These projects represent a total investment of approximately \$3.574 million in water system improvements and \$3 million in sewer system improvements. This investment in water and sewer is essential to sustainability, economic development and quality of life for our residents and businesses.

Along with infrastructure projects, the City has made community development a priority. The West Monroe Recycle Center, located directly behind the West Monroe Police Department, has been hugely successful and well received by the community. In its first 8 months of operation, more than 104 tons of material have been recycled. The City's newly-formed Beautification Crew has made tremendous improvements in the appearance and aesthetics across the community. The West Ouachita Senior Center, the West Monroe Community Center, the Farmer's Market and other city facilities and programs continue to offer services that add to our quality of life.

The City of West Monroe is proud of the quality of services we are able to provide to our residents and businesses, and we will continue to maintain and improve drinking water quality and sanitary sewer operations for the benefit of all.

As always, we encourage you to "Shop West" when purchasing goods or services. Sales tax generated from these items allow the City of West Monroe to continue to offer quality services

and make investments in infrastructure that will ensure future growth and development.

Sincerely,
Staci Albritton Mitchell, Mayor

# SOURCE WATER ASSESSMENT PLAN (SWAP)

The city has a Source Water Assessment Plan. It is an evaluation of a delineated area around our wells through which contaminants could migrate and reach our source water. It also includes an inventory of potential sources of contamination and a determination of the water supply's susceptibility to contamination. Our water system had a susceptibility rating of 'MEDIUM'. This plan is available for review through our office.

## WHAT IS IN MY WATER?

The source of our drinking water are ground water wells drawing from the Sparta Aquifer. As water travels through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

Microbial Contaminants – such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agriculture livestock operations, and wildlife.


Inorganic Contaminants – such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, and industrial, or domestic wastewater discharges, oil and gas production, mining, or farming.

Organic Chemical Contaminants – including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.

Radioactive Contaminants - which can be naturally occurring or be the result of oil and gas production and mining activities.

Pesticides and Herbicides - which may come from a variety of sources such as agriculture, urban runoff and residential uses.

# WHERE IS OUR WATER FROM?



## STORMWATER RUNOFF

Stormwater is the rainwater that is not absorbed into the ground. This water flows over impervious surfaces such as roads, side walks, and other solid structures. These surfaces are where water accumulates debris and pollutants. This stormwater with unwanted debris can end up in our neighborhood streams, ponds, lakes, and eventually reach our source of drinking water.

Pollutants and debris collected by stormwater can include trash, dirt, and chemicals. This stormwater flows into our water bodies which are used for fishing, swimming, and even our drinking water.

Lets protect all our water bodies by helping reduce the pollution of stormwater.

## SOME EASY WAYS INCLUDE:

- Never dumping anything down the storm drains or ditches
- Sweep driveways, and roads instead of using a hose
- Use fertilizers sparingly
- Properly dispose of hazardous household chemicals
- Direct downspouts away from paved surfaces
- Check vehicles for leaks and recycle motor oil
- Control soil erosion by planting over bare spots in landscapes



# GET CONNECTED

Visit the City of West Monroe website for information on public works, city administration, and a calendar of events.

westmonroe.com

Also see earth911.org for recycling ideas and information.

# FOR YOUR

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice

about drinking water from their health care providers.

In addition, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. West Monroe Water System is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead and drinking water, testing methods, and steps you can take to minimize exposure is available for the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.

EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800) 426-4791.

There, you will find information on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants. You can also learn more about lead in drinking water, testing methods, and steps you can take to minimize your exposure.

# FOR MORE INFORMATION

We at the West Monroe Water System work to provide you and your family with a safe and dependable supply of drinking water. If you have any questions about this report or for additional information related to your water, please call the West Monroe Water System office at (318) 325.0496.

Terry Emory, Environmental Quality Manager







We are pleased to report our drinking water quality results. The tables that follows show the results of our monitoring for the period January 1, 2018 through December 31, 2018\*. The Louisiana Department of Health and Hospitals - Office of Public Health routinely monitors for constituents in your drinking water according to Federal and State laws. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. These samples, except for DBP, Copper, and Lead were collected at the raw water source and represent water before any treatment, blending or distribution. \*All dates are accurate and reflect the monitoring requirements of the EPA.

# NO VIOLATIONS OCCURRED IN THE CALENDAR YEAR OF 2018

REGULATED CONTAMINANTS	COLLECTION	HIGHEST VALUE	RANGE	UNIT	MCL	MCLG	TYPICAL SOURCE
Barium	7/16/2018	0.0086	0.0086	ppm	2	2	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Fluoride	7/16/2018	0.28	0.28	ppm	4	4	Erosion of natural deposits, water additive which promotes strong teeth, and discharge from fertilizer and aluminum factories
Nitrate-Nitrite	10/16/2018	0.35	0.35	ppm	10	10	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
RADIONUCLIDES	COLLECTION	HIGHEST VALUE	RANGE	UNIT	MCL	MCLG	TYPICAL SOURCE
Combined Radium (-226 & -228)	7/16/2018	0.92	0.92	pCi/l	5	0	Erosion of natural deposits
COPPER AND LEAD	DATE	90TH PERCENTILE	RANGE	UNIT	AL	SITES OVER AL	TYPICAL SOURCE
Copper, Free	2015 - 2017	0.2	0.1 - 0.6	ppm	1.3	0	Corrosion of household plumbing systems and erosion of natural deposits, leaching from wood preservatives
Lead	2015 - 2017	2	1 - 26	ppb	15	1	Corrosion of household plumbing systems and erosion of natural deposits
DISINFECTANT	DATE	RESULTS	UNIT	RANGE	MRDL	MRDLG	TYPICAL SOURCE
Chloramines	2018	3	ppm	2.3 - 3.2	4	4	Water additive used to control microbes

Our water system tested a minimum of 15 samples per month in accordance with the Total Coliform Rule for microbiological contaminants. Highest Quarterly RAA value for the year: 3.0 ppm | Range of individual Values: 2.3 - 3.2 ppm | Minimum 15 samples per month

SECONDARY CONTAMINANTS		COLLECTION DATE	HIGHEST VALUE	RANGE	UNIT	SMCL	SMCL	
	Aluminum	7/16/2018	0.0094	0.0094	MG/L	0.2		
	Chloride	3/17/2014	161.2	62.3 - 161.2	MG/L	250		
	рН	9/4/2014	8.81	7.89 - 8.81	рН	8.5		
	Sulfate	9/2/2014	5	5	MG/L	250		
	Manganese	7/16/2018	0.0023	0.0023	MG/L	0.05		

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration regulations establish limits for contaminants in bottled water which must provide the same protection for public health. We want our valued customers to be informed about their water utility. If you have any questions about this report, want to attend any scheduled meetings, or simply want to learn more about your drinking water, please contact TERRY EMORY at 318-325-0496.

No Radionuclides were detected in the calendar year of 2018.

DISINFECTION BY-PRODUCTS	SAMPLE POINT	PERIOD	HIGHEST LRAA	RANGE	UNIT	MCL	MCLG	TYPICAL SOURCE	
Total Haloacetic Acids (HAA5)	102 Redwood	2018	14	8.8 - 22.2	ppb	60	0	By-product of drinking water disinfection	
Total Haloacetic Acids (HAA5)	303 Ludwig	2018	22	12.8 - 28	ppb	60	0	By-product of drinking water disinfection	
Total Haloacetic Acids (HAA5)	411 Filhiol St	2018	22	13.6 - 28.5	ppb	60	0	By-product of drinking water disinfection	
Total Haloacetic Acids (HAA5)	614 Grantham	2018	22	10.6 - 28	ppb	60	0	By-product of drinking water chlorination	
TTHM	102 Redwood	2018	45	31.1 - 83	ppb	80	0	By-product of drinking water chlorination	
TTHM	303 Ludwig	2018	69	42 - 79.4	ppb	80	0	By-product of drinking water chlorination	
TTHM	411 Filhiol St	2018	69	47.3 - 79	ppb	80	0	By-product of drinking water chlorination	
TTHM	614 Grantham	2018	50	28.4 - 61.3	ppb	80	0	By-product of drinking water chlorination	

# UNDERSTANDING THE CHART

PPM (parts per million) or mg/L (milligrams per liter) - One part per million corresponds to one minute in two years or a single penny in \$10,000.

PPB (parts per billion) or ug/L (micrograms per liter) - One part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

MCL (Maximum Contaminate Level) - The "Maximum Allowed" MCL is the highest level of a contaminant that is allowed in drinking water. MCL's are set as close to the MCLG's as feasible using the best available treatment technology.

MCLG (Maximum Contaminant Level Goal) - The "Goal" is the level of a contaminant in drinking water below which there is no known or expected risk to human health. MCLG's allow for a margin of safety.

- The concentration of a contaminant that, if exceeded, triggers treatment or other requirements that a water system must follow.


pCi/L (picocuries per liter) - Picocuries per liter is a measure of the radioactivity in water.

MRDL (Maximum Residual Disinfectant Level) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MRDLG (Maximum Residual Disinfectant Level Goal)

- The level of drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

- TT (Treatment Technique) An enforceable procedure or level of technological performance which public water systems must follow to ensure control of a contaminant.
  - Level 1 Assessment A study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.
  - Level 2 Assessment A very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.



## CHENIER ENVIRONMENTAL CONSULTING, LLC AARON S. BASS, Ph.D.

4607 BLUEBONNET BLVD. SUITE A
BATON ROUGE, LA 70808

Education: B.S. 1990, LSU, Business Administration

M.S. 1993, LSU, Oceanography & Coastal Sciences Ph.D. 2004, LSU, Oceanography & Coastal Sciences

#### **EXPERIENCE SUMMARY**

Aaron Bass has over 24 years of experience as an environmental scientist. He has completed 100+ Phase I Environmental Site Assessments on rural, residential, commercial, industrial, and oil and gas producing properties throughout Louisiana, Texas, Alabama, and Mississippi.

#### **Project Experience:**

#### **Environmental Due Diligence Projects**

- Phase I Environmental Site Assessments for numerous potential elementary school sites for Ascension Parish School Board.
- Phase I Environmental Site Assessments for Cajun Constructors, Inc. on a 50-Acre Tract in Port Allen, Louisiana.
- Phase I/II Environmental Site Assessments for Cajun Constructors, Inc. on a 1.3-Acre Site in Prairieville, Louisiana.
- Multiple Phase I Environmental Site assessments on large tracts of oil and gas producing properties for Chevron Environmental Management Company. Projects completed throughout Louisiana.
- Numerous Phase I Environmental Site Assessments of commercial, residential, and oil and gas properties throughout Louisiana.
- Phase I Environmental Site Assessment of 60,500-acre tract in southeast Louisiana prior to purchase by the State of Louisiana Department of Wildlife and Fisheries. This tract later became the Maurepas Swamp Wildlife Management Area.
- Phase I Environmental Site Assessment and assisted with wetland delineation of compressor station site for the Starks Gas Storage Facility in Calcasieu Parish, Louisiana.
- Phase I and Phase II Environmental Site Assessments for locally owned restaurant franchise throughout Louisiana, Mississippi, and Texas.