

Date	February 15, 2016
-------------	-------------------

Louisiana Certified Sites Program Application

Site name	LaSalle Economic Development District Industrial Site	
Street Address or other physical location	Approximately 1.7 Miles Southeast of Jena, LA on LA Highway 8, Site is South of Highway 8 Adjacent to the Jena Airport	
City/town(nearest), State, and Zip code	Jena, LA 71342	
Parish	LaSalle Parish	
Contact person and title (owner, Director, etc.)	Murphy McMillin, Executive Director	
Organization	LaSalle Economic Development District	
Address	P.O. Box 26 (1850A Second Street)	
City/State/Zip	Jena, LA 71342	
Telephone	Office	Cell 318-715-2147
E-mail		

Statement of Affirmation

I have examined this application and all accompanying materials, and to the best of my knowledge, the information provided herein is correct and complete. I will notify Louisiana Economic Department in writing of any subsequently discovered errors in the information provided and will clarify, amend or supplement any information as requested by the department.

In submitting this application, I do freely participate in the Louisiana Certified Sites Program. Certification of the site by Louisiana Economic Development is made at its sole discretion and its decision is not appealable.

I therefore request certification pursuant to this application.

Murphy McMillin	Executive Director	2-19-16
Signature	Title	Date

Table of Contents

Instructions	4
Minimum Criteria Check List.....	10
I. Verification of Site Availability	11
A. Site Identification.....	11
A. Site Identification (continued) – Owner#1 information	13
A. Site Identification (continued) – Owner #2 information	14
A. Site Identification (continued) – Owner #3 information	15
A. Site Identification (continued) – Owner #4 information	16
B. Option to Purchase Site (<i>if applicable</i>).....	17
C. Site Zoning, Tax Assessment, and Special Economic Development Districts ...	18
D. Existing Structures on-site.....	20
E. Land Transferability and Encumbrances.....	21
F. Fire Protection Rating and Proximity to Emergency Medical Care	23
II. Utilities and infrastructure	24
A. Potable Water Infrastructure.....	24
B. Wastewater Infrastructure.....	26
C. Electricity Infrastructure	28
D. Natural Gas Infrastructure	29
E. Local Product Pipelines	31
F. Telecommunications Infrastructure.....	32
G. Roadway Transportation Infrastructure.....	33
H. Air Transportation Infrastructure.....	35
I. Rail Infrastructure	36
J. Water Transportation Infrastructure	37
K. Geography and Geological Assessment.....	38
L. Environmental Assessment	40
Required/Desired Documents Check List	42

Foreword

As you prepare to undertake the LED certification process, please understand that you are preparing, in effect, a *proposal to a prospective buyer*. Do not think of this document as “busy work” necessary to get your site certified by LED. That could be a big mistake. The exhibits being required herein will go, in their entirety, to prospective buyers from across the US and, potentially, across the globe. Do your best effort to have high-quality exhibits that will represent you and your site well with all prospective buyers. Do not short-change your site with hastily prepared exhibits. Take your time and show your site in its best light. A minimum quality submittal will get minimal interest from buyers.

Prospective buyers that contact LED are often considering multiple states. Your site submittals may be compared to a dozen sites under consideration from other states. Do what you can via enhanced submittals to make sure your site makes it to the second round and you get a site visit from the buyer.

Do NOT fill out this application if you have not received LED’s review and approval of the pre-application form.

Instructions

Save yourself time, effort, and rework. Please read these instructions carefully.

Also, to eliminate the need to complete this document a second time, please download the latest version from LED’s website. Don’t bother submitting an out-of-date version.

This is a “protected form.” Please enter all data into the white spaces provided. Do not enter data into the gray spaces, which are reserved for LED use only.

Pressing the TAB key will automatically take the user from blank to blank.

Requirement - Upper/Lower Case

All responses MUST BE in upper/lower case. Upper/lower case responses are easier to read. Responses in all UPPER CASE are the hardest to read and will be rejected.

Requirement - Descriptive Titles on All Exhibits

In order to prepare all submissions for inclusion in a hyperlinked submission to prospective buyers, LED requires that all exhibits be given very descriptive titles. Please give an exhibit a title as long as is necessary to properly describe the contents of the exhibit.

Submissions with brief, non-descriptive titles will be rejected. For example, the titles “Exhibit B – SHPO” and “Exhibit C – Wetlands” will both be rejected since they do not properly convey the contents of the exhibit. But, the titles “Exhibit B – SHPO Letter of Site Clearance” and “Exhibit C –

Wetlands Delineation” are both acceptable since they do communicate the contents sufficiently to avoid unnecessary clicks by prospective buyers.

Requirement - Large, Clear Labeling of All Exhibits

All attachments submitted with the questionnaire should be CLEARLY labeled as exhibits: Exhibit A, Exhibit B, etc. All exhibits should also have a title: “Exhibit A – Property Boundary Survey,” preferably at the top of the page.

NOTE: Applicants are requested NOT to use Brother “PTouch” and other similar tape-based labeling systems as this results in a significantly degraded exhibit when the tape-labeled exhibit is rescanned into the computer. Instead, use one of the myriad of the computer tools like Adobe Acrobat, discussed elsewhere herein, or PDF-Exchange (free) that allow users to submit 1st generation copies.

DO NOT place the exhibit label any closer than ½ inch from any edge of the exhibit as the exhibit name may be lost during any later scans of the image/document. Scanners often truncate text/graphics near edges.

The Exhibit labels (both exhibit number and title) need to be placed at the top of the page on the document itself. Exhibit labels should be in BOLD font and at least 16-points in size if the document allows.

Note: To accomplish the above, may require the applicant to purchase a copy of Adobe Acrobat (not to be confused with Adobe READER.) Adobe ACROBAT (~\$99) allows the user to edit PDF documents and place text at the top of any PDF file. So, if the user has a scanned PDF document of a letter from the Corps or a survey boundary, the user can label it properly to reflect the Exhibit number and title.

Requirement – Consistent Exhibit Naming

LED does not have any special requirement regarding exhibit numbering/naming except that all exhibits must have the same general format. If you use letters (a, b, c, etc.) to name your exhibits (“Exhibit A – XXXX”), then use letter designators on all exhibits. When you get to Exhibit Z, start over with Exhibit AA, AB, AC, until done. If you choose to use numbers to identify exhibits, then start at Exhibit “1” and increase the exhibit numbers by “1” until you are complete.

Requirement – All Exhibits Referenced at Least Once

Lastly, all exhibits should be referenced in the application at least once.

Requirement – Titles of Filenames Must Exactly Match Exhibit Names

It is the intent of the department to send an electronic copy to prospective purchasers. For that reason, LED is asking that all documents be submitted in both hardcopy and electronic form. In addition to 16-point exhibit names on the top page of each document (discussed above), all files submitted electronically should have a similar filename. That is, the “Exhibit A – Property Boundary Survey”, when submitted electronically, should have a filename similar to: “Exhibit A – Property File Survey.”

Note: It is critical that the documents in electronic form be clearly labeled: the titles (“filenames”) of the electronic files must contain 1) exhibit numbers and 2) document contents AND the document when opened, should have the 1) Exhibit number and 2) title prominently (16-point or larger as mentioned above) at the top of the page.

Requirement – Map Specifications and Quality

The site must be clearly outlined on all maps, aerial photos, etc. in a wide line that contrasts sharply with the surrounding colors on the map/photo.

Maps showing utilities (pipelines, electrical, sewer, etc.) should clearly delineate the utility by using wide lines drawn in contrasting colors.

All maps should be first generation copies; prospective buyers will have a difficult time reading 2nd and 3rd generation maps.

Requirement – Roadway Maps

At least one map should be included to show the roadways in the area of the site. At least one roadway map should highlight the nearest Interstate highway; prospective buyers are always interested in interstate access. If the nearest interstate is too far from the site to show local highways in sufficient detail, a second roadway map zoomed in closer to the site should be included.

Requirement – Legible Exhibits

LED plans to send a high-quality set of the exhibits to all prospective buyers and interested parties. To accomplish that, all exhibits must be very legible. A 2nd or 3rd generation copy is not acceptable.

LED understands that some exhibits, especially those from courthouses, are only available via microfiche and the microfiche copies from a courthouse are not always the best. Original courthouse copies are acceptable even if of poor quality. Third and 4th generation copies of a poor-quality courthouse document are not acceptable.

If the only copy of a document you have, such a parish ordinance or deed, is of poor quality, it will be necessary to contact the appropriate authorities to get a clear copy.

Copies of color maps and aerial photographs should be original print copies; not copies of copies. Colors and lines blend together with each successive photocopy of a document and prospective buyers will not be able to distinguish key features.

Refrain from using scans of color documents/maps. Scanners are very poor at copying the minute details embedded within maps. Scanners are also very poor at reproducing colors accurately. Always produce original prints for maps, not scanned prints.

IMPORTANT NOTE: Some of the required maps, such as the National Resource Conservation Soils map, the FEMA floodplain map, the National Wetlands Inventory map, etc., must be submitted with the site clearly outlined. But, the on-line Federal mapping program only gives the user a PDF of the map. The federal automated mapping program does not give the user an opportunity to outline the site. Even then, the user should NOT print a hardcopy of the PDF map, manually outline the site, and then scan the outlined map into the computer. Too many important details, colors and other pertinent data is lost via this process. This process results in a map of poor quality that will frustrate prospective buyers. Instead, while it might take a bit longer and may require the brief, one-time use of an IT person, the user must edit the PDF directly (without resorting to hardcopy edits) to place the site outline in a bright contrasting color with a wide line so the site is clearly delineated. There are numerous tools available from Adobe and others to accomplish this task.

Minimum Criteria for Entry into the Louisiana Certified Sites Program

Note: A site does not have to be certified to have its profile published on Louisiana Economic Development's interactive sites and building website.

- **Size:** At least 25 contiguous, buildable acres, free of impediments to development such as existing structures not appropriate for future commerce, soil contaminants, wetlands, flood plain, protected species and/or cultural resources.
- **Price per Acre:** A fixed purchase price or a fixed leasing price per acre for a specified time period is required to certify and publish a site.
- **Property Control/Ownership:** Control of the site through option, purchase or other legally binding agreement must be obtained and maintained as a condition of certification. It is required that the property can be obtained free and clear of encumbrances.
- **Zoning:** The site must be zoned or otherwise approved for industrial applications. If zoned, a zoning district description and map are required. Only sites suitable for industrial use will be considered. Sites adjacent to significant residential development or other land uses incompatible with industrial activities will not be considered.
- **Flood:** At least 25 contiguous, buildable acres must be above the 100 year flood plain. Alternatively, the applicant may provide a formal cost estimate, construction plan and funding source by which construction footprints can be elevated above the plain and meet FEMA standards.
- **Water Supply:** Delivery prior to any potential project startup, either by line or by well, a minimum of 250,000 gallons of potable or process water per day. If an existing source of water supply is not available, certification will require submission of an order-of-magnitude cost estimate, conceptual design and funding source to meet the minimum level of service within a reasonable timetable.
- **Sanitary Sewer:** Provide a minimum of 250,000 gallons per day of available sanitary sewer capacity in a reasonable time period upon notification. If existing capacity is not available to the property boundary, certification will require submission of an order-of-magnitude cost estimate, conceptual design, and funding source to meet the minimum level of service within a reasonable timetable.
- **General Road Access:** The roads accessing the site must be able to support vehicles with a maximum gross weight of 83,400 pounds, such as semi-trucks and trailers. If an access road does not exist, certification will require submission of an order-of-magnitude cost estimate, conceptual design and funding source to meet the required access within a reasonable timetable.
- **Electricity:** Identify service provider or providers that can deliver reliable 3-Phase power service to the site prior to any potential project startup. If existing capacity is not available at the site, certification will require submission of an order-of-magnitude cost estimate, conceptual design and funding source to meet the minimum level of service within a reasonable timetable.
- **Natural Gas:** Natural gas must be available to the property boundary or available prior to any potential project startup. If natural gas is not available, certification will require submission of an order-of-magnitude cost estimate, conceptual design and funding source to meet the minimum level of service within a reasonable timetable.
- **Listing:** The property owner must agree to have the site published by the Louisiana Economic Development on its interactive sites and building website.
- **Phase I Environmental Assessment:** The site must have undergone a Phase I environmental assessment as a prerequisite for being considered for participation in the certification process. The Phase I Environmental Assessment must be less than 5 years old from the date of submission.

- **Remediated Sites:** If there are unresolved environmental issues, the site cannot be certified until a *No Further Action* letter or its equivalent from the Louisiana Department of Environmental Quality (DEQ) is provided.
- **Due Diligence:** The following due diligence action items must be completed for certification.

- **Phase I Environmental Assessment:** The site must have undergone a Phase I environmental assessment as a prerequisite for being considered for participation in the certification process. The Phase I Environmental Assessment must be less than 5 years old from the date of submission.
- **Wetland and Stream Delineation:** Applicants must have a wetland and stream field survey conducted to delineate all wetlands and “waters of the U.S.” on the site. If wetlands and waters of the U.S. will likely be impacted by planned development of the site (i.e., wetlands are in the middle of the site or in areas likely to undergo construction), the applicant must submit the wetlands delineation to the U.S. Army Corps of Engineers for a formal Jurisdictional Determination. This formalizes the wetlands delineation and provides some assurance from the Corps that wetlands are no more extensive than the delineation purports.

Notes: Wetlands mitigation is NOT required of an applicant but applicants with wetlands in the prime areas of their site are encouraged to mitigate those wetlands.

- **Topographic Survey and 100/500 year Floodplain Designation:** Obtain a USGS map of the site. The map should be zoomed in close enough to the site so as to be able to read topographical data (elevations). Obtain the latest FEMA DFIRM map, whether preliminary or final. Demonstrate that the site is either above the 100/500 year floodplain or a site manufacturing pad can be cost effectively constructed to raise the site above the floodplain.
- **Preliminary Geotechnical Investigation:** Obtain a preliminary geotechnical investigation of the site generally characterizing the site’s soil, rock and groundwater conditions. Substantiate that unfavorable geotechnical conditions do not exist at the site. The geotechnical investigation required for certification should involve no less than 3 and no more than 5 borings spread evenly across the site, unless engineers recommend more for a very large site.
- **Cultural Resources Investigation:** Obtain a database research level cultural and archeological investigation of the site from a qualified third party archeologist to document that there are no known cultural resource sites existing on the site. Provide the results of this third party investigation to the State Historical Preservation Office (SHPO) and request a letter from SHPO indicating whether the site is cleared for development or if the site requires a Phase I Cultural Resources Assessment. If a clearance letter cannot be obtained from SHPO, then a Phase I cultural resources survey must be performed.
- **Endangered Species Investigation:** Secure a letter from the Louisiana Department of Wildlife and Fisheries (LDWF) indicating that development on the site will not impact any protected or endangered species on or near the site. Work requested by LDWF for a clearance letter must be done.
- **Land Use Development Plan:** Prepare a land use development plan for the site including an order-of-magnitude cost estimate for clearing, grading and storm water management for the site’s planned developable acreage.
- **Railroad Accessibility:** If the site can be served by railroad, determine if a right-of-way can be secured and that there is a cost effective manner to reach the site. Also, determine if the railroad owner is a short line or single Class 1 railroad and if a long term commitment has been made by the railroad to keep the rail in service. Obtain an order-of-magnitude cost estimate for rail service to the site, if appropriate. A letter from the rail provider should be obtained stating their willingness to serve the site.
- **Utility, Oil/Gas Well and Pipeline Easements and Rights-of-Way:** Identify any and all existing

easements, utility rights-of-way, well heads, pipelines, etc. on the site that may be potential impediments to fully utilizing the site. Determine if the identified impediments can be cost effectively relocated.

- **Roadway Accessibility:** A four lane major highway within close proximity of the site is preferred. Determine if there is a cost effective means to obtain right-of-way and construct an access road from the site to the four lane highway. Obtain an order-of-magnitude cost estimate for the access road construction, if needed. The roads accessing the site must be able to support vehicles with a maximum gross weight of 83,400 pounds, such as semi-trucks and trailers.

Minimum Criteria Check List		
Criteria	Minimum Requirement	Yes/No
Acres above 100-yr flood plain using latest DFIRM maps	25 acres or greater	Yes
Price per acre	Price/Lease quoted in writing	Yes
Control of property	Ownership/Option/Other	Yes
Use classification (zoning)	If the site is in an area with zoning, the site must be zoned for industrial use (or capable of being rezoned to industrial use within a reasonable timetable) and, if zoned, a zoning map and zoning regulations attached.	Yes
Water supply	250,000 gpd or greater is available on site within a reasonable timetable. If the water source is not available to the property boundary, a construction plan and cost estimate is attached.	Yes
Wastewater	250,000 gpd or greater is available at the site within a reasonable time frame. If existing capacity is not available to the property boundary, a construction plan and cost estimate is attached.	Yes
Electricity	Reliable 3-phase on site or a construction plan and cost estimate is attached.	Yes
Natural Gas	Must be available to the property boundary or a construction estimate and plan for bringing to the site attached.	Yes
Environmental	Phase I (less than 5 years old). Phase 2 may be required if Phase 1 indicates issues exist on the property.	Yes
Cultural Resources	Phase I is required if the State Historical Preservation Office does not clear the site for development.	Yes
Endangered Species	A clearance letter from the Louisiana Department of Wildlife and Fisheries indicating that development on the site will not impact threatened/endangered species.	Yes
Highway access	Capable of supporting 83,400 pounds gross weight.	Yes
Maps and Attachments	Have all REQUIRED Maps and attachments, as a minimum, been included with this submittal? (See list of REQUIRED/DESIRED Exhibits near the end of the form.)	Yes

I. Verification of Site Availability

A. Site Identification		
1.	Site name	LaSalle Economic Development District Industrial Site
2.	Address or physical location (include accurate latitude/longitude, if available)	Approximately 1.7 miles southeast of Jena, LA on LA Highway 8, Site is south of Highway 8 (Latitude: 31°40'19.08"N, Longitude: 92°9'40.33"W)
3.	City/town (nearest), state/zip code	Jena, LA 71342
4.	Parish	LaSalle
5.	Contact person and title	Murphy McMillin, Executive Director, LaSalle Economic Development District
6.	Address	P.O. Box 26 (1850A Second Street)
7.	City/State/Zip	Jena, LA, 71342
8.	Telephone	Office Cell 318-715-2147
9.	E-mail Contact(s)	
10.	Total acres for lease/sale?	29.18 Acres
	Total contiguous developable acreage above the 100-year flood plain	29.18 Acres (See "Exhibit 14 - FEMA Flood Zone Map")
11.	Number of parcels making up acreage	1
12.	Number of owners of the separate parcels	1
13.	Total selling price for all acres (\$) Note: Include a total price, not a unit price per acre or per sq. foot. You may include both total and unit costs but a total cost is required.	\$204,260 (\$7,000/Acre)
14.	Total acreage annual lease (\$)	\$41,000/Yr
15.	Is there a lease-purchase option? (YES/NO)	Yes
	If yes, description/comment on lease-purchase option: 5 year at \$41,000/year or 10 year at \$20,500/year (each with \$1 payment at end of lease to finalize purchase)	

16.	Is there a right-of-first-refusal feature? (YES/NO)	No
-----	---	----

	If yes, description/comment on right-of-first refusal option:			
	N/A			
17.	Has a title abstract been submitted with this application? (YES/NO)			Yes
	If YES, Exhibit # and name of document?		See "Exhibit 1 - Abstract of Title"	
18.	Is the acreage sub-divisible? If yes, complete box 18a. (YES/NO)			Yes
18a	Parcel description	Acres	Lease or selling price per acre (\$)	Total Lease or selling price (\$)
	To Be Determined By LaSalle Economic Development District	1 Acre Parcels Minimum	\$7,000/Acre	Varies
	-	-	-	-
	-	-	-	-
	-	-	-	-

A. Site Identification (continued) – Owner#1 information		
1.	Site name	LaSalle Economic Development District Industrial Site
2.	Owner name	LaSalle Economic Development District (LEDD)
3.	Contact person	Murphy McMillin, Executive Director
4.	Address	P.O. Box 26 (1850A Second Street)
5.	City/State/Zip	Jena, LA 71342
6.	Telephone	Office Cell 318-715-2147
7.	E-mail	
8.	Total acres within the site owned by this owner	29.18 Acres
9.	Total selling price of this acreage (\$)	\$204,260
10.	Total annual lease price of this acreage (\$)	\$41,000
11.	Has an "intent to sell" letter from this owner regarding this acreage been included with this application? (YES/NO) If YES, please include Exhibit# and title of document.	Yes See "Exhibit 2 - LaSalle Economic Development District Letter of Intent to Sell"
12.	Comments regarding the immediate availability of this parcel: The LEDD is the sole owner of the site and is actively seeking to sell or lease the property to an industrial tenant.	

A. Site Identification (continued) – Owner #3 information			
1.	Site name	N/A	
2.	Owner name	-	
3.	Contact person	-	
4.	Address	-	
5.	City/State/Zip	-	
6.	Telephone	Office -	Cell -
7.	E-mail	-	
8.	Total acres within the site owned by this owner	-	
9.	Total selling price of this acreage (\$)	-	
10.	Total annual lease price of this acreage (\$)	-	
11.	Has an “intent to sell” letter from this owner regarding this acreage been included with this application? (YES/NO) If YES, include Exhibit# and name of document.	-	
12.	Comments regarding the immediate availability of this parcel:		
	-		

A. Site Identification (continued) – Owner #4 information			
1.	Site name	N/A	
2.	Owner name	-	
3.	Contact person	-	
4.	Address	-	
5.	City/State/Zip	-	
6.	Telephone	Office -	Cell -
7.	E-mail	-	
8.	Total acres within the site owned by this owner	-	
9.	Total selling price of this acreage (\$)	-	
10.	Total annual lease price of this acreage (\$)	-	
11.	Has an “intent to sell” letter from this owner regarding this acreage been included with this application? (YES/NO) If YES, include Exhibit# and name of document.	-	
12.	Comments regarding the immediate availability of this parcel:		
	-		

B. Option to Purchase Site (if applicable)			
1.	Option holder	N/A	
2.	Contact person and organization (as appropriate)	-	
3.	Address	-	
4.	City	-	
5.	Telephone	Office -	Cell -
6.	E-mail	-	
7.	Total number of acres under option to purchase	-	
8.	Option expiration date	-	
9.	Is the option assignable? (YES/NO)	-	
10.	Is there a mechanism to renew the option upon expiration? (YES/NO)	-	
11.	Has a copy of the option to purchase been included with this application? (YES/NO) If YES, include Exhibit# and name of document.	-	
12.	Special comments, if any, relative to option to purchase:	-	

C. Site Zoning, Tax Assessment, and Special Economic Development Districts

1.	Is site within incorporated municipal limits? (YES/NO)		No
	If so, what municipality?	N/A	
	If the site is NOT within an incorporated municipality, how far is it to the boundary line of the nearest incorporated area (miles)? What is the name of the incorporated municipality/city/town?	1.2 Miles from the town of Jena	
2.	Is the site within a zoning district? (YES/NO)		No
	If YES, contact name, agency name, address and phone of zoning authority.	N/A	
	If zoned, briefly describe the property's current zoning classification?	N/A	
	If zoned, has a copy of the zoning regulation been attached? (YES/NO) If zoning regulation is attached, include Exhibit# and name of document.	N/A	
3.	Are there any restrictions on noise level? (YES/NO)		No
	If YES, please describe:	N/A	
4.	Are there any height restrictions? (YES/NO)		Yes
	If YES, please describe:	Due to the site's proximity to the Jena Airport, new structures will be subject to the requirements of Title 14 CFR 77.9. See "Exhibit 23 - FAA Structure Notification Requirements - Title 14 CFR 77.9" for more information.	
5.	Describe any land use restrictions (e.g., hours of operation)	N/A	
6.	How long will it take for required city/parish re-zoning permits or other required permits to be issued? (months)	Less Than 3 Months	
7.	Are adjacent properties zoned the same as the site? (YES/NO)	N/A	

8.	Please describe previous and current uses of the adjacent sites and planned projects. Please note any nearby schools, churches, or residential developments.		
	North: Northeast of Site - Universal Plant Services - Millwright and Machinery Services North across Hwy 8 - Wooded Tract (Pine Plantation)		
	East: Jena Municipal Airport		
	South: Wooded Tract (Pine Plantation)		
	West: Wooded Tract (Pine Plantation)		
9.	What is the current property tax millage applied to the site? Include units (per acre, etc.)	177.27 mills	
10.	What is the current assessed valuation of the site?	The property was recently parceled from a larger tract and has not been assessed for valuation at this time.	
11.	Has a copy of the latest assessment been provided with this application? (YES/NO)		Yes
	If YES, include Exhibit# and name of document.	See "Exhibit 4 - Current Tax Assessor Assessment" NOTE: Exhibit 4 contains two individual assessments due to the site being purchased in two separate sections.	
12.	Is the site located within a Foreign Trade Zone? (YES/NO)	No	
13.	Is the site located within a Renewal Community? (YES/NO)	Yes	
14.	Is the site located within a Louisiana Enterprise Zone? (YES/NO)	No	

D. Existing Structures on-site					
	Buildings	Size (sq ft)	Year Built	Latest use	Included in sale (YES/NO)
1.	None	-	-	-	-
	-	-	-	-	-
	-	-	-	-	-
	-	-	-	-	-
	-	-	-	-	-
2.	Paved surfaces				
	N/A	-	-		
	-	-	-		
3.	Fences				
	N/A	-	-		
	-	-	-		
4.	Are there any cemeteries located on the site? (YES/NO)				No
	If YES, please describe.	N/A			
5.	Can any structures not included in the sale be removed within a reasonable timetable such as 180 days or less? (YES/NO)				N/A
	If current and existing structures will be removed, does a work plan exist to remove structures? (YES/NO)			N/A	
If YES, include Exhibit# and name of document.					

E. Land Transferability and Encumbrances

1.	Has a copy of the deed been included with this application? (YES/NO)	Yes
	NOTE: Deeds that have no deed restrictions are not required documents; deeds with any form of easements, limitations of use, or other encumbrances must be attached as an exhibit.	
	If YES, include Exhibit# and name of document.	See "Exhibit 5 - Copy of Property Deeds" (Note: Exhibit 5 includes two separate deeds due to the purchase of the property being made as two separate sections.)
2.	Has the required boundary/property survey been included with this application? (YES/NO)	Yes
	If YES, include Exhibit# and name of document.	
3.	List and describe rights-of-way (include property survey indicating rights-of-way). Feel free to attach as a separate Exhibit if lengthy. Include Exhibit # and name of document if attached as a separate document.	
	Servitude: Red Mountain Timberco III LLC TO Entergy Louisiana, LLC filed and recorded July 25, 2016 in Conveyance Book 371, Page 125 in the amount of \$5,616.58. NOTE: Servitude for use of Electrical lines across a 1.51 acre tract in Section 16, T8N, R3E. See "Exhibit 1 - Abstract of Title"	
4.	List and describe other easements (include property survey indicating easements) Include Exhibit # and name of document if attached as a separate document.	
	See "Exhibit 1 - Abstract of Title"	
5.	List and describe any liens against the property. Include Exhibit # and name of document if attached as a separate document.	
	N/A See "Exhibit 1 - Abstract of Title"	
6.	List and describe any judgments impacting development of the site. Include Exhibit # and name of document if attached as a separate document.	

	N/A See "Exhibit 1 - Abstract of Title"
--	--

7.	<p>List and describe any restrictive covenants.</p> <p>Include Exhibit # and name of document if attached as a separate document.</p>
	<p>N/A</p> <p>See "Exhibit 1 - Abstract of Title"</p>
8.	<p>List and describe other encumbrances.</p> <p>Include Exhibit # and name of document if attached as a separate document.</p>
	<p>N/A</p> <p>See "Exhibit 1 - Abstract of Title"</p>

F. Fire Protection Rating and Proximity to Emergency Medical Care

1.	Is the site within the coverage area of a fire department? (YES/NO)	Yes
2.	Name of agency or other provider of fire protection services to the site	Jena Fire Department
3.	Rating of fire service provider	4
4.	Distance to fire station (miles)	2.2 Miles
	Name of Fire Station providing services to the site	Jena Fire Department
5.	Distance to emergency medical care (miles)	2.1 Miles
	Name and brief description of nearest emergency medical care facility:	LaSalle General Hospital: general medical and surgical care

II. Utilities and infrastructure

A. Water Supply Infrastructure				
1.	<p>Has a site map indicating the location of all existing water utilities been provided with this application? (YES/NO)</p> <p>If YES, please include Exhibit# and title of document.</p>	<p>Yes See "Exhibit 7 - Existing Utilities Map"</p> <p>NOTE: Both the Town of Jena and LaSalle Waterworks District (LWWD) are listed below as water providers to the site. The LWWD serves water directly to the site. The Town of Jena Water System is interconnected with the LWWD and an intergovernmental agreement is in place to transfer water between LWWD and the Town of Jena.</p>		
2.	<p>Company/agency name, address and phone of provider of potable or process water to the site</p>	<p>LaSalle Waterworks District (LWWD) P.O. Box 1 410 Mcintyre Street Trout, LA 71371 Office #: 318-992-4777 Operator: Mr. John Smith Operator Cell: 318-992-3530</p> <p>Town of Jena P.O. Box 26 2908 East Oak Street Jena, LA 71342 Office #: 318-992-2148 Operator: David Miller</p>		
3.	<p>Distance to the closest potable/process water line to service the site (feet)</p> <p>(Note: The line must be available to the property boundary or a construction plan and cost estimate must be attached to this application.)</p> <p>If a construction plan is attached, include Exhibit# and name of document</p>	<p>Adjacent to Site</p>		
4.	<p>Size of potable/process water line closest to the site (inches in diameter)</p>	<p>6"</p>		
5.	<p>Static and residual pressures of the potable/process water line closest to the site</p>	<table border="1"> <tr> <td>Static 60 PSI</td> <td>Residual 26 PSI</td> </tr> </table>	Static 60 PSI	Residual 26 PSI
Static 60 PSI	Residual 26 PSI			
6.	<table border="1"> <tr> <td>Source of potable or process water (lake, well, other source)</td> <td>Well</td> </tr> </table>	Source of potable or process water (lake, well, other source)	Well	
Source of potable or process water (lake, well, other source)	Well			
7.	<p>Total potable/process water system capacity (millions of gallons per day)</p>	<p>0.425 MGD (LWWD) 1.700 MGD (Jena)</p>		
8.	<p>Current average daily use of the water system (millions of gallons per day)</p>	<p>0.275 MGD (LWWD) 0.580 MGD (Jena)</p>		

9.	Peak demand (millions of gallons per day)	0.350 MGD (LWWD) 0.850 MGD (Jena)
10.	Excess capacity of the existing water system (millions of gallons per day)	0.150 MGD (LWWD) 1.120 MGD (Jena)
11.	Has a letter from the provider confirming the excess capacity been provided with this application? (YES/NO) If YES, include Exhibit# and name of document.	Yes. See "Exhibit 8 - LaSalle Waterworks District Statement of Excess Capacity" See "Exhibit 9 - Town of Jena - Statement of Excess Water and Wastewater Treatment Capacity"
12.	Distance to closest elevated potable water storage tank (miles)	2.0 Miles
13.	Capacity of closest elevated potable water storage tank (gallons)	100,000 Gallons
14.	Distance to the appropriate booster station (miles)	N/A (System Pressure is Maintained by Elevated Tank)
15.	Is or will there be adequate pressure and flow at site to combat fires? (YES/NO)	Yes Site has 540 GPM available for a duration of 3 hours (Calculated from Jena Fire Department Hydrant Test Data)
16.	Has a plan to improve or upgrade the existing water system (including construction budget and schedule) been provided with this application? (YES/NO) If YES, include Exhibit# and name of document.	N/A
	If YES, can this plan be executed within a reasonable timetable such as 180 days or less? (YES/NO)	N/A
	If the plan can be implemented within a reasonable time frame, what is the basis for this assertion? Discussions with water company? Engineering schedule? Contractor discussions?	
	N/A	

B. Wastewater Infrastructure		
1.	Has a site map indicating the location of all existing wastewater utilities been provided with this application? (YES/NO) If YES, please include Exhibit# and title of document.	Yes. "See Exhibit 7 - Existing Utilities Map" Note: The sewer lift station/collection system in the vicinity of the site is owned by the LaSalle Sewer District No. 1. The LSD#1 sends its wastewater for treatment to the Town of Jena.
2.	Provider of sewer service (company name, municipal name, etc.). Include name, address, phone number and contact name, as appropriate.	Sewer Collection System Owner: LaSalle Sewer District No. 1 (LSD#1) P.O. Box 1 410 Mcintyre Street Trout, LA 71371 Office #: 318-992-4777 Operator: Mr. John Smith Operator Cell: 318-992-3530 Sewer Treatment Plant Owner: Town of Jena P.O. Box 26 2908 East Oak Street Jena, LA 71342 Office #: 318-992-2148 Operator: David Miller
3.	Distance to the closest wastewater collection line to service the site (feet) (Note: Line must be available to the site boundary or a construction plan and cost estimate must be attached.)	Adjacent to the Site
4.	Size of wastewater collection line closest to the site (inches diameter)	8" Gravity
5.	Is there a force main at or near the site? (YES/NO)	Yes (3")
6.	Capacity of nearest lift station (gallons/day)	64,800 GPD See "Exhibit 24 - Cost Estimate - Increase Excess Sewer Lift Station Capacity to 250,000 GPD".
7.	NPDES permit number of sewer provider	LA0033260 (AI# 19536)
8.	Total capacity of wastewater system (gallons/day)	1,400,000 GPD
9.	Current average daily use of wastewater system (gallons/day)	542,000 GPD
10.	Peak load on wastewater system (gallons/day)	991,000 GPD
11.	Excess capacity of wastewater system (gallons/day)	858,000 GPD

12.	Has a letter from the provider confirming the excess capacity been provided with this application? (YES/NO)		Yes. See "Exhibit 9 - Town of Jena - Statement of Excess Water and Wastewater Treatment Capacity"
	If not, what is the basis for the excess capacity assertion?	N/A	
13.	What are the pre-treatment requirements to discharge to the wastewater system? If lengthy, please include the pretreatment requirements as a separate attachment. If included as a separate document, please include Exhibit# and title of document here.		
	See "Exhibit 10 - Pretreatment Requirements from the Town of Jena LPDES Discharge Permit LA0033260"		

14.	Has a plan to improve or upgrade the existing wastewater system (including construction budget and schedule) been provided with this application? (YES/NO) If YES, please include Exhibit# and title of document.	Yes. See "Exhibit 24 - Cost Estimate - Increase Excess Sewer Lift Station Capacity to 250,000 GPD." Approximate construction timeline is 6 months.	
	If YES, can this plan be executed within a reasonable time frame such as 180 days or less? (YES/NO)	N/A	
15.	Has a plan to establish an on-site wastewater treatment facility been provided with this application? (YES/NO) If YES, please include the Exhibit# and title of document.	N/A	

C. Electricity Infrastructure		
1.	Has a site map, with the site clearly outlined, indicating the location of all existing electrical lines been provided with this application? (YES/NO) If YES, please include Exhibit# and title of document.	Yes. See "Exhibit 7 - Existing Utilities Map" Note: The site is served by two separate electricity providers. Information for both entities has been included in this section.
2.	Local provider of electrical power (company name, address, phone and contact person, as appropriate)	Concordia Electric COOP. Inc 1865 U.S. 84 P.O. Box 98 Jonesville, LA 71343 Phone #: 318-339-7969 Entergy Amanda Hatten Edge 2901 Cypress Street West Monroe, LA 71291 Direct #: 318-329-5476 Phone #: 1-800-368-3749
3.	Distance to provider's nearest distribution line (feet)	Both providers have lines adjacent to the site.
4.	Size of provider's nearest distribution line (kV)	Concordia: 14.4/24.9 kV Entergy: 7.96/13.8 kV
5.	Distance to nearest transmission line equal to or greater than 69 kV (miles)	Concordia: 7.1 Miles Entergy: 1.5 Miles
6.	Is reliable 3-phase service available at the site today? (YES/NO) (Note: If existing 3-phase service is not available at the site, certification will require submission of a formal cost estimate, construction plan and funding source to meet the minimum level of service within a reasonable timetable.)	Concordia: Yes Entergy: Yes
	If 3-Phase is NOT available at the site, include Exhibit# and title of document containing the plan to install 3-phase.	N/A
	What additional services are to be included with this upgrade?	N/A
	Can these plans be executed within a reasonable timetable such as 180 days or less? (YES/NO)	N/A
7.	Is dual feed available? That is, can the site be supplied power from two substations such that if one substation has an outage, the site still has power? (YES/NO)	Concordia: Yes Entergy: No

8.	Peak load capacity available at site (MW)?	Concordia: 12 MVA Entergy: 11 MVA
9.	Distance to nearest substation to serve the site (miles)	Concordia: 7.1 Miles Entergy: 1.6 Miles
10.	Distance to the next closest substation to serve the site (miles)	Concordia: 16.1 Miles Entergy: 9.75 Miles

D. Natural Gas Infrastructure		
1.	Has a site map, with the site clearly outlined, indicating the location of all existing natural gas lines near/adjacent to the site been provided with this application? (YES/NO) If YES, please include Exhibit# and title of document.	Yes. "See Exhibit 7 - Existing Utilities Map"
2.	Local supplier of natural gas (Company/agency name, address, phone and contact name, as appropriate)	Town of Jena P.O. Box 26 2908 East Oak Street Jena, LA 71342 Office #: 318-992-2148 Operator: David Miller
3.	Distance to nearest distribution service line (NOT transmission line) (feet)	Adjacent to Site
4.	Size of distribution service line (inches)	2"
5.	Pressure of distribution service line (psi)	90 PSI
6.	If the distribution line is not on or immediately adjacent to the site, has a plan to extend the line (including construction budget and schedule) been provided with this application? (YES/NO) If YES, please include Exhibit# and title of document.	N/A
	If the line needs to be extended to the site, can this plan be executed within a reasonable timetable such as 180 days or less? (YES/NO)	N/A
	What is your basis for asserting that the plan can be completed in a reasonable timetable? Engineering/construction estimate? Letter from natural gas supplier? etc.	
	N/A	
7.	Transmission provider of natural gas	Texas Gas Transmission

8.	Distance to nearest transmission line (NOT distribution line) (miles)	7.1 Miles	
9.	Size and pressure of transmission line (inches and PSI)	3 individual lines 36", 30", and 26" Maximum Allowable Operating Pressure of all lines is 860 PSI.	
10.	Are any known transmission or distribution upgrades or infrastructure improvements planned that will impact service to the site? (YES/NO)		No

11.	List and describe services to be upgraded or improved.
	N/A
	Can these plans be executed within a reasonable timetable such as 180 days or less? (YES/NO) If so, what is the basis for this assertion?
	N/A

E. Local Product Pipeline Crossings

1.	<p>Do any pipelines of any type (natural gas, water, crude oil, etc.) cross the site? (YES/NO)</p> <p>If YES, has a site map, with the site clearly outlined, indicating the location of any existing or proposed underground (or above-ground) product pipelines been provided with this application? (YES/NO)</p> <p>If YES, please include Exhibit# and title of document.</p>	No. See "Exhibit 7 - Existing Utilities Map"
2.	Pipeline owner	N/A
	Primary contents of pipeline	N/A
3.	Pipeline owner	N/A
	Primary contents of pipeline	N/A
4.	Pipeline owner	N/A
	Primary contents of pipeline	N/A
5.	Pipeline owner	N/A
	Primary contents of pipeline	N/A
6.	Pipeline owner	N/A
	Primary contents of pipeline	N/A

F. Telecommunications Infrastructure		
1.	<p>Has a site map indicating the location of all existing telecommunications lines been provided with this application? (YES/NO)</p> <p>If YES, please include Exhibit# and title of document.</p>	<p>No.</p> <p>The location of telecommunications lines is proprietary information and telecommunications companies typically do not disclose this information.</p>
2.	<p>Local provider of telecommunications services (Company, name, address, phone and contact name, as appropriate)</p>	<p>CenturyLink 147 Clarke Williams Drive Marion, LA 71260 Contact: Guy Middleton Office Phone #: 318-292-4781</p>
3.	<p>Distance to provider's nearest telecommunications line (feet)</p>	<p>200 Feet</p>
4.	<p>Distance to nearest central office (CO) serving the site (miles)</p>	<p>3 Miles</p>
5.	<p>Is digital switching available at the site? (YES/NO)</p>	<p>Yes</p>
6.	<p>Is fiber optic cable currently available at the site? (YES/NO)</p>	<p>Yes</p>
7.	<p>Are T-1 lines available at the site? (YES/NO)</p>	<p>Yes</p>
8.	<p>Are T-3 lines available at the site? (YES/NO)</p>	<p>Yes</p>
9.	<p>Is cellular or PCS wireless service available at the site? (YES/NO)</p>	<p>Yes</p>
10.	<p>Is satellite or commercial grade with an unobstructed view of the sky available at the site? (YES/NO)</p>	<p>Yes</p>
11.	<p>If a plan is underway to improve telecommunications at/near the site, has a copy of the plan to improve the existing telecom lines or systems (including construction budget and schedule) been provided with this application? (YES/NO)</p> <p>If YES, please include Exhibit# and title of document.</p>	<p>No</p>
	<p>If a plan has been developed, which services are to be included:</p>	
	<p>N/A</p>	
	<p>Can these plans be executed within a reasonable timetable such as 180 days or less? (YES/NO) If YES, what is the basis for this assertion?</p>	

	N/A				
G. Roadway Transportation Infrastructure					
1.	Has the required site map, with the site clearly outlined, indicating the location of all existing roadways abutting or crossing the site been provided with this application? (YES/NO) If YES, please include Exhibit# and title of document.			Yes. See "Exhibit 11 - Roadway and Transportation Map"	
2.	Nearest roadway	Roadway number	Distance from site (road miles)	Number of lanes	Width of lanes
	Parish road	Hanger Road	Adjacent	2	12.5 feet
	State highway	LA Hwy 8	LA Hwy 8-Adjacent	LA Hwy 8 - 2 Lane	LA Hwy 8 - 13 feet
		LA Hwy 165	LA Hwy 165-16 Miles	LA Hwy 165 - 4 Lane	LA Hwy 165 - 13 feet
	U.S. highway	US Hwy 84	5.1 Miles	2	12 feet
	North-south Interstate highway	I-49	36.5 Miles		
East-west Interstate highway	I-20	68.0 Miles			
3.	Can parish road sustain HS20 capacities (3-4 axle vehicles, such as semi-trucks and trailers)? (YES/NO)				Yes
4.	What is the weight limit of the parish road in pounds (lbs)?				88,000 lbs
5.	Can state highway sustain HS20 capacities (3-4 axle vehicles, such as semi-trucks and trailers)? (YES/NO)				Yes
6.	What is the weight limit of the state highway in pounds (lbs)?				88,000 lbs
7.	Is access to site controlled by a traffic light? (YES/NO)				No
8.	Are there any known improvements planned for local roadways? (YES/NO). If YES, please complete the blocks below.				No
	Local roadway to be improved	Description of improvement, Including controlling or funding authority			Schedule
	-	-			-
	-	-			-
	-	-			-

9.	Are there any known road improvements planned that will impact access to the Interstate highway? (YES/NO)		No
	If YES, how long will access to the interstate be impacted?	N/A	
10.	Are any roadway improvements required to access the site? (YES/NO)		No
	If YES, please describe required improvements.	N/A	
	If YES, is there a state or local commitment to making these improvements? (YES/NO)		N/A
11.	Do any rights-of-way need to be obtained to access the site? (YES/NO)		No
	If YES, please describe Right-of-Way needs.	N/A	
	If YES, what is the time schedule for obtaining these rights-of-way?		N/A

H. Air Transportation Infrastructure		
1.	Name and address of nearest commercial airport with scheduled passenger service	Alexandria International Airport 1611 Arnold Drive Alexandria, LA 71303-5636 See "Exhibit 11 - Roadway and Transportation Map"
2.	Distance in road miles to the nearest commercial airport	42.0 Miles
3.	Average travel time to nearest commercial airport	50 Minutes
4.	Number of air carriers serving nearest commercial airport	3
5.	Is direct international passenger service available at this airport? (YES/NO)	No
6.	Is international passenger service available within a two-hour flight? (YES/NO)	Yes
7.	Is international cargo service available? (YES/NO)	Yes
Optional – Enter a second commercial airport that might be near your facility if your site can be accessed fairly easily from both airports.		
8.	Name and address of second closest commercial airport with scheduled passenger service	Monroe International Airport 5400 Operations Rd. Monroe, LA 71203
9.	Distance in road miles to the second closest commercial airport	69.3 Miles
10.	Average travel time to second closest commercial airport	1 Hr 20 Minutes
11.	Number of air carriers serving second closest commercial airport	3
12.	Is direct international passenger service available at this airport? (YES/NO)	No
13.	Is international passenger service available within a two-hour flight at this airport? (YES/NO)	Yes
14.	Is international cargo service available at this airport? (YES/NO)	No

I. Rail Infrastructure		
1.	Is the site currently served by rail? (YES/NO) (Is there a rail spur currently on the site or adjacent to the site?)	No
2.	Name of carrier of nearest freight railroad line?	Union Pacific
3.	Distance to the nearest carrier's freight railroad line (miles)	17.0 Miles See "Exhibit 11 - Roadway and Transportation Map"
4.	Second carrier's closest freight railroad line, if a second carrier is available.	N/A
5.	Distance to the second closest carrier's freight railroad line (miles)	N/A
6.	Location of nearest intermodal rail yard	New Orleans, LA
7.	Distance in rail miles to nearest intermodal rail yard	250 Miles
8.	If rail does not serve the site, has a plan to provide service (including construction budget, construction plan, and source of funding) been attached? (YES/NO) If YES, please include Exhibit# and title of document.	No
	In what time frame (number of months) can rail service to the site be provided?	N/A
	What is the basis for this assertion? Engineering estimate? Letter from rail company? etc.	
	N/A	
9.	If rail is not currently on or adjacent to the site, do rights-of-way (ROW) exist for extension of rail line to site? (YES/NO)	No
	Do these rights-of-way cross federal, state, or parish roadways? (YES/NO)	N/A
10.	What party is responsible for ongoing maintenance of line extended to the site?	N/A

J. Water Transportation Infrastructure

1.	Name, address, phone and contact name (as appropriate) of nearest shallow draft port	Port of Alexandria Blake Cooper, Executive Director 318-473-1848 600 Port Road, Alexandria, LA 71301 See "Exhibit 11 - Roadway and Transportation Map"
2.	Name of waterway at shallow draft port	Red River
3.	What water depth is maintained at the shallow water port? (feet)	9
4.	Distance in road miles to nearest shallow draft port	36.9 Miles
5.	Does the shallow water port site currently have barge docking facilities? (YES/NO)	Yes
6.	Name, address, phone and contact name (as appropriate) of nearest deepwater port	Port of Greater Baton Rouge 2425 Ernest Wilson Drive P.O. Box 380 Port Allen, LA 70767-0380 Office - 225-342-1660 Fax - 225-342-1666
7.	Name of body of water at deepwater port	Mississippi River
9.	Distance in road miles to nearest deepwater port	144 Miles
10.	Does the deepwater port currently have deepwater vessel docking facilities? (YES/NO)	Yes
11.	How much draft can this deepwater port accommodate?	45 Feet

K. Geography and Geological Assessment		
1.	<p>Has the required U.S. Geological Survey quad map, with the site clearly outlined, been provided with this application? (YES/NO)</p> <p>Note: We prefer a map where the site has been zoomed into close enough to where the topographical data (elevations) is legible. We do not need the whole USGS quad map but would appreciate it if both exhibits are attached.</p> <p>If YES, please include Exhibit# and title of document.</p>	<p>Yes</p> <p>See "Exhibit 12 - United States Geological Survey (USGS) Quad Map"</p>
2.	<p>Has the required Soils Conservation Service (SCS) map, with the site clearly outlined, been provided with this application? (YES/NO)</p> <p>If YES, please include Exhibit# and title of document.</p>	<p>Yes</p> <p>See "Exhibit 13 - Natural Resource Conservation Survey (NRCS) Soil Conservation Survey Map"</p>
3.	<p>Has the required National Wetlands Inventory (NWI) map, with the site clearly outlined, been provided with this application? (YES/NO)</p> <p>If YES, please include Exhibit# and title of document.</p>	<p>Yes</p> <p>See "Exhibit 25 - National Wetlands Inventory Map"</p> <p>A more detailed map of the Wetlands Delineation performed as part of the Environmental Assessment can be found as "Exhibit 16 - Delineated Wetlands Map"</p>
4.	<p>Has the required FEMA 100-year flood plain map, with the site clearly outlined, been provided with this application? (YES/NO)</p> <p>Please use the latest FEMA DFIRM map, even if preliminary.</p> <p>If YES, please include Exhibit# and title of document.</p>	<p>Yes</p> <p>See "Exhibit 14 - FEMA Flood Zone Map"</p>
5.	Minimum topographical elevation (ft, MSL)	194 Feet, MSL
6.	Maximum topographical elevation (ft, MSL)	212 Feet, MSL
7.	Topographical variation (maximum elevation minus minimum elevation) (ft)	20 Feet
8.	Indicate the general grade or percentage slope of the site.	<p>1% Slope</p> <p>See "Exhibit 15 - Site Elevation Contour Map for details"</p>

9.	Described the general terrain of the site (e.g., flat, gently rolling, greatly sloping, etc.).	Gently sloping from the northeast to the southwest
10.	Described the general type of vegetation on the site.	Plantation Pine, 5-10 Years Old

11.	Identify any bodies of water or wetlands on or abutting the site.	Identify authority with jurisdiction over water body.
	See "Exhibit 16 - Delineated Wetlands Map" for details	USACE (Army Corps of Engineers)
	-	-
	-	-
12.	Has a copy of a preliminary geotechnical study been provided with this application? (YES/NO) Note: By "geotechnical study," we mean the study must have included soil borings by a licensed geotechnical contractor at the site or a nearby adjacent site. A GeoCheck report, while useful information, is not deemed sufficient to satisfy this criteria. If YES, please include Exhibit# and title of document.	Yes See "Exhibit 17 - Preliminary Geotechnical Study"
	If YES, does the geotechnical study indicate that the site is compatible with industrial development? (YES/NO)	Yes
	If YES, does the study indicate the soils are suitable for building foundations and/or construction of on-site roadways?	Yes
	If YES, is soil augmentation required for construction of a "typical" 100,000 sq ft industrial manufacturing building? (YES/NO)	Yes. Importation of 1 to 2 feet of select fill. See "Exhibit 17 - Preliminary Geotechnical Study" for more details
13.	Depth to groundwater (ft)	Varies - See Page 2 of "Exhibit 17 - Preliminary Geotechnical Study" for more details
14.	Has the required color aerial photo (from the past 24 months, with the site clearly outlined, been provided with this application? (YES/NO) If YES, please include Exhibit# and title of document.	Yes See "Exhibit 18 - 2012 Aerial Property Location Map"

L. Environmental Assessment		
1.	Has the required copy of the Phase I Environmental Assessment been included with this application? (YES/NO) If YES, please include Exhibit# and title of document.	Yes. See "Exhibit 19 - Phase I Environmental Site Assessment (ESA I)"
2.	Was the result from Phase I "No Further Action"? (YES/NO) If NO, what additional recommendations were made?	No. Recommendations: Additional investigation including soil and groundwater sampling will be necessary to determine the actual presence and extent of petroleum contamination of the site.
3.	Do the findings of Phase I require a Phase II? (YES/NO)	Yes
	If YES, has a Phase II environmental assessment been completed? (YES/NO)	Yes See "Exhibit 26 - Phase II Environmental Site Assessment (ESA-II)"
	If a Phase II has been completed, has a copy of the Phase II assessment executive summary been provided with this application? (YES/NO) If YES, please include Exhibit# and title of document.	Yes See "Exhibit 26 - Phase II Environmental Site Assessment (ESA-II)"
	Was the result from Phase II "No Further Action"? (YES/NO)	Yes
4.	Has the required letter from the LA Dept. of Wildlife and Fisheries indicating that development will not impact any endangered species and that the site is cleared for development been included with the application? (YES/NO) Please include Exhibit# and title of document.	Yes. See "Exhibit 20 - Louisiana Department of Wildlife and Fisheries Response to Threatened and Endangered Species Inquiry" See also "Exhibit 22 - Environmental Assessment of Wetlands and Endangered Species"
5.	Has a wetlands delineation/determination been conducted for this site? (YES/NO)	Yes

	<p>If a wetlands determination has been conducted, has a copy of the wetland delineation/ determination been provided with this application? (YES/NO)</p> <p>If a copy has been included, please include Exhibit# and title of document.</p>	<p>Yes See "Exhibit 16 - Delineated Wetlands Map"</p> <p>See also "Exhibit 22 - Environmental Assessment of Wetlands and Endangered Species"</p>
	<p>If a wetlands determination has been conducted, did it indicate the presence of wetlands and/or other waterways on site? (YES/NO)</p>	<p>Yes</p>
	<p>If wetlands are present, has a Corp of Engineers Sec 404 Permit Application been submitted? (YES/NO)</p> <p>If YES, please include Exhibit# and title of document.</p>	<p>No</p>
	<p>If wetlands are present, has a Corp of Engineers Sec 404 Permit been received? (YES/NO)</p> <p>If YES, please include Exhibit# and title of document.</p>	<p>No</p>
	<p>If wetlands are present, have all wetlands on the site been mitigated? (YES/NO)</p> <p>If YES, please include Exhibit# and title of document showing signed agreement with wetlands bank or other substantiation.</p>	<p>No</p>
	<p>Any other comments related to the possible presence of wetlands on site?</p>	<p>None</p>
<p>6.</p>	<p>Has the required State Historical Preservation Officer (SHPO) letter regarding the presence of historical or cultural artifacts on the site been provided with this application? (YES/NO)</p> <p>Note: The "SHPO" in Louisiana is the Louisiana Office of Culture, Recreation and Tourism (CRT), Division of Historic Preservation.</p> <p>Please include Exhibit# and title of document.</p>	<p>Yes. See "Exhibit 21 - Louisiana State Historic Preservation Office Response to Potential Interference with Historic Sites"</p>
	<p>Has the SHPO cleared the site for development? (YES/NO)</p>	<p>Yes</p>

<p>If the SHPO has NOT cleared the site for development, has the required Phase I Cultural Resources Assessment been performed? (YES/NO)</p> <p>If YES, please include Exhibit# and title of document.</p>	<p>N/A</p>

Required Documents/Exhibits List

- 1. U.S. Geological Survey quad map **with the site outlined**
- 2. Color aerial photo from the past 24 months **with the site outlined**
- 3. Boundary survey (including rights-of-way and easements)
- 4. Copy of the deed or other documents, including parish, state or federal ordinances that would restrict construction or operations at the site of any type.
- 5. Topographical map **with the site outlined** (The USGS Quad map will satisfy this requirement if the topo/elevation data is clearly visible on the portion of the Quad map included as an exhibit.)
- 6. Roster of owners
- 7. Site map, **with the site outlined**, indicating the location of all existing roadways abutting and/or crossing the site
- 8. Site map, **with the site outlined**, indicating location of existing water, wastewater, electrical, natural gas, telecommunications and other utilities lines
- 9. USDA Natural Resources Conservation Service Web Soil Survey map **with the site outlined**
- 10. National Wetlands Inventory (NWI) map **with the site outlined**
- 11. If 10% or more of a site is thought to be wetlands, a wetlands delineation must accompany submission. (It must be completed by a Professional Wetlands Scientist (PWS) or, as a minimum, someone who has been thru the Army Corps' Wetland Delineation course.)

The submitted wetlands delineation does not have to be a "jurisdictional wetlands determination," that is, a delineation officially approved by the Corps of Engineers. Nor is a Corps of Engineers 404 wetlands permit required. However, if a permit or jurisdictional wetlands delineation has been completed, a copy of the wetland determination or Corps of Engineers wetlands permit should be submitted with the application.

- 12. FEMA flood plain map **with the site outlined**

- 13. Phase I environmental assessment (must be within the last 5 years.)
- 14. If a Phase II environmental assessment has been completed, a copy of a Phase II assessment report in its entirety.
- 15. La. Dept. of Wildlife and Fisheries (LDWF) determination – A clearance letter from LDWF indicating that development will not impact any endangered species.
- 16. State Historical Preservation Officer (SHPO) letter regarding the presence of historical or cultural artifacts on the site. The letter from SHPO will indicate that the site is cleared or may indicate that further evaluation is required.
- 17. Phase I cultural resources assessment if letter from SHPO asks for further evaluation of the site.
- 18. Copy of a geotechnical study for the site.

Desired Documents List

- 19. Copy of the deed, if not required above
- 20. Copy of title abstract
- 21. Copy of the latest property assessment from the parish assessor
- 22. If applicable, a plan to improve or upgrade the existing potable water system to meet 50 thousand gal./day certification threshold (including construction budget & schedule)
- 23. Letter from the local water provider confirming excess water capacity.
- 24. If applicable, a plan to improve or upgrade the existing wastewater system to meet 50 thousand gal./day certification threshold (including construction budget & schedule)
- 25. If applicable, a plan to extend existing electrical lines, or upgrade current system, to meet 3-phase certification threshold (including construction budget & schedule)
- 26. If applicable, a plan to extend the natural gas line (including construction budget & schedule)
- 27. If applicable, a plan to extend and/or improve the existing telecom lines or systems to meet certification threshold (including construction budget & schedule)
- 28. If applicable, a plan to provide service rail service to the site (including construction budget and schedule)

(Last revision: December 2012)