

MAP INFORMATION		
0,900 if printed on B size (11" × 17") sheet.		
s that comprise your AOI were mapped at 1:24,000.		
Ap may not be valid at this scale.		
hap may not be value at this scale.		
f maps beyond the scale of mapping can cause		
ing of the detail of mapping and accuracy of soil line e maps do not show the small areas of contrasting		
have been shown at a more detailed scale.		
Please rely on the bar scale on each map sheet for accurate map measurements.		
Source of Map: Natural Resources Conservation Service Web Soil Survey URL: http://websoilsurvey.nrcs.usda.gov Coordinate System: UTM Zone 15N NAD83		
This product is generated from the USDA-NRCS certified data as the version date(s) listed below.		
ea: Iberville Parish, Louisiana		
ata: Version 5, Sep 29, 2011		
mages were photographed: Data not available.		
The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.		

Iberville Parish, Louisiana (LA047)			
Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
CI	Commerce silt loam	260.6	25.0%
Cm	Commerce silty clay loam	126.7	12.1%
DW	Dowling soils, frequently flooded	0.8	0.1%
Gr	Gramercy silty clay loam, 0 to 1 percent slopes	1.4	0.1%
LE	Levees-Borrow pits complex, 0 to 25 percent slopes	79.2	7.6%
Se	Schriever clay, frequently flooded	0.0	0.0%
Sg	Sharkey clay	396.9	38.0%
Sk	Sharkey clay, frequently flooded	28.4	2.7%
SY	Sharkey and Fausse soils	61.4	5.9%
Tu	Tunica clay	23.3	2.2%
W	Water	64.8	6.2%
Totals for Area of Interest		1,043.6	100.0%

## Map Unit Legend

## **Map Unit Descriptions**

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the